Author Index to Volume 18

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 18, 1980. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Aarts, M. W. A. M. See van der Meer, R., 1347C
Abhiraman, A. S.
—; George, W.: Orientable Polymer Fluids—Suggestions from Ericksen's Theory of Anisotropic Fluids, 127P
Acierno, D.
—; La Mantia, F. P.; Titomanlio, G.; Ciferri, A.: Effect of Moisture on the Bulk Properties of Salted Poly(caproamide), 739P
Adams, D.
—; Braun, D.: Photo-Oxidation of Polystyrene Containing A Chemically Bonded Antioxidant, 629L
Aharoni, S. M.
Rigid Backbone Polymers. XI. Solution Phase-Viscosity Relationship, 1439P
Rigid Backbone Polymers. X. Transitions in Bulk Polyisocyanates, 1303P
Ahmed, M. S.
—; Parsons, I. W.; Haward, R. N.: The Polymerization of *n*-Butyl Isocyanate at Low Catalyst Concentrations (Note), 371C
Akaishi, T.
—; Miyasaka, K.; Ishikawa, K.; Shirakawa, H.; Ikeda, S.: Crystallinity of Bulk Polyacetylene, 745P
Akcasu, A. Z.
—; Summerfield, G. C.; Jahshan, S. N.; Han, C. C.; Kim, C. Y.; Yu, H.: Measurement of Single Chain Neutron Scattering in Concentrated Polymer Solutions, 863P
Akcelrud, L. See de Souza Gomes, A., 3021C
Akiyama, F.
Reductive Copolymerization Of Sulfur Dioxide with Alkanedithiol. II. Copolymerization of SO_2 with 1,2-Ethanedithiol in the Presence of Metal Oxide or Acid, 401L
Alberti, J. M. See van der Meer, R., 1431C
Aleman, J. V.
Flow Properties of Epoxide Prepolymers, 2567C
Glass Transitions of Epoxide Prepolymers, 2561C
Alessandrini, J. L.
Intrinsic Viscosity of Flexible Ring Polymers, 811P
Alev, S.
—; Collet, A.; Viguier, M.; Schue, F.: Polymerisation Anionique de l'Isoprene et du Butadiene en Presence d'Agents Complexants, 1163C
—; Collet, A.; Viguier, M.; Schue, F.: Utilisation du Dicyclohexyl-18 Couronne-6 en Polymerisation Anionique. II. Polymerisation du Methacrylate de Methyle Amorcee par les Metaux Alcalins, 1155C
Aliev, R. E. See Kabanov, V. Ya., 871C
Al-Jumah, K. See Mathias, L. J., 2911C
Allendoerfer, R. D. See Sanford, T. J., 2277P
Almog, Y.
—; Levy, M.: Effect of Initiator on the Molecular Weight Distribution in Dispersion Polymerization of Styrene, 1C
Aloisi, G. G. See Maravigna, P., 5L
Anderson, P. See McNeill, I. C., 2085C
Ando, D. J. See Bloor, D., 779P
Ando, I. See Morita, M., 109L
Andrade, J. D. See Russell, G. A., 1271P
Andrady, A. L. See Llorente, M. A., 2263P
Andreeva, N. J. See Voronkov, M. G., 53C
Ang, C. H.
—; Garnett, J. L.; Levot, R.; Long, M. A.; Yen, N. T.: Photosensitized Grafting of Styrene, 4-Vinylpyridine and Methyl Methacrylate to Polypropylene, 471L
Annenkova, V. M. See Voronkov, M. G., 53C
Annenkova, V. Z. See Voronkov, M. G., 53C
Ansorena, J.
—; Iruin, J. J.; Guzman, G. M.: Characteristic Ratio of a 1,4-Poly(2,3-Dimethyl Butadiene) (Note), 173P
Antonelli, M. L.
—; Bucci, R.; Carunchio, V.; Cernia E.: Preparation of a Cobalt(III) Compound with Polyethylenimine, 179L
Antonoplos, P. A. See Seshadri, K. S., 2649C
Arai, K. See Arai, M., 2811C
—; Ogiwara, Y.: Hydrolysis of Amylose in the Presence of Block Copolymer of Vinyl Alcohol and Styrenesulfonic Acid. II. Investigation on Reaction Products (Note), 1643C
Arai, M.
—; Arai, K.; Saito, S.: On the Rate of Soapless Emulsion Polymerization of Methyl Methacrylate, 2811C
Araki, T. See Maruyama, K., 753C; Tsukube, H., 3359C
Arata, K. See Hino, M., 235C
Archambault, P.
—; Prud'homme, R. E.: Crystallization of Polydioxolan. III. Microscopy and Dilatometric Analysis of the Crystallization Kinetics, 35P
Archibald, D. A. See Ghiggino, K. P., 673L
Aref-Azar, A.
—; Hay, J. N.; Marsden, B. J.; Walker, N.: Crystallization Characteristics of Polymer Blends. I. Polyethylene and Polystyrene, 637P
Arrighetti, S. See Faucitano, A., 2175C
Asai, K. See Miyamoto, Y., 597P
Atarot, H. See Faucitano, A., 2175C
Atkins, E. D. T.
—; Isaac, D. H.; Keller, A.: Conformation of Polystyrene with Special Emphasis to the Near All-*Trans* Extended-Chain Model Relevant in Polystyrene Gels, 71P
Aubrey, D. W.
—; Sherriff, M.: Peel Adhesion and Viscoelasticity of Rubber–Resin Blends, 2597C
Augustyniak, W.
—; Wojtczak, J.: Photosensitized Degradation of Polyethylene Glycols in Aqueous Solutions. I. Viscosimetric Measurements, 1339C
Avitabile, G.
—; Napolitano, R.; Riva, F.: Wide-Angle X-Ray Diffraction of Stress-Crystallized Poly(*cis*-1,4-Butadiene) (Note), 1663P
Awaya, H. See Fujiyama, M., 105L
Awl, R. A.
—; Frankel, E. N.; Friedrich, J. P.; Swanson, C. L.: Tricarbonylchromium-Complexed Phenylsiloxane Polymers as Stereoselective Hydrogenation Catalysts: Preparation and Properties, 2663C
Azriel, A. Ye. See Korshak, V. V., 247P
Azuma, C.
—; Mitsuboshi, T.; Sanui, K.; Ogata, N.: Synthesis and Properties of Polydiene and Polypentenamer Having Formyl or Hydroxymethyl Groups and Their Photosensitive Derivatives, 781C
Azuma, K. See Fujiyama, M., 105L

Babchinitser, T. M. See Korshak, V. V., 247P

Babu, K. S.
—; Rao, K. P.; Joseph, K. T.; Nayudamma, Y.: Grafting of Methyl Methacrylate onto Collagen by the Introduction of Hydroperoxide Groups (Note), 373C
Backstrom, G. See Sandberg, O., 2123P
Bailey, F. C. See Pochan, J. M., 447L
Bailey, W. J. See Endo, T., 25L, 457L, 771L
Bajaj, P.
—; Varshney, S. K.; Misra, A.: Block Copolymers of Polystyrene and Poly(dimethyl Siloxane). I. Synthesis and Characterization, 295C
Balaev, G. A. See Ivanchev, S. S., 2051C
Balakrishnan, T. See Devarajan, R., 1127C; Elayaperumal, P., 2471C
Balbi, C.
—; Bianchi, E.; Ciferri, A.; Tealdi, A.; Krigbaum, W. R.: Equilibria of Extended-Chain Polymers Exhibiting Crystalline and Liquid-Crystalline Phases, 2037P
Balke, S. T.
—; Patel, R. D.: Coupled GPC/HPLC Copolymer Composition and Axial Dispersion Characterization, 453L
Ballistreri, A.
—; Foti, S.; Maravigna, P.; Montaudo, G.; Scamporrino, E.: Effect of Metal Oxides on the Evolution of Aromatic Hydrocarbons in the Thermal Decomposition of PVC, 3101C
—; Foti, S.; Montaudo, G.; Scamporrino, E.: Evolution of Aromatic Compounds in the Thermal Decomposition of Vinyl Polymers, 1147C
—; Foti, S.; Maravigna, P.; Montaudo, G.; Scamporrino, E.: Mechanism of Thermal Degradation of Polyurethanes Investigated by Direct Pyrolysis in the Mass Spectrometer, 1923C
Balta-Calleja, F. J.
—; Hosemann, R.: Distribution of Chain Defects and Microstructures of Melt Crystallized Polyethylene. II. Influence of Defect Size and of Plastic Deformation, 1159P
Bamji, S. S.
—; Kao, K. J.; Perlman, M. M.: Piezoelectricity and Pyroelectricity of Polyvinylidene Fluoride Corona-Poled at Elevated Temperature, 1945P
Bantjes, A. See van der Does, L., 53L
Baogong, Q. See Zhiquan, S., 3345C
Barboiu, V. See Luca, C., 449C, 2347C
Barham, P. J. See McBrierty, V. J., 1561P
Barkalov, I. M.
—; Kim, I. P.; Mikhailov, A. I.; Kiryukhin, D. P.: A Study of the Mechanism of Radiation-Induced Polymerization of Carbon Suboxide, 1551C
Barnes, B. P. See Stuetz, D. E., 967C, 987C
Barrales-Rienda, J. M. See Gonzalez de la Campa, J. I., 1919P, 2197P
Bates, F. S. See Cohen, R. E., 2143P
Bates, J. S.
—; Shanks, R. A.: Redox Initiation of Polymerization Using 1,3-Dioxane-2-Hydroperoxides (Note), 2901C
Bauer, D. R.
—; Dickie, R. A.: Crosslinking Chemistry and Network Structure in Organic Coatings. I. Cure of Melamine Formaldehyde/Acrylic Copolymer Films, 1997P
—; Dickie, R. A.: Crosslinking Chemistry and Network Structure in Organic Coatings. II. Effect of Catalysts on Cure of Melamine Formaldehyde/Acrylic Copolymer Films, 2015P
Baughman, R. H. See Chance, R. R., 1651P
Baulin, A. A. See Ivanchev, S. S., 2045C
Beaumais, J.
—; Fenyo, J. C.; Muller, G.: Effect of Polyion Conformation on Dye Binding. V. Induced Optical Activity of Acridine Orange Bound to a Synthetic Nonstereoregular Polyelectrolyte, 1367C
Bechtold, M. F.
—; Mahler, W.; Schunn, R. A.: Polymerization and Polymers of Silicic Acid, 2823C
Belavtseva, E. M. See Frunze, T. M., 1523P
Bellantoni, E. See Blumstein, A., 299L
Belletete, M. G. See Collette, J. W., 1071C
Berg, M. C. See Mano, E. B., 1619C
Berghmans, H. See Groeninckx, G., 1311P
Berlin, A. A. See Ragimov, A. V., 713C
Bernardo, M., Jr. See Pacansky, T. J., 3119C
Bevan, L.
A Model for Computing Craze Displacements, 321L
Bhadani, S. N.
—; Prasad, Y. K.; Kundu, S.: Electrochemical and Chemical Polymerization of Acrylamide, 1459C
Bhardwaj, I. S. See Sharma, Y. N., 59C
Bhargava, G. S. See Khan, H. U., 465L, 753L, 803L
Bianchi, E. See Balbi, C., 2037P
Bianchi, G.
—; Colombo, P.; Custro, S.; Radici, P.: Transfer Reaction and Molecular Weight Distribution in the Anionic Polymerization of Formaldehyde, 2715C
Biangardi, H. J.
Calculation of the Intrinsic Birefringence of Amorphous Polyethylene Terephthalate from the Wide-Angle X-Ray Scattering (Note), 903P
Billingham, N. C.
—; Chapman, A. J.; Jenkins, A. D.: Vinyl Polymerization in the Presence of Copper Salts, 827C
Black, W. B. See Wu, W., 751P
Blight, L. See Bordoloi, B. K., 383C
Bloor, D.
—; Ando, D. J.; Hubble, C. L.; Williams, R. L.: Raman Spectroscopic Studies of the Solid-State Polymerization of Diacetylenes. II. Thermal Polymerization of 1,6-Di-*p*-Methoxybenzene-Sulfonyloxy-2,4-Hexadiyne, 779P
Blumstein, A.
—; Ponrathnam, S.; Bellantoni, E.: Matrix Polymerization on Polyelectrolyte Backbones: Influence of the Medium on Polymerization Kinetics, 299L
Bokare, U. M.
—; Gandhi, K. S.: Effect of Simultaneous Polyaddition Reaction on the Curing of Epoxides, 857C
Bone, T. See Stoffer, J. O., 2641C
Bonora, G. M. See Toniolo, C., 2883C
Bordoloi, B. K.
—; Pearce, E. M.; Blight, L.; Currell, B. R.; Merrall, R.; Scott, R. A. M.; Stillo, C.: Copolymerization of Liquid Sulfur with Certain Olefinic Systems and Structure–Property Studies on the Polymeric Materials, 383C
Borg-Visse, F.
—; Dawans, F.; Marechal, E.: Polymerization and Copolymerization of 2-Phthalimidomethyl 1,3-Butadiene. I. Preliminary Studies of Free Radical Polymerization and Polymerizations Initiated by Various Transition Metal Allyl Complexes, 2481C
—; Dawans, F.; Marechal, E.: Polymerization and Copolymerization of 2-Phthalimidomethyl 1,3-Butadiene. II. Kinetic Study of ... 1,3-Butadiene ... 2491C
Boros-Gyevi, E. See Foldes-Berezsnich, T., 1223C
Boudreaux, E., Jr.
—; Cuculo, J. A.: The Elastic Fracture of Polycondensates, 115L
Bousquet, J.-A.
—; Donnet, J. B.; Faure, J.; Fouassier, J.-P.; Haidar, B.; Vidal, A.: Photocrosslinking of Elastomer Systems. II. Ultraviolet Light-Induced Reactions in an EPDM Modified by Grafting of Benzoin Derivatives, 765C
Boyer, R. F. See Lacabanne, C., 277P
Review of *Styrene Polymers: Technology and Environmental Aspects*, C. A. Brighton, G. Pritchard, and G. A. Skinner, 147L
Brandt, K. A. See Pacansky, T. J., 3119C
Braslaw, J. See Gerlock, J. L., 541C
Braun, D. See Adams, D., 629L
Bravaya, N. M. See Dyachkovskii, F. S., 2615C
Britton, A. T., Jr.
—; Sullivan, J. L.; Smith, K. J., Jr.: Thermoelasticity of Networks in Swelling Equilibrium with Mixed Diluents: Specific Polymer-Diluent Interactions, 537P

Brown, C. E.
—; Jones, M. B.; Kovacic, P.: Cross Polarization, Magic Angle ^{13}C NMR Spectroscopy of Poly(*p*-Phenylene) and Lower Oligomers, 653L
Brown, N. See Druy, M. A., 429P
—; Metzger, B. D.: The Dependence of Craze Velocity on the Pressure and Temperature of the Environmental Gas, 1979P
Brun, E. B.
—; Shustova, O. A.; Kuchanov, S. I.; Gladyshev, G. P.: Stabilization at High Temperatures, 2461C
Bruneau, C.-M. See Durand, D., 915P
Brydia, L. E.
—; Garty, O. M.: Application of High-Performance Size-Exclusion Chromatography to the Determination of Low-Molecular-Weight Compounds in Polyarylethers, 1577C
Bucci, R. See Antonelli, M. L., 179L
Buckingham, A. D.
—; Hentschel, H. G. E.: Partial Miscibility of Liquid Mixtures of Protonated and Deuterated High Polymers, 853P
Buleon, A.
—; Chanzy, H.: Single Crystals of Cellulose IV_{II}: Preparation and Properties, 1209P
Bulkin, B. J.
Review of *An Infrared Spectroscopy Atlas for the Coatings Industry*, D. G. Anderson, et. al. 577L
Review of *Atlas of Polymer and Plastics Analysis, Vol. 1; Polymers: Structure and Spectra*, 2nd ed., D. O. Hummel Ed. 577L
Bunel, C. See Cho, W. J., 1995C
Burchell, D. J. See Shu, P. H. C., 1421P
Burillo, G.
—; Chapiro, A.; Mankowski, Z.: Kinetic Evidence of a "Matrix Effect" in the Bulk Polymerization of Acrylonitrile, 327C
Burnett, L. J.
—; Durrett, M. G.: Molecular Motion and Spin Relaxation in Polydiethylsiloxane, 227P
Butler, G. B. See Williams, A. G., 313L

Cais, M. See Tatarsky, D., 1387C
Cameron, G. G.
—; Qureshi, M. Y.: Free Radical Grafting of Monomers to Polydienes. III. Kinetics and Mechanism of Styrene Grafting to Polyisoprene, 2143C
—; Qureshi, M. Y.: Free Radical Grafting of Monomers to Polydienes. IV. Kinetics and Mechanism of Methyl Methacrylate Grafting to Polybutadiene, 3149C
Camino, G.
—; Costa, L.; Trossarelli, L.: Formation of a Cyclic Oligomer by Hydrogen Transfer Polymerization of Acrylamide (Note), 377C
Campbell, D.
—; Qayyum, M. M.: Melt Crystallization of Polypropylene: Effect of Contact with Fiber Substrates, 83P
Capaccio, G. See Wills, A. J., 493P
—; Crompton, T. A.; Ward, I. M.: Drawing Behavior of Linear Polyethylene. II. Effect of Draw Temperature and Molecular Weight on Draw Ratio and Modulus, 301P
Carenza, M. See Gasparrini, G., 33L
Carlini, C.
—; Chiellini, E.; Solaro, R.: Model Reactions for Stereochemistry of Ziegler–Natta Polymerization: Asymmetric Hydroisomerization of α-Olefins by Chiral Titanium Tetra-Alkoxides/Tri-Isobutyl Aluminum Catalytic Systems, 2129C
Reactivity of 4-Vinylpyridine in the Presence of Ziegler–Natta Catalysts, 799C
Carlsson, D. J. See Chan, K. H., 607L; Garton, A., 85L, 3245C
Carpenter, R. L.
—; Kan, H.-C.; Ferry, J. D.: Entanglement Networks of 1,2-Polybutadiene Crosslinked in States of Strain. IX. Swelling and Anisotropy (Note), 165P
Carunchio, V. See Antonelli, M. L., 179L
Cassidy, P. E. See Lohr, R. A., 1719C
—; Doctor, S. V.: Polyimidines. VI. The Comparison of Polyimidines from Bis(3,3-Diphenyl-6-Phthalidyl) Ketone, 69C
Caubere, P. See Raynal, S., 13L
Cavrot, J. P. See Haussy, J., 311P
Cembrola, R. J.
—; Stein, R. S.: Crystal Orientation Relaxation Studies of Polyethylene, 1065P
Cernia E. See Antonelli, M. L., 179L
Cesca, S. See Faucitano, A., 2175C
Cha, C. Y.
—; Folger, R. L.; Ware, B. R.: Electrophoretic Light Scattering of Water-Soluble Polyelectrolytes (Note), 1853P
Chalifoux, J.-P.
—; Meinecke, E. A.: A New Method to Determine the Shear Stress in Capillaries by Force Balance, 265L
Challa, G. See Koetsier, D. W., 1933C
Chan, A. D. See MacLaury, M. R., 2501C
Chan, K. H.
—; Carlsson, D. J.; Wiles, D. M.: Nitroxide-Hydroperoxide Association in Solid Polypropylene, 607L
Chance, R. R.
—; Yee, K. C.; Baughman, R. H.; Eckhardt, H.; Eckhardt, C. J.: Electronic Spectra of Two Polydiacetylene Isomorphs (Note), 1651P
Chand, N. See Gupta, A. K., 1125P
Chandel, P. S. See Misra, B. N., 1171C
Chandrasekaran, S. See Yue, H., 1393P
Chang, V. S. C. See Ivan, B., 3177C
Chanzy, H. See Buleon, A., 1209P
—; Peguy, A.; Chaunis, S.; Monzie, P.: Oriented Cellulose Films and Fibers from a Mesophase System, 1137P
Chao, D. Y.
—; Jamieson, A. M.: Influence of Chain Conformation on Translational Diffusion of Poly(2-Vinyl Pyridine) in Dilute Solution, 607P
Chapiro, A. See Burillo, G., 327C
Chapman, A. J. See Billingham, N. C., 827C
Charlesworth, J.
An Analysis of the Substitution Effects Involved in Diepoxide–Diamine Copolymerization Reactions, 621C
Chatterjee, A. K. See Pramanick, D., 311C, 2585C
Chau, N.
—; Ogawa, Y.; Iwakura, Y.: Synthesis of Aromatic Polysulfonamide Esters, 3499C
Chaudhuri, A.
—; Palit, S. R.: Determination of Sulfate and Similar End Groups in Polymers [Poly(methyl Methacrylate) and Polystyrene] by an Improved Dye Interaction Method, 1279C
Chaudhuri, A. K.
—; Min, B. Y.; Pearce, E. M.: Thermal Properties of Wholly Aromatic Polyamides, 2949C
Chaunis, S. See Chanzy, H., 1137P
Chen, C-Y. See Pittman, C. U., Jr., 3413C
—; Piirma, I.: Emulsion Polymerization of Acenaphthylene. I. A Study of Particle Nucleation in Water Phase and in Aqueous Emulsions, 1979C
—; Pittman, C. U., Jr.; Helbert, J. N.: Radiation Degradation of Methyl α-Chloroacrylate–Methacrylonitrile Copolymers, 169C
Chen, F. C. See Choy, C. L., 1187P
—; Choy, C. L.; Young, K.: Negative Thermal Expansion of Polymer Crystals: Lattice Model, 2313P
Chen, H. Y. See Lal, J., 2921C
Chen, J. T.
—; Okamura, Y.; Fujita, S.: Polymer Conformation Based on Correlated Walk Model (Note), 175P
Cheng, C. H.
—; Pearce, E. M.: Polymers Containing Fluorinated Ketone Groups. I. DSC and NMR Studies of Poly(*p*-Vinyltrifluoroacetophenone) and Polymers of Similar Structure, 1871C
—; Pearce, E. M.: Polymers Containing Fluorinated Ketone Groups. II. NMR Studies of the Reaction of Methylbenzyl Trifluoromethyl Ketones with Alcohols in Carbon Tetrachloride, 1877C

—; Pearce, E. M.: Polymers Containing Fluorinated Ketone Groups. III. Synthesis of Styrene/*p*-Vinyltrifluoroacetophenone Copolymers by Modification of Polystyrene and the Copolymerization of Monomers, 1883C
—; Pearce, E. M.: Polymers Containing Fluorinated Ketone Groups. IV. Syntheses and Characterization of New Fluorinated Ketone-Containing Polymer-Substituted Polystyrenes, 1889C
Cheng, T. C. See Futamura, S., 767P
Chengxun, L.
—; Xinde, F.; Chongqing, W.; Dechang, L.: Studies of Some New Bioactive Acrylic Esters, 2411C
—; Naichun, C.; Wei, G. Z.; Xinde, F.: Synthesis and Polymerization of γ-Alkoxy-β-Hydroxypropyl Acrylates, 3403C
Chidambareswaran, P. K.
—; Sreenivasan, S.; Patil, N. B.; Lokhande, H. T.: A New Method for Achieving Cellulose IV → Cellulose III Lattice Transformations, 603L
Chiellini, E. See Carlini, C., 2129C
Chien, J. C. W.
—; Kohara, T.; Lillya, C. P.; Sarubbi, T.; Su, B-H.; Miller, R. S.: Phase Transfer-Catalyzed Nitromercuration of Diene Polymers, 2723C
—; Karasz, F. E.; Wnek, G. E.; MacDiarmid, A. G.; Heeger, A. J.: Polymerization of Acetylene, 45L
Childs, R. F. See Nixon, A., 1499C
Chitrangad, B.
—; Osmers, H. R.: Polymer Diffusion at Intermediate Concentrations, 1219P
Chiu, D. S. See Falender, J. R., 389P
Cho, I.
—; Kim, J-B.: Polymerization of Substituted Cyclopropanes. III. Anionic Polymerizations of 2-Substituted Cyclopropane-1,1-Dicarbonitriles, 3053C
—; Lee, J-Y.: Polymerizations of Substituted Cyclopropanes IV. Anomalous Radical-Initiated Copolymerization of 2-Vinylcyclopropane-1,1-Dicarbonitrile with Alkyl Vinyl Ethers, 639L
Cho, W. J.
—; Bunel, C.; Marechal, E.: Reactivity of 4-Halogeno 1-Vinyl Naphthalenes in Cationic Polymerization, 1995C
Chongqing, W. See Chengxun, L., 2411C
Choy, C. L. See Chen, F. C., 2313P
—; Chen, F. C.; Luk, W. H.: Thermal Conductivity of Oriented Crystalline Polymers, 1187P
Christmann-Lamande, L. See Mathis, C., 671C
Chung, C. I.
—; Griesbach, H. L.; Young, L.: High-Temperature Morphological Transition in a Styrene-Butadiene-Styrene Block Copolymer, 1237P
Churochkina, N. A. See Korshak, V. V., 247P
Cieloszyk, G. S. See Nowlin, T. E., 2103C
Ciferri, A. See Acierno, D., 739P; Balbi, C., 2037P; Krigbaum, W. R., 253L
Clark, D. T.
—; Dilks, A.: An Investigation of the Vacuum UV Spectra of Inductively Coupled RF Plasmas Excited in Inert Gases as a Function of Some of the Operating Parameters, 1233C
—; Feast, W. J.; Tweedale, P. J.; Thomas, H. R.: ESCA Applied to Polymers. XXVI. Investigation of a Series of Aliphatic, Aromatic, and Fluorine-Containing Polycarbonates, 1651C
—; Shuttleworth, D.: Plasma Polymerization. II. An ESCA Investigation of Polymers Synthesized by Excitation of Inductively Coupled RF Plasma in Perfluorobenzene and Perfluorocyclohexane, 27C
—; Shuttleworth, D.: Plasma Polymerization. III. An ESCA Investigation of Polymers Synthesized by Excitation of Inductively Coupled RF Plasmas in Perfluorocyclohexa-1,3-and 1,4-Dienes, and in Perfluorocyclohexene, 407C
Cohen, R. E.
—; Bates, F. S.: Nonequilibrium Morphologies of a Diblock Copolymer of Polyisoprene and Poly(*n*-Butyl Methacrylate) (Note), 2143P
Cohen Stuart, M. A.
—; Scheutjens, J. M. H. M.; Fleer, G. J.: Polydispersity Effects and the Interpretation of Polymer Adsorption Isotherms, 559P
Coleman, M. M. See Petcavich, R. J., 2097P; Wu, M. S., 95P, 111P
—; Varnell, D. F.: Fourier-Transform Infrared Studies of Polymer Blends. III. Poly(β-Propiolactone)-Poly(vinyl Chloride) System, 1403P
Collet, A. See Alev, S., 1155C, 1163C
Collette, J. W.
—; Gale, D. M.; Belletete, M. G.: Effect of Cyclobutane Carbonitrile Rings on the Glass Transition Temperature of Vinyl Copolymers, 1071C
Colley, A. M. See MacLaury, M. R., 2501C
Collignon, J.
—; Sillescu, H.: ^{1}H-NMR Relaxation in Polyethylene Melts as Studied by the Deuteron Dilution Technique, 669L
Colombo, P. See Bianchi, G., 2715C
—; Custro, S.; Radici, P.: The Transacetalization Reaction During the Etherification of Poly(oxymethylene)diol [α-Hydro-ω-Hydroxypoly(oxymethylene)] with Orthoesters in the Presence of Lewis Acids, 681C
Comincioli, V. See Faucitano, A., 2175C
Comyn, J.
—; Glasse, M. D.: The Aging of Living α-Methylstyryl Oligomers, 703L
Cooper, D. R.
—; Molloy, R.; Sutton, G. J.; Tighe, B. J.: Poly-α-Ester Degradation Studies. VI. Thermal Degradation of Poly(3-Pentylidene Carboxylate), 123C
Cooper, S. L. See Yarusso, D. J., 557L
Costa, L. See Camino, G., 377C
Coutinho, F. M. B. See Mano, E. B., 1619C
Craubner, H.
Macromolecular *N*-Nitroso-Acylamines as Initiators for Polyreactions. I. Synthesis of Block Copolymers from Polycondensates and Olefinic Monomers, 2011C
Crist, B., Jr. See Judd, R. E., 717L; Wissler, G. E., 1257P
Critchfield, F. E. See Seefried, C. G., Jr., 817P
Crivello, J. V.
—; Lam, J. H. W.: Complex Triarylsulfonium Salt Photoinitiators. I. The Identification, Characterization, and Syntheses of a New Class of Triarylsulfonium Salt Photoinitiators, 2677C
—; Lam, J. H. W.: Complex Triarylsulfonium Salt Photoinitiators. II. The Preparation of Several New Complex Triarylsulfonium Salts and the Influence of Their Structure in Photoinitiated Cationic Polymerization, 2697C
—; Lam, J. H. W.: Photoinitiated Cationic Polymerization by Dialkyl-4-Hydroxyphenylsulfonium Salts, 1021C
Crompton, T. A. See Capaccio, G., 301P
Cuculo, J. A. See Boudreaux, E., Jr., 115L; Hudson, S. M., 3469C; Wei, K. Y., 343P
Cukor, P.
—; Rubner, M.: Effect of Heating on the Relative Molecular Weight Distribution of Isomers of Polyphenylacetylene (Note), 909P
Currell, B. R. See Bordoloi, B. K., 383C
Custro, S. See Bianchi, G., 2715C; Colombo, P., 681C

Dahler, J. S. See Fesciyan, S., 2077P; Jhon, M. S., 529P
Daimon, H. See Matsumoto, N., 1665C
Dais, P. See Paleos, C. M., 3463C
Dale, B. E.
—; Tsao, G. E.: A Microcalorimetric Study of Complex Formation between Alkaline Sodium Tartrate and Iron(III), 3163C
Dandge, D. K.
—; Kops, J.: Reactivity of *N,N'*-Bismethylolpyromellitimide with Isocyanates (Note), 355C

Datyner, A. See Pace, R. J., 1103P, 1169P
Davankov, V. A. See Tsyurupa, M. P., 1399C
Davidson, J. A.
—; Witenhafer, D. E.: Particle Structure of Suspension Poly(Vinyl Chloride) and Its Origin in the Polymerization Process, 51P
Davis, D. D.
—; Kwei, T. K.: Phase Transformation in Mixtures of Polystyrene and Poly(vinyl Methyl Ether), 2337P
Davtyan, S. P. See Frunze, T. M., 1523P
Dawans, F. See Borg-Visse, F., 2481C, 2491C
DeBona, B. T. See Prevorsek, D. C., 75C; Reimschuessel, H. K., 379C
deCandia, F.
—; Russo, R.; Vittoria, V.; Peterlin, A.: Transport Properties of Annealed, Drawn Low-Density Polyethylene (LDPE), 2083P
Dechang, L. See Chengxun, L., 2411C
Dechter, J. J.
—; Mandelkern, L.: The Occurrence of Head-to-Head Butene Units in Ethylene-Butene Copolymers and Corresponding Ethyl Branches in Low-Density (Branched) Polyethylenes, 1955P
Decossas, F.
—; Moliton, A.; Marchal, E.: Etude Dielectrique de Trois Copolymeres Ethylene—Monoxyde de Carbone, 683P
Decout, J.-L.
—; Lablache-Combier, A.; Loucheux, C.: Photochemistry of Polymeric Systems. I. Photocrosslinking of Polymers and Copolymers Containing Pyridine N-Oxide Groups, 2371C
—; Lablache-Combier, A.; Loucheux, C.: Photochemistry of Polymeric Systems. II. Photocrosslinking of Polymers and Copolymers Containing Various Aromatic N-Oxide Groups, 2391C
Dellinger, J. A.
—; Roberts, C. W.: Luminescence Properties and Photooxidation of Poly[butylene Terephthalate-CO-Poly(oxytetramethylene)terephthalate] (Note), 3129C
Derman, A. See Odian, G., 737C
de Souza Gomes, A.
—; do Coutto Filho, O.; Montenegro, A. M.; Akcelrud, L.; Santos, R.: Polymerization of Aromatic Olefins in the System Liquid Sulfur Dioxide–Percompounds: The Nature of the Initiation, 3021C
Despax, B.
—; Paillous, N.; Lattes, A.; Paillous, A.: Comparative Study of the Photodegradation of Polybenzoxazoles and Related Model Compounds. Stabilization of Polybenzoxazoles, 593C
Devarajan, R.
—; Balakrishnan, T.; Santappa, M.: A Novel Method of Preparing Some New $\alpha\alpha$-Disubstituted Vinyl Monomers and Their Polymerizability. I. Synthesis of Methyl α-Phenoxymethylacrylate and Its Polymerizability (Note), 1127C
deVisser, A. C. See Russell, G. A., 1271P
Dhal, A. K. See Samal, R. K., 2001C
Dickie, R. A. See Bauer, D. R., 1997P, 2015P
DiEdwardo, A. H. See Stuetz, D. E., 967C, 987C
Dilks, A. See Clark, D. T., 1233C
Dima, M. See Dragan, S., 455C, 2333C; Luca, C., 449C, 2347C
Dimov, D. K. See Panayotov, I. M., 3059C
Dionisio, J. M.
—; O'Driscoll, K. F.: High Conversion Polymerization. VI. Detailed Examination of the Kinetic Model, 241C
—; O'Driscoll, K. F.: High-Conversion Polymerization. VII. A Definition of the Explosive Region and the Influence of Free Volume on It, 3199C
Dixon, D. D.
—; Ford, M. E.: Mechanism of Poly(Alkylene Carbonate) Formation, 599L
—; Ford, M. E.; Mantell, G. J.: Thermal Stabilization of Poly(Alkylene Carbonate)s, 131L
do Coutto Filho, O. See de Souza Gomes, A., 3021C
Doctor, S. V. See Cassidy, P. E., 69C
Dogra, R. See Misra, B. N., 341C, 749C
Dohan, J. M. See Donckt, E. V., 365L
Doi, M.
A Constitutive Equation Derived from the Model of Doi and Edwards for Concentrated Polymer Solutions and Polymer Melts, 2055P
Molecular Rheology of Concentrated Polymer Systems. I, 1005P
—; Kuzuu, N. Y.: Nonlinear Elasticity of Rodlike Macromolecules in Condensed State, 409P
—; Kuzuu, N. Y.: Rheology of Star Polymers in Concentrated Solutions and Melts, 775L
Stress Relaxation of Polymeric Liquids after Double-Step Strain, 1891P
Dole, M.
—; Gvozdic, N.: Effect of Crystallinity on Vinyl Group Reactions During the γ-Ray Irradiation of Polyethylene (Note), 169P
Donckt, E. V.
—; Dohan, J. M.; Vandeloise, R.; Noirhomme, B.; Fuks, R.: Time Dependence of the Absorption Spectrum and the Electrical Conductivity of Polyvinylquinazoline - I_2 Complexes, 365L
Donnet, J. B. See Bousquet, J.-A., 765C
Douglass, D. C. See McBrierty, V. J., 1561P
Dragan, S. See Luca, C., 449C
—; Petrariu, I.; Dima, M.: Cationic Polyelectrolytes. II. Amination of Chloromethylated Polystyrene with Hydroxyalkylic Secondary Amines, 2333C
—; Luca, C.; Petrariu, I.; Dima, M.: Cationic Polyelectrolytes. I. Soluble Polymers Prepared from Reaction of Chloromethylated Polystyrene with Tris(2-Hydroxyethyl)amine, 455C
Dragomir, O. See Motoc, I., 1565C
Dreyfuss, P. See Eckstein, Y., 1799C, 2021C; Lee, D. P., 1627C
—; Gent, A. N.; Williams, J. R.: Tear Strength and Tensile Strength of Model Filled Elastomers, 2135P
Druy, M. A.
—; Tsang, C.-H.; Brown, N.; Heeger, A. J.; MacDiarmid, A. G.: Tensile Properties and Partial Alignment of Polyacetylene, $(CH)_x$, Films, 429P
Duda, J. L. See Vrentas, J. S., 1633P
Dudek, L. P. See Lin, J. W-P., 2869C
Dumitru, E. T. See Gerhardt, G. E., 157C
Dunbar, B. I. See Jabloner, H., 2933C
Dunkle, S. See Jellinek, H. H. G., 1471C
DuPre, D. B. See Patel, D. L., 1599P
Durand, D.
—; Bruneau, C.-M.: Reactivity and Gelation. II. Substitution Effect (Erratum), 915P
Durrett, M. G. See Burnett, L. J., 227P
Dusek, K. See Spevacek, J., 2027P
Review of *Methods of Kinetic Calculations in Polymer Chemistry*, S. I. Kuchanov, 144L
Dyachkovskii, F. S.
—; Pomogailo, A. D.; Bravaya, N. M.: The Topochemistry of the Catalytic Systems on the Surface of Polymer Supports, 2615C
Dynes, P. J. See Ratto, J. J., 1035C

Ebisu, S. See Hashimoto, T., 569L
Eckhardt, C. J. See Chance, R. R., 1651P
Eckhardt, H. See Chance, R. R., 1651P
Eckstein, Y.
—; Dreyfuss, P.: Grafting of Polytetrahydrofuran from Neoprene W in the Presence of Perchlorate Salts, 1799C
—; Lee, D. P.; Quirk, R. P.; Dreyfuss, P.: Methods for the Determination of the Number of Polytetrahydrofuran Branches in Neoprene-*g*-Polytetrahydrofuran, 2021C
Edo, Y. See Kodaira, T., 737L
Edwards, B. C.
—; Phillips, P. J.; Sorenson, D.: High-Pressure Phases in Polymers. V. Crystallization Studies of Synthetic *cis*-Polyisoprene, 1737P

Eguiluz, M.
—; Ishida, H.; Hiltner, A.: Selective Chemical Modification of Polyethylene Single Crystals (Note), 2295P
Ehrlich, P. See Sanford, T. J., 2277P
Eisenberg, A.
—; Matsuura, H.; Tsutsui, T.: Viscoelastic Properties of Ethyl Acrylate Ionomers. I. Stress Relaxation, 479P
Elayaperumal, P.
—; Balakrishnan, T.; Santappa, M.; Lenz, R. W.: Kinetics of Polymerization of Acrylic Acid Initiated by Mn^{3+}–Isobutyric Acid Redox System. II, 2471C
El-Bayoumi, M. A. See Ibemesi, J. A., 879C
Elliott, J. H.
Review of *Industrial Organic Chemicals in Perspective. Part One: Raw Materials and Manufacture*, Harold A. Wittcoff and Bryan G. Reuben, 751L
Elmgren, H.
The Fluorescence Lifetime of Free and Conjugated Fluorescein in Various Environments, 815L
The Mobility of Polymer Segments as Estimated from Fluorescence Depolarization Data on Conjugated Spin Labels, 351L
The Mobility Profile Around Polymer Segments as Calculated from Microviscosity Data on Polymer Solutions and Gels, 339L
Encina, M. V.
—; Lissi, E.; Sarasua, M.; Gargallo, L.; Radic, D.: Ultrasonic Degradation of Polyvinylpyrrolidone Effect of Peroxide Linkages, 757L
Endo, T. See Nambu, Y., 2793C
—; Saigo, K.; Bailey, W. J.: Polymerization of Bicyclic Ortho Esters, 457L
—; Okawara, M.; Saigo, K.; Bailey, W. J.: Preparation of Monomer Containing Bicyclo Ortho Ester, 771L
—; Bailey, W. J.: Synthesis and Radical Ring-Opening Polymerization of 2-Methylene-1,4,6-Trioxaspiro[4,4]Nonane, 25L
—; Okawara, M.: Trapping Alloxan or Ninhydrin Radical Anions with Polymer Cations, 2121C
Engeln, I.
—; Meissner, M.: Heat Capacity of a Polydiacetylene Single Crystal from 3 to 300 K, 2227P
Erlandson, R. E.
Review of *Hose Technology*, 2nd ed., Colin W. Evans, 150L
Escaig, B. See Haussy, J., 311P

Factor, A.
—; Orlando, C. M.: Polycarbonates from 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)ethylene and Bisphenol A: A Highly Flame-Resistant Family of Engineering Thermoplastics, 579C
—; Orlando, C. M.: Polycarbonates from 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)ethylene and Bisphenol A: A Highly Flame-Resistant Family of Engineering Thermoplastics (Erratum), 2909C
Falender, J. R.
—; Yeh, G. S. Y.; Chiu, D. S.; Mark, J. E.: Thermodynamics of Fusion in Poly(diphenylsiloxane) (Note), 389P
Faucitano, A.
—; Atarot, H.; Martinotti, F. F.; Comincioli, V.; Arrighetti, S.; Cesca, S.: Model Simulation Studies of Complex Free Radical Reactions: The Graft Copolymerization of Styrene and Acrylonitrile onto Ethylene–Propylene–Isopropylidendicyclopentadiene Terpolymer, 2175C
Faure, J. See Bousquet, J.-A., 765C
Fayolle, B. See Laupretre, F., 2243P
Feast, W. J. See Clark, D. T., 1651C
Felder, R. M. See Koros, W. J., 1485P
Feldman, D.
Review of *Additive Migration from Plastics into Food*, T. R. Crompton, 513L
Review of *Adhesion and Adsorption of Polymers, Volumes 1 and 2*. Lieng-Huang Lee, Ed. 824L
Review of *Applied Fibre Science, Volume 3*. F. Happey, Ed. 826L
Review of *Plastic Mortars, Sealants, and Caulking Compounds*, R. B. Seymour, Ed. 579L
Review of *Principles of Polymer Processing*, Roger T. Fenner, 578L
Fellers, J. F. See Onogi, Y., 663P
Fenyo, J. C. See Beaumais, J., 1367C
Ferguson, R. D.
—; Von Meerwall, E.: Free-Volume Interpretations of Self-Diffusion in Ternary Solutions: *n*-Paraffin–Hexafluorobenzene-*cis*-4-Polybutadiene, 1285P
Ferris, F. C. See Gerlock, J. L., 541C
Ferry, J. D. See Carpenter, R. L., 165P; Nelb, G. W., 645P
Fesciyan, S. See Jhon, M. S., 529P
—; Jhon, M. S.; Dahler, J. S.: Effects of Memory on the Coherent Scattering Function for the Rouse–Zimm Model of Dilute Polymer Solutions, 2077P
Fieldhouse, J. W. See Futamura, S., 767P
Fields, R. D. See Sandhu, M. A., 1189C
Fincher, S. J. See Koros, W. J., 1485P
Fischer, E. W. See Schultz, J. M., 239P; Voigt-Martin, I. G., 2347P
Fisher, L. W.
—; Pearson, G. H.; Yacobucci, P. D.: Dilute Solution and Rheological Characterization of Branched Poly(2,2′-Oxydiethylene *Trans*-1,4-Cyclohexanedicarboxylate), 1455P
Fitzgerald, P. A. See Hay, J. N., 1079C
Fleer, G. J. See Cohen Stuart, M. A., 559P
Foldes-Berezsnich, T.
—; Szesztay, M.; Boros-Gyevi, E.; Tudos, F.: Kinetics of Radical Polymerization. XXX. Polymerization of Styrene in Solution, 1223C
Folger, R. L. See Cha, C. Y., 1853P
Ford, M. E. See Dixon, D. D., 131L, 599L
Forgacs, P.
—; Sheromov, M. A.; Tolochko, B. P.; Mezentsev, N. A.; Pindurin, V. F.: The Use of Synchrotron Radiation for Study of Structural Changes in Polymers During Phase Transition and Deformation, 2155P
Foti, S. See Ballistreri, A., 1147C, 1923C, 3101C
Fouassier, J.-P. See Bousquet, J.-A., 765C
Francois, B. See Mathis, C., 671C
Frankel, E. N. See Awl, R. A., 2663C
Friberg, S. E. See Thundathil, R., 2629C
Friedman, E. M.
High-Conversion Emulsion Polymerization in a Continuous Reactor: Predictions Using Smith–Ewart Kinetics, 1771P
Friedrich, J. P. See Awl, R. A., 2663C
Frunze, T. M.
—; Shleifman, R. B.; Belavtseva, E. M.; Genin, Ya. V.; Volkova, T. V.; Kotel'nikov, V. A.; Radchenko, L. G.; Davtyan, S. P.; Kuraschev, V. V.; Tsvankin, D. Ya.: Kinetic Studies of Structure Formation During Anionic Adiabatic Polymerization of ϵ-Caprolactam, 1523P
Fujihara, H.
—; Yoshihara, M.; Maeshima, T.: Asymmetric Induction in Free Radical Addition Reaction to 2-Octene in *l*-Menthol, 287L
Fujino, Y. See Murakemi, I., 2149P
Fujisawa, T. See Tanaka, A., 2267C
Fujita, H. See Norisuye, T., 547P
Fujita, S. See Chen, J. T., 175P
Fujita, T.
—; Yoshioka, T.: Studies on Stable Free Radicals. XVII. Copolymerization of Stable *N*-Oxyl Biradical with *p*-Diphenoquinodimethane, 549L
—; Yoshioka, T.; Soma, N.: Studies on Stable Free Radicals. XVI. Copolymerization of a Stable *N*-Oxyl Biradical with *p*-Xylylene, 3253C
Fujiyama, M.
—; Awaya, H.; Azuma, K.: Paracrystalline Character of Melt-Quenched Isotactic Polypropylene, 105L
Fukada, E. See Furukawa, T., 1697P; Nishinari, K., 1609P

Fuks, R. See Donckt, E. V., 365L
Fukuda, A. See Sumita, O., 877P
Fukuda, K. See Shibasaki, Y., 2437C
Fukumori, E. See Ohata, T., 1011C
Fukumoto, M. See Torikai, A., 1213C
Funt, B. L.
—; Hsu, L-C.: Electroinitiated Graft Copolymerization, 1957C
Furukawa, T.
—; Ogiwara, K.; Fukada, E.: Piezoelectric Relaxation in Poly(γ-Methyl-*L*-Glutamate) at High Temperature, 1697P
Furukawa, Y. See Hamanoue, K., 91C
Fusheng, Y. See Zhiquan, S., 3345C
Fusong, W. See Zhiquan, S., 3345C
Futagawa, H. See Inaki, Y., 2959C
Futamura, S.
—; Valaitis, J. K.; Lucas, K. R.; Fieldhouse, J. W.; Cheng, T. C.; Tate, D. P.: Physical and Rheological Characterization of Poly(aryloxyphosphazene) Copolymers, 767P

Gagnaire, D.
—; Mancier, D.; Vincendon, M.: Cellulose Organic Solutions: A Nuclear Magnetic Resonance Investigation, 13C
Gajsler, L.
—; Paton, R. M.; Hall, J. H.; Harper, D. J.: Modification of Cis-1,4-Polybutadiene and Cis-1,4-Polyisoprene via 1,3-Dipolar Cycloaddition with Nitrile Oxides, 635L
Gale, D. M. See Collette, J. W., 1071C
Gandhi, K. S. See Bokare, U. M., 857C
Gandhi, V. G. See Sharma, Y. N., 59C
Garg, S. K.
—; Stivala, S. S.: Cross-Section Factor Correction in the Small-Angle X-Ray Scattering Data from Branched Dextrans (Note), 405P
Gargallo, L. See Encina, M. V., 757L
Garnett, J. L. See Ang, C. H., 471L
Garton, A.
—; Carlsson, D. J.; Wiles, D. M.; Wong, P. T. T.: Far-Infrared Spectroscopy of Polyamide Fibers and Fabrics, 85L
—; Carlsson, D. J.; Wiles, D. M.: Photoreactions of Radicals During Polyolefin Photooxidation, 3245C
Garty, O. M. See Brydia, L. E., 1577C
Gasparrini, G.
—; Carenza, M.; Palma, G.: Some Investigations on the Radiation-Induced Grafting of Acrylic Acid onto Poly(vinyl Chloride), 33L
Gaur, U. See Shu, H.-C., 449P
Geil, P. H. See Guerrero, S. J., 1533P
Gellert, E. P. See Hodgeman, D. K. C., 1105C
Genin, Ya. V. See Frunze, T. M., 1523P; Korshak, V. V., 247P
Gent, A. N. See Dreyfuss, P., 2135P
Georgalas, N.
Review of *The Printing Ink Manual* (3rd ed.), D. E. Bisset, C. Goodacre, H. A. Idle, Dr. R. H. Leach, and C. H. Williams, Eds. 690L
George, W. See Abhiraman, A. S., 127P
Georgopoulos, P. See Yarusso, D. J., 557L
Gerhardt, G. E.
—; Dumitru, E. T.; Lagow, R. J.: Synthesis of Highly Branched Perfluoroethers by Direct Fluorination, Promising New Materials Based on the Hexafluoroacetone–Ethylene Copolymer, 157C
Gerlock, J. L.
—; Braslaw, J.; Mahoney, L. R.; Ferris, F. C.: Reaction of Polyurethane Foam with Dry Steam: Kinetics and Mechanism of Reactions, 541C
German, A. L. See van der Meer, R., 1347C, 1431C
Ghatge, N. D.
—; Mulik, U. P.: Polyimides from Diisocyanates and Dianhydride, 1905C
Ghiggino, K. P.
—; Archibald, D. A.; Thistlethwaite, P. J.: Picosecond Fluorescence Studies of Poly(*N*-Vinyl Carbazole), 673L
Ghijsels, A.
—; Raadsen, J.: Development of a Residual Shear Stress in an SBS Block Copolymer during Stress Relaxation following Steady-State Flow (Note), 397P
Ghosh, P.
—; Mukhopadhyay, G.: Effect of Pyridine on the Kinetics of Polymerization of Methyl Methacrylate Initiated by Benzoyl Peroxide and Azobisisobutyronitrile at 60°C, 283C
Gibson, A. G. See Hope, P. S., 1243P
—; Greig, D.; Ward, I. M.: Thermal Conductivity of Ultrahigh Modulus Polyethyiene (Note), 1481P
Gibson, H. W. See Pochan, J. M., 447L
Gilbert, R. D. See Lynn, M. M., 1967C; Prabhu, P., 389L
Gilbert, R. G. See Lichti, G., 1297C; Whang, B. C. Y., 711L
Gilchrist, J. L. G.
Dielectric Relaxation of an Alcohol in Polyethylene (Note), 401P
Gipstein, E.
Bromotrichloromethane as a Regulator in the Copolymerization of Methyl Methacrylate and Methacrylic Acid, 241L
Gladyshev, G. P. See Brun, E. B., 2461C
Glasse, M. D. See Comyn, J., 703L
Gohil, R. M. See Petermann, J., 781L
Golub, M. A.
—; Rosenberg, M. L.: Photorearrangements of Hydrocarbon Polymers with Pendant Double Bonds, 2543C
Gonzalez de la Campa, J. I.
—; Barrales-Rienda, J. M.: Order in Poly(*N*-(10-*n*-Alkyloxycarbonyl-*n*-Decyl)-Maleimides), 1919P
—; Barrales-Rienda, J. M.; Gonzalez Ramos, J.: Side-Chain Crystallinity, Heat of Melting, and Thermal Transitions in Poly[*N*-(10-*n*-Alkyloxycarbonyl-*n*-Decyl)Maleimides] (PEMI), 2197P
Gonzalez Ramos, J. See Gonzalez de La Campa, J. I., 2197P
Goto, M. See Higashi, F., 385L, 851C, 1099C, 1711C, 2879C
Goto, T. See Nakano, H., 381L
Goyaud, P. See Lacabanne, C., 277P
Graessley, W. W.
Some Phenomenological Consequences of the Doi–Edwards Theory of Viscoelasticity, 27P
Grassie, N.
—; Zulfiqar, M.; Guy, M. I.: Thermal Degradation of a Series of Polyester Polyurethanes, 265C
Greenwood, T. D.
—; Kahley, R. A.; Wolfe, J. F.; St. Clair, A.; Johnston, N. J.: *N*-Methyl-Substituted Aromatic Polyamides, 1047C
Gregonis, D. E. See Russell, G. A., 1271P
Greig, D. See Gibson, A. G., 1481P
Grenda, M. S. See Venugopalan, M., 2731C
—; Venugopalan, M.: ESR Signal of Polymer Prepared *In Situ* in Xylene Plasma (Note), 1611C
Grenier, D.
—; Prud'homme, R. E.: Avrami Analysis: Three Experimental Limiting Factors (Note), 1655P
Griesbach, H. L. See Chung, C. I., 1237P
Griffin, A. C.
—; Havens, S. J.: Phase Studies of Polymer/Small-Molecule Liquid-Crystalline Mixtures by Differential Scanning Calorimetry, 259L
Grobler, A. See Simon, A., 3111C
Groeninckx, G.
—; Reynaers, H.; Berghmans, H.; Smets, G.: Morphology and Melting Behavior of Semicrystalline Poly(ethylene Terephthalate). I. Isothermally Crystallized PET, 1311P
—; Reynaers, H.: Morphology and Melting Behavior of Semicrystalline Poly(ethylene Terephthalate). II. Annealed PET, 1325P
Grossman, S. See Yamada, A., 1739C
Grubb, D. T.
—; Keller, A.: Lamellar Morphology of Polyethylene: Electron Microscopy of a Melt-Crystallized Sharp Fraction, 207P

Gruber, R. J. See Pacansky, T. J., 3119C
Guerra, G.
—; Palla, M.: Graft and Crosslinked Copolymers by Nucleophilic Reaction between Maleic Anhydride Copolymers and Carbanions. I. Reaction of Polystyryl Anions with Alternating Ethylene-Maleic Anhydride Copolymer, 477L
Guerrero, S. J.
—; Keller, A.; Soni, P. L.; Geil, P. H.: Study of Crystal Texture in PVC Gels by X-Ray Diffraction and Infrared Dichroism, 1533P
Guillaud, G.
—; Rosenberg, N.; Maitrot, M.: Photoconductivity of Poly(hexamethylene Adipamide), 523P
Guillet, J.
Review of *Photochemistry of Man-Made Polymers*, John F. McKellar and Norman S. Allen, 155L
Guillet, J. E. See Holden, D. A., 565C; Li, S. K. L., 2221C
Gupta, A. K.
—; Chand, N.: Glass Transition in Polyacrylonitrile: Analysis of Dielectric Relaxation Data, 1125P
Gupta, H. M. See Sarma, P. R., 2609C
Gupta, M. C.
—; Nath, J. D.: Statistical Mechanical Estimation of the Entropy of Fusion of Linear Vinyl Polymers, 709C
Gupta, V. P.
—; St. Pierre, L. E.: The Effect of Tin Stabilizers on the Thermal Degradation of Poly(vinyl Chloride), 1483C
Guy, M. I. See Grassie, N., 265C
Guzman, G. M. See Ansorena, J., 173P
Gvozdic, N. See Dole, M., 169P

Habibuddowla, Md. See Huque, M. M., 1447C
Hagihara, N. See Takahashi, S., 349C, 661C
Haglund, A. C.
—; Marsden, N. V. B.: Hydrophobic and Polar Contributions to Solute Affinity for a Highly Crosslinked Water-Swollen (Sephadex) Gel, 271L
Haidar, B. See Bousquet, J.-A., 765C
Hall, H. K., Jr. See Yokoyama, Y., 3133C
Activated Monomer Polymerization Mechanisms. I. A Unified Mechanism for Free Radical Polymerizations Catalyzed by Acids, 161L
A Proposed Propagation Mechanism Involving π^* and σ^* Radical Ions, 171L
—; Snider, S. C.:
2-Methyl-3-Methylenecyclobutene-1-Carbonitrile: A Corrected Structure and a New Methylenecylobutene Monomer, 477C
Hall, I. H.
—; Ibrahim, B. A.: Polymorphism in Poly(hexamethylene Terephthalate), 183L
Hall, J. H. See Gajsler, L., 635L
Hallgren, J. E.
—; Matthews, R. O.: The Synthesis and Reactions of Polysulfites Derived from 2,2-Bis(4-Hydroxyphenyl)propane (Note), 1615C
Hamanoue, K.
—; Teranishi, H.; Okamoto, M.; Furukawa, Y.; Tagawa, S.; Tabata, Y.: Photochemical Reactions of *N*-Vinylcarbazole in the Binary Solvent of Benzonitrile and Nitrobenzene, 91C
Hamermesh, C. L. See Ratto, J. J., 1035C
Han, C. C. See Akcasu, A. Z., 863P
Hancock, M.
—; Tremayne, P.; Rosevear, J.: Fillers in Polypropylene. II, 3211C
Hanlon, T. L. See Lal, J., 2921C
Hanna, A. A.
—; Ibrahem, A. A.; Heikal, S. O.: Some Electrical Properties of Wood Pulp Treated with Sodium Hydroxide, 1425C
Harget, P. J. See Siegmann, A., 2181P
Harper, D. J. See Gajsler, L., 635L
Harrison, I. R.
—; Runt, J.: Incompatible Blends: Thermal Effects in a Model System, 2257P
Hasegawa, H.
—; Higashimura, T.: Cationic Oligomerization of Styrene by Solid Acids. I. Catalysis by Poly(styrenesulfonic Acid) Resin, 611C
Hasegawa, M. See Niume, K., 2163C
Hashimoto, T.
—; Tsukahara, Y.; Kawai, H.: Analysis of Segmental Interdiffusion in Phase-Separated Block Polymers and Polymer Blends by Small-Angle X-Ray Scattering, 585L
—; Ebisu, S.; Kawai, H.: A Novel Technique for Characterizing the Sense of Twisting in Cholesteric Liquid Crystals, 569L
Haussy, J.
—; Cavrot, J. P.; Escaig, B.; Lefebvre, J. M.: Thermodynamic Analysis of the Plastic Deformation of Glassy Poly(methyl Methacrylate), 311P
Havens, S. J. See Griffin, A. C., 259L
Haward, R. N. See Ahmed, M. S., 371C; Maher, J. W., 2169P
Hay, J. N. See Aref-Azar, A., 637P; Maher, J. W., 2169P
—; Fitzgerald, P. A.: Temperature Drop Turbidity. IV. Polystyrene, 1079C
Hayakawa, K. See Yamakita, H., 529L
Hayakawa, R. See Namiki, K., 993P
Hayama, S. See Takeishi, M., 3081C
—; Takeishi, M.; Niino, S.; Okamura, T.: Kinetic Studies of Rigid Copolymers Containing 3,3′-Substituted Biphenyls and Vinylimidazole, 2941C
Hayashi, K.
—; Tachibana, M.; Okamura, S.: Cyclization and Crosslinking of Polybutadiene in Solution by Electron Beam Irradiation, 2785C
Radiation-Induced Polymerization at High Dose Rate. I. Isobutyl Vinyl Ether in Bulk, 179C
—; Kotani, N.: Radiation-Induced Polymerization at High Dose Rate. II. α-Methylstyrene in Bulk, 191C
—; Tachibana, M.; Okamura, S.: Radiation-Induced Polymerization at High Dose Rate. IV. Chloroprene in Bulk, 3297C
—; Tachibana, M.; Okamura, S.: Radiation-Induced Polymerization at High Dose Rate. III. Isoprene in Bulk, 3381C
Hayashi, N. See Nishimura, J., 515C
Hearle, J. W. S. See Simmens, S. C., 871P
Heath, D. R. See Takekoshi, T., 3069C
Heeger, A. J. See Chien, J. C. W., 45L; Druy, M. A., 429P
Heikal, S. O. See Hanna, A. A., 1425C
Heilman, W. J. See Seshadri, K. S., 2649C
Helbert, J. N. See Chen, C.-Y., 169C; Pittman, C. U., Jr., 3413C
Heller, J.
—; Penhale, D. W. H.; Helwing, R. F.: Preparation of Polyacetals by the Reaction of Divinyl Ethers and Polyols, 293L
—; Penhale, D. W. H.; Helwing, R. F.: Preparation of Poly(Ortho Esters) by the Reaction of Diketene Acetals and Polyols, 619L
Helwing, R. F. See Heller, J., 293L, 619L
Hentschel, H. G. E. See Buckingham, A. D., 853P
Hester, R. D.
—; Mitchell, P. H.: A New Universal GPC Calibration Method, 1727C
Higashi, F.
—; Taguchi, Y.: Aromatic Polyamides by Phosphorylation Reaction with Triphenylphosphite and LiCl in the Presence of Polymer Matrix (Note), 2875C
—; Kubota, K.; Sekizuka, M.; Goto, M.: Direct Synthesis of Polyphenyl Esters by Using Hexachlorocyclotriphosphatriazene as Condensing Agent, 385L
—; Sano, K.; Kakinoki, H.: High-Molecular-Weight Poly(amino Acid)s by the Direct Polycondensation Reaction Promoted by Triphenyl Phosphite and LiCl in the Presence of Polyvinylpyrrolidone, 1841C
—; Nakano, Y.; Goto, M.; Kakinoki, H.: High-Molecular-Weight Polyterephthalamide by Direct Polycondensation Reaction in the Presence of Poly(ethylene Oxide), 1099C
—; Ishikawa, M.: Synthesis of High-Molecular-Weight Poly(amide–Hydrazide)s by the Phosphorylation Reaction Using Diphenylphosphite and Pyridine (Note), 2905C

—; Goto, M.; Kakinoki, H.: Synthesis of Polyamides by a New Direct Polycondensation Reaction Using Triphenyl Phosphite and Lithium Chloride, 1711C
—; Kokubo, N.: Synthesis of Polyhydrazides and Poly(amide–hHydrazide)s by the Direct Polycondensation Reaction with Triphenyl Phosphite and LiCl (Note), 1639C
—; Kokubo, N.; Goto, M.: Synthesis of Wholly Aromatic Polyesters by the Direct Polycondensation Reaction of Hydroxybenzoic Acids with Trivalent Phosphorus Compounds (Note), 2879C
—; Goto, M.; Nakano, Y.; Kakinoki, H.: Wholly Aromatic Polyamides by the Direct Polycondensation Reaction Using Triphenyl Phosphite in the Presence of Poly(4-Vinylpyridine), 851C
Higashimura, T. See Hasegawa, H., 611C
—; Hirokawa, Y.; Matsuzaki, K.; Uryu, T.: Stereochemistry in Cationic Polymerization of Alkenyl Ethers. V. Stereochemistry of Acetal Additions as Model Reactions for the Polymerization of Alkenyl Ethers, 1489C
Hiltner, A. See Eguiluz, M., 2295P
Hiltner, P. A. See Russell, G. A., 1271P
Hino, M.
—; Arata, K.: Stereospecific Polymerization of Isobutyl Vinyl Ether Catalyzed by Calcined Iron Sulfate, 235C
Hirabayashi, K. See Tsukada, M., 507L
Hirabayashi, T. See Yokota, K., 1609C
Hirai, A.
—; Horii, F.; Kitamaru, R.: Structure of Native and Regenerated Cellulose as Revealed by Proton NMR Analysis, 1801P
Hirai, H.
—; Tanabe, T.; Koinuma, H.: Polymerization of Coordinated Monomers. XVI. Stereoregulation in the Alternating Copolymerization of Methyl Methacrylate with Styrene in the Presence of Metal Halides, 203C
Hirakawa, N. See Kurita, K., 365C
Hiraoka, K. See Yokoyama, T., 2867C
Hirokawa, Y. See Higashimura, T., 1489C
Hobbs, S. Y.
—; Watkins, V. H.; Russell, R. R.: TEM Studies of Polymer Blends Stained with Mercuric Trifluoroacetate (Note), 393P
Hodgeman, D. K. C.
Reactions of Stabilizer Compounds. IV. ESR Studies of the Formation of Stable Nitroxyl Radicals in the Photooxidation of Polypropylene Containing Hindered Amine Light Stabilizers, 533C
—; Gellert, E. P.: Reactions of Stabilizer Compounds. III. Oxidative Reactions of Some 2′-Hydroxy-2-Phenylbenzotriazole Light Stabilizers in the AIBN-Initiated Autoxidation of Cumene, 1105C
Hoff, R. E. See Pullukat, T. J., 2857C
Holban, St. See Motoc, I., 1565C
Holden, D. A.
—; Guillet, J. E.: Photochemical Synthesis of New Polymer Structures. II. Photocycloaddition of Olefins to Polyvinylbenzophenone and Poly(styrene-co-Vinylbenzophenone), 565C
Holland-Moritz, K.
—; van Werden, K.: Vibrational Spectroscopic Studies on Modifications of Poly(*trans*-Alkenylene)s. I. The Orthorhombic Modification of Poly(*trans*-Pentenylene) and Poly(*trans*-Heptenylene), 1753P
Holoubek, J.
—; Sedlacek, B.: Displacement Measurements Using Double-Exposure Speckle Photography of Small-Angle Scattered Light, 265P
Hon, D. N.-S.
On the Reactivity of Cellulose Free Radicals in Graft Copolymerization Reactions, 1857C
Hope, P. S.
—; Gibson, A. G.; Ward, I. M.: Hydrostatic Extrusion of Linear Polyethylene: Effects of Extrusion Temperature and Polymer Grade, 1243P
Hopfinger, A. J. See Jabloner, H., 2933C
Hoptner, W.
—; Von Schutz, J. U.; Wolf, H. C.: Proton Spin-Relaxation Study of the Polymerization of Diacetylene in a Single Crystal, 469P
Horii, F. See Hirai, A., 1801P
Hosemann, R. See Balta-Calleja, F. J., 1159P
Hoshino, S. See Inoue, K., 697P
Hsieh, W. C.
—; Kubota, H.; Squire, D. R.; Stannett, V.: The Effect of Solvents on the Radiation-Induced Polymerization of Ethyl and Isopropyl Vinyl Ethers, 2773C
Hsu, L-C. See Funt, B. L., 1957C
Hsu, S. L. See Shu, P. H. C., 1421P; Wang, Y. K., 2287P
Hsu, T. S.
Infrared Study of High-Pressure Crystallization of Polyethylene, 2379P
Hubble, C. L. See Bloor, D., 779P
Huber, C.
—; Lederer, K. H.: Flow-Rate Dependent Degradation of High-Molecular-Weight Polyisobutylene in GPC, 535L
Hudson, S. M.
—; Cuculo, J. A.: The Solubility of Cellulose in Liquid Ammonia/Salt Solutions, 3469C
Huque, M. M.
—; Habibuddowla, Md.; Mahmood, A. J.; Jabbar Mian, A.: Graft Copolymerization onto Jute Fiber: Ceric Ion-Initiated Graft Copolymerization of Methyl Methacrylate, 1447C
Huynh-Ba-Gia
—; Jerome, R.; Teyssie, Ph.: Star-Shaped Block Copolymers. III. Surface and Interfacial Properties, 2391P
—; Jerome, R.; Teyssie, Ph.: Starshaped Block Copolymers. I. Synthesis of New $A(B)_2$ Starshaped Block Copolymers Based on Vinyl or Diene Hydrocarbons (A) and Oxirane (B), 3483C
Hwang, J. S. See Kaye, H., 2993C

Ibemesi, J. A.
—; Kinsinger, J. B.: Carbon-13 Nuclear Magnetic Resonance Studies of Poly(ethylene Oxide) Interaction with Sodium Tetraphenyl Borate (Note), 1123C
—; Kinsinger, J. B.; El-Bayoumi, M. A.: Intramolecular Excimer Formation in Polyamides with Widely Separated Naphthyl Groups in the Backbone, 879C
Ibrahem, A. A. See Hanna, A. A., 1425C
Ibrahim, A. M.
—; Mahadevan, V.; Srinavasan, M.: Synthesis of Novel Poly(xylylenyl Benzimidazole)s, 3265C
Ibrahim, B. A. See Hall, I. H., 183L
Ichimura, K.
—; Watanabe, S.: Highly Photosensitive Polymers with Anomalously Low Content of Stilbazolium Groups, 613L
—; Watanabe, S.: Immobilization of Enzymes with Use of Photosensitive Polymers Having the Stilbazolium Group, 891C
Ihara, Y. See Nango, M., 647L
Iizawa, T. See Nishikubo, T., 761L
Ikeda, R. M.
Shrinkage Measurements of Stress-Induced Crystallization in Oriented Amorphous PET, 325L
Ikeda, S. See Akaishi, T., 745P
Imajo, H.
—; Kurita, K.; Iwakura, Y.: Polyimides Derived from Bis-*N*-Hydroxyimides. II. Synthesis and Properties of Polyimide–Esters, 2189C
Immergut, E. H.
Review of *Physical Properties—A Guide to the Physical Thermodynamic and Transport Property Data of Industrially Important Chemical Compounds*, Carl L. Yaws, 142L
Imre, K. See Odian, G., 737C
A Quick Method for Determining the Diffusion Coefficient for Polymer–Monomer Systems from Desorption Data (Note), 1647C

Inagaki, N.
—; Katsuura, K.: Reaction of Cellulose Phosphonate with *N*-Vinyl-2-Pyrrolidone and Flame-Retardant Properties of the Product, 441C
—; Nishio, T.; Katsuura, K.: Some Optical Properties of Polymer Films Prepared by Glow Discharge Polymerization from Methane, Tetramethylsilane, and Tetramethytin, 765L
Inaki, Y. See Ishikawa, T., 949C, 1847C; Kita, Y., 427C
—; Ishikawa, T.; Sugita, S.; Takemoto, K.: Functional Monomers and Polymers. LXXXIV. On The Specific Base-Base Interaction Between Polymers Having Complementary Nucleic Acid Bases, 725L
—; Fukagawa, H.; Takemoto, K.: Polymerization of Cyclic Derivatives of Uracil and Thymine, 2959C
Inoue, H. See Kamogawa, H., 2209C; Kohama, S., 2357C
Inoue, K.
—; Hoshino, S.: Crystal Structure of Polyamides Containing 1,3-Cyclohexane Rings, 697P
Iruin, J. J. See Ansorena, J., 173P
Isaac, D. H. See Atkins, E. D. T., 71P
Ise, N. See Ishiwatari, T., 1807C, 1815C, 3393C; Nishiyama, Y., 3289C
Ishida, H. See Eguiluz, M., 2295P
—; Koenig, J. L.: A Fourier-Transform Infrared Spectroscopic Study of the Hydrolytic Stability of Silane Coupling Agents on E-Glass Fibers, 1931P
—; Koenig, J. L.: Effect of Hydrolysis and Drying on the Siloxane Bonds of a Silane Coupling Agent Deposited on *E*-Glass Fibers, 233P
Ishida, Y. See Nishimura, J., 2061C
Ishikawa, K. See Akaishi, T., 745P; Kakuta, A., 3229C; Miyasaka, K., 1047P
Ishikawa, M. See Higashi, F., 2905C
Ishikawa, R. See Murakami, I., 2149P
Ishikawa, T. See Inaki, Y., 725L
—; Nagai, S.; Kasai, N.: Effect of Casting Conditions on Polymorphism of Nylon-12, 291P
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. LXIII. A Study on the Polymer–Polymer Interaction between Nucleic Acid Base-Substituted Poly-L-Lysines, 949C
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. LXXI. Conformation and Interaction Studies of Poly-L-Lysine Derivatives with Pendant Nucleic Acid Bases, 1847C
—; Nagai, S.; Kasai, N.: Thermal Behavior of α Nylon-12, 1413P
Ishiwatari, T.
—; Okubo, T.; Ise, N.: Catalytic Effect of Poly(4-Vinyl-*N*-Alkylpyridinium) Salts on the Hydrolysis of Ester- and Amide-Containing Indolyl Groups, 1807C
—; Okubo, T.; Ise, N.: Complex Formation of Poly(4-Vinyl-*N*-Alkylpyridinium) Salts or Polymer Containing Flavin Mononucleotide with Indole Derivatives, 3393C
—; Okubo, T.; Ise, N.: Polyelectrolyte Effects on the Charge Transfer Complex Formation between FMN and Indole Derivatives, 1815C
Isomoto, T. See Miyasaka, K., 1047P
Ito, K.
Evaluation of Polymerization Rate by Chain Length Dependence on Polymer–Polymer Termination and Primary Radical Termination in Radical Polymerization, 701C
Itoh, T. See Iwatsuki, S., 2971C
Ivan, B.
—; Kennedy, J. P.; Plamthottam, S. S.; Kelen, T.; Tudos, F.: Characterization of Polychloroprenes and Cationically Modified Polychloroprenes by Thermal Dehydrochlorination, 1685C
—; Kennedy, J. P.; Chang, V. S. C.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator-Trans*fer* Agents (Inifers). VII. Synthesis and Characterization of α,ω-Di(hydroxy)polyisobutylene, 3177C
Ivanchev, S. S.
—; Pavlyuchenko, V. N.; Khaikin, S. Ya.; Vladimirova, L. G.; Balaev, G. A.; Shevchuk, V. I.: Kinetic Features of Cationic Oligomerization of Epoxides, 2051C
—; Baulin, A. A.; Rodionov, A. G.: Promotion by Supports of the Reactivity of Propagating Species of Ziegler Supported Catalytic Systems for the Polymerization and Copolymerization of Olefins, 2045C
Iwai, K. See Kobayashi, N., 223C, 417L, 923C
Iwakura, Y. See Chau, N., 3499C; Imajo, H., 2189C; Kurita, K., 359C, 365C; Niume, K., 2163C
Iwamatsu, T. See Minagawa, M., 481C
Iwanami, K. See Matsumoto, A., 211L, 307L
Iwasaki, M.
—; Tirrell, D.; Vogl, O.: Functional Polymers. VI. Preparation and Polymerization of Methyl 3-Vinylsalicylate, Methyl 3-Vinylacetylsalicylate, 3-Vinylsalicylic Acid, and 3-Vinylacetylsalicylic Acid, 2755C
Iwatsuki, S.
—; Itoh, T.: Alternating Copolymerization of 2,3-Dichloro-5,6-Dicyano-*p*-Benzoquinone with Styrene and Polymerization its Behavior with Vinyloxy Compounds, 2971C
Izvekov, V. See Szilagyi, A., 2803C

Jabbar Mian, A. See Huque, M. M., 1447C
Jabloner, H.
—; Dunbar, B. I.; Hopfinger, A. J.: A Molecular Approach to Flavor Synthesis. I. Menthol Esters of Varying Size and Polarity, 2933C
Jahshan, S. N. See Akcasu, A. Z., 863P
—; Summerfield, G. C.: Extracting Single-Chain Characteristics from Neutron and X-Ray Scattering Experiments (Note), 1859P
—; Summerfield, G. C.: Small-Angle Scattering in Polymer Blends (Note), 2413P
James, D. R.
—; Sundberg, D. C.: An Experimental Study of Ideal and Nonideal Behavior in Styrene Emulsion Polymerization, 903C
Jamieson, A. M. See Chao, D. Y., 607P; McDonnell, M. E., 1781P; Yu, T. L., 695L
Janic, M. D.
Comments on "Aromatic Ionene Bromides from 4,4′-Methylene Bis(N,N-Dimethylbenzenamine) and α,ω-Dibromoalkane", 291L
Jarry, J. P.
—; Monnerie, L.: Fluorescence Polarization Measurements of Orientation in Labeled Polyisoprene Networks, 1879P
Jasse, B.
—; Koenig, J. L.: Polarized Raman Study of Molecular Orientation in Uniaxially Stretched Atactic Polystyrene, 731P
Jellinek, H. H. G.
—; Dunkle, S.: Evolution of HCN by Thermal Oxidative Degradation from Nylon 66 at High Temperatures Including Burning, 1471C
Review of *Developments in Polymer Degradation—2*, N. Grassie, Ed. 514L
Jenkins, A. D. See Billingham, N. C., 827C
Jenkins, R.
—; Porter, R. S.: Measurement of Unperturbed Molecular Dimensions Using a Gel Permeation Chromatograph Coupled with a Low-Angle Laser Light-Scattering Photometer, 743L
Jerabek, K.
Distribution and Catalytic Activity of Sulfonic Acid Groups in Organic Ion Exchangers, 65C
Jerome, R. See Huynh-Ba-Gia, 2091P, 3483C
Jhon, M. S. See Fesciyan, S., 2077P
—; Fesciyan, S.; Dahler, J. S.: Coherent Scattering Law for Dilute Polymer Solutions: Continued Fraction Formalism, 529P
Johnston, N. J. See Greenwood, T. D., 1047C
Jonas, J. See Munie, G. C., 1061C
Jones, M. B. See Brown, C. E., 653L
Joseph, K. T. See Babu, K. S., 373C; Kanniappan, E. P., 59L
Judd, R. E.
—; Crist, B., Jr.: Light Scattering Studies of Structure in Glassy Poly(methyl Methacrylate), 717L

Jun, O. See Zhiquan, S., 3345C
Jungnickel, B.-J.
Biaxial Drawing and Orientation of Polymers. I. Theoretical and Mathematical Considerations, 1811P
Just, R. L. See Pappas, S. P., 527C

Kabanov, V. Ya.
—; Aliev, R. E.; Sidorova, L. P.: Effect of Solvents on Radiation-Induced Ionic Graft Polymerization, 871C
Kahley, R. A. See Greenwood, T. D., 1047C
Kakinoki, H. See Higashi, F., 851C, 1099C, 1711C, 1841C
Kakuta, A.
—; Kuramoto, M.; Ohno, M.; Kushida, H.; Tanioka, A.; Ishikawa, K.: Freeze-Dried Cellulose Acetate Membrane Fine-Structure Observation, 3229C
Kalb, B.
—; St. John Manley, R.: Hydrodynamically Induced Formation of Cellulose Fibers. I. Observations on the Formation of Cellulose Fibers from Stirred Solutions, 707P
Kambe, H. See Kojima, T., 1673P
Kamei, H. See Yamada, B., 1917C
Kamogawa, H.
—; Inoue, H.; Nanasawa, M.: Syntheses of Vinyl Polymers with Pendant Porphyrin Dimers and Their Catalytic Effects on Photoreductions, 2209C
Kan, H.-C. See Carpenter, R. L., 165P
Kanamaru, A. See Tsubokawa, N., 625L
Kanamoto, T. See Wang, Y. K., 2287P; Zachariades, A. E., 575P
Kanazawa, H.
—; Kawai, T.: Polymerization of *N*-Carboxy-Amino Acid Anhydrides in the Solid State. I. Polymerizability of the Various α-Amino Acid NCAs in the Solid State, 629C
Kang, E. T. See Sanford, T. J., 2277P
Kanniappan, E. P.
—; Rao, K. P.; Joseph, K. T.: Influence of Combined Initiation Effect on the Composition of Collagen-Methyl Methacrylate Graft Copolymers, 59L
Kao, K. J. See Bamji, S. S., 1945P
Kaplan, S.
Sequence Distribution of Methyl Acrylate–Vinylidene Chloride Copolymers by ^{13}C-NMR (Note), 3307C
Karasz, F. E. See Chien, J. C. W., 45L
Kasai, N. See Ishikawa, T., 291P, 1413P
Kashiwabara, H. See Sakaguchi, M., 563L
Kato, K.
—; Sasaki, H.; Okamura, S.; Yamaoka, H.: Photodegradation of Poly (α-Methyl Styrene) through Charge-Transfer Interaction, 197L
Kato, Y. See Morita, M., 109L
Katsuta, Y. See Okubo, M., 481L
Katsuura, K. See Inagaki, N., 441C, 765L
Kaur, I. See Misra, B. N., 341C
Kawaguchi, M.
—; Takahashi, A.: Effect of Solvent Power on the Adsorption of Polystyrene onto a Metal Surface, 2069P
—; Takahashi, A.: Ellipsometric Study of the Adsorption of Comb-Branched Polystyrene onto a Metal Surface, 943P
Kawai, H. See Hashimoto, T., 569L, 585L; Kyu, T., 951P
Kawai, T. See Kanazawa, H., 629C
Kawakami, Y.
—; Sugiura, T.; Mizutani, Y.; Yamashita, Y.: Enantioselective Ester Synthesis in the Presence of Optically Active Polymers, 3009C
Kawasaki, H. See Ree, K., 719C
Kaye, H.
—; Hwang, J. S.: Magnetic Circular Dichroism Studies of Aromatic Polymers, 2993C
Kazaryan, L. G. See Korshak, V. V., 247P
Keith, H. D.
—; Padden, F. J., Jr.; Vadimsky, R. G.: Origin of Intercrystalline Links (Note), 2307P
Kelen, T. See Ivan, B., 1685C
Keller, A. See Atkins, E. D. T., 71P; Grubb, D. T., 207P; Guerrero, S. J., 1533P
Kem, K. M.
Kinetics of the Hydrolysis of Linear Poly[(acylimino)ethylenes] (Erratum), 380C
Kennedy, J. P. See Ivan, B., 1685C, 3177C
—; Smith, R. A.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator–Trans*fer* Agents (Inifers). II. Synthesis and Characterization of α,ω-Di(*tert*-Chloro)polyisobutylenes, 1523C
—; Smith, R. A.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator–Trans*fer* Agents (Inifers). III. Synthesis and Characterization of Poly(α-Methylstyrene-*b*-Isobutylene-*b*-α-Methylstyrene), 1539C
Kenyeres, J. St.
—; Ursu, V.: Polyacrylamide. I. Polymer Content and Hydrolysis Level Determination by Potentiometric Titration, 275C
Kessler, R. E. See Painter, P. C., 723P
Kesten, Y. See Prevorsek, D. C., 75C
Khaikin, S. Ya. See Ivanchev, S. S., 2051C
Khan, H. U.
—; Bhargava, G. S.: Graphical Solution for Intrinsic Viscosity Through a Single Specific Viscosity Measurement, 803L
—; Bhargava, G. S.: Molecular Weight of Styrene-Acrylonitrile (SAN) and Styrene-Methacrylate (SMMA) Copolymers from Intrinsic Viscosity and Viscosity Interaction Parameter, 465L
—; Bhargava, G. S.: Molecular Weight of Styrene-Acrylonitrile (SAN) and Styrene-Methyl Methacrylate (SMMA) Copolymers from Intrinsic Viscosity and Viscosity Interaction Parameters (Erratum), 753L
Khanna, Y. P. See Patel, G. N., 1383P, 2209P
Kilian, H.-G. See Pietralla, M., 285P
Kim, C. Y. See Akcasu, A. Z., 863P
Kim, I. P. See Barkalov, I. M., 1551C
Kim, J-B. See Cho, I., 3053C
Kimura, Y. See Nango, M., 647L
Kinsinger, J. B. See Ibemesi, J. A., 879C, 1123C
Kirpichnikov, P. A. See Pobedimskii, D. G., 815C, 1587C
Kiryukhin, D. P. See Barkalov, I. M., 1551C
Kishi, H. See Ogata, N., 933C
Kiss, G.
—; Porter, R. S.: Rheology of Concentrated Solutions of Helical Polypeptides, 361P
Kita, Y.
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. LXI. Photochemical Reactions on the Synthetic Polymers Containing Thymine Bases, 427C
Kitamaru, R. See Hirai, A., 1801P
Kitano, H. See Nishiyama, Y., 3289C
Klenin, S. I. See Kurliankina, V. I., 3369C
Klotz, I. M. See Nango, M., 647L
Knapp, G. S. See Yarusso, D. J., 557L
Kobayashi, N.
—; Iwai, K.: Functional Polymers. III. Asymmetric Michael Reactions Catalyzed by Cinchona Alkaloid–Acrylonitrile Copolymers, 923C
—; Iwai, K.: Functional Polymers. II. Synthesis and Properties of New Polymeric Cinchona Alkaloids, 223C
—; Iwai, K.: Functional Polymers. V. Asymmetric Addition Of Benzyl Mercaptan to Methyl α-Phthalimidoacrylate Catalyzed by Acrylonitrile-Cinchona Alkaloid Copolymers, 417L
Koberstein, J. T.
—; Stein, R. S.: Small-Angle Light Scattering from Thin Polymer Films: Multiple Scattering from Debye–Bueche Scatterers, 199P
Kochanowski, J. E. See Takekoshi, T., 3069C
Kochi, M. See Kojima, T., 1673P
Kodaira, T.
—; Murata, O.; Edo, Y.: Cyclopolymerization. X. Syntheses and Polymerization of Sym-Dimethacryloyldimethylethylenediamine and Sym-Dimethacryloyldimethylhexamethylenediamine, 737L

Koenig, J. L. See Ishida, H., 233P, 1931P; Jasse, B., 731P
Review of *Proceedings of the 5th European Symposium on Polymer Spectroscopy*, D. O. Hummel, Ed. 142L
Koetsier, D. W.
—; Tan, Y. Y.; Challa, G.: Radical Polymerization of *N*-Vinylpyrrolidone in the Presence of Syndiotactic Poly(methacrylic Acid) Templates, 1933C
Koganeya, H. See Miyasaka, K., 1047P
Kohama, S.
—; Inoue, H.; Yasuda, T.: Silyation of Water Glass. I. Solvent Extraction and Trimethylsilylation of Silicic Acid, 2357C
Kohara, T. See Chien, J. C. W., 2723C
Kohn, D. H. See Tatarsky, D., 1387C
Koinuma, H. See Hirai, H., 203C
Kojima, T.
—; Yokota, R.; Kochi, M.; Kambe, H.: Dilute Solution Properties of a Polybenzimidazole, 1673P
Proton NMR Studies of a Polybenzimidazole in Solution, 1791P
Studies of Molecular Aggregation of a Polybenzimidazole in Solution by Fluorescence Spectroscopy, 1685P
Kokubo, N. See Higashi, F., 1639C, 2879C
Koleske, J. V. See Seefried, C. G., Jr., 817P
Kondo, K. See Sato, M., 101C
—; Mifune, N.; Morita, S.; Takemoto, K.: Synthesis of the Polymers having 7- and 7,8-Substituted Isoalloxazine Residues and Their Catalytic Activity, 553L
Kong, E. S. W.
—; Wilkes, G. L.: Observations Regarding the Effect of Deformation on the Domain Structure in Segmented Polyurethanes, 369L
Kops, J. See Dandge, D. K., 355C; Tovborg Jensen, J. P., 2737C
Korin, A.
—; Levy, M.; Vofsi, D.: Copolymers of Vinyl Fluoride, 109C
Koros, W. J.
—; Patton, C. J.; Felder, R. M.; Fincher, S. J.: Kinetics and Equilibria of Sulfur Dioxide Sorption in Kapton Polyimide, 1485P
Model for Sorption of Mixed Gases in Glassy Polymers, 981P
Korostova, S. E. See Trofimov, B. A., 1547C
Korshak, V. V.
—; Babchinitser, T. M.; Kazaryan, L. G.; Vasilyev, V. A.; Genin, Ya. V.; Azriel, A. Ye.; Vygodsky, Ya. S.; Churochkina, N. A.; Vinogradova, S. V.; Tsvankin, D. Ya.: Crystallization of Alkyl-Aromatic Polyimides (Polyalkanimides), 247P
Korus, R. A. See Rosser, R. W., 135L
Kotani, N. See Hayashi, K., 191C
Kotel'nikov, V. A. See Frunze, T. M., 1523P
Koutsky, J. A. See Matyi, R. J., 1053P
Kovacic, P. See Brown, C. E., 653L; Lamb, B. S., 1759C, 2423C
Kozuka, H. See Nango, M., 647L
Kramer, H. See Wolf, B. A., 789L
Kratochvil, P. See Prochazka, O., 2369P
Kraus, A. See Patchornik, A., 823L
Krigbaum, W. R. See Balbi, C., 2037P
—; Ciferri, A.: Depression of the Melting Temperature for Lyotropic Liquid Crystals, 253L
Krimm, S.
Review of *The Hydrophobic Effect: Formation of Micelles and Biological Membranes*, Charles Tanford, 687L
Kubota, H. See Hsieh, W. C., 2773C
Kubota, K. See Higashi, F., 385L
Kuchanov, S. I. See Brun, E. B., 2461C
Kumanotani, J. See Matsumoto, N., 1665C
Kumar, D.
Structure of Aromatic Polyimides, 1375C
Kundu, S. See Bhadani, S. N., 1459C
Kuramoto, M. See Kakuta, A., 3229C
Kuraschev, V. V. See Frunze, T. M., 1523P
Kurata, M. See Osaki, K., 2417P
Kurita, K. See Imajo, H., 2189C
—; Miyajima, K.; Sannan, T.; Iwakura, Y.: Synthetic Polymers Containing Sugar Residues. IV. Synthesis of Polyamide-Esters by Direct Polycondensation of D-Glucosamine and Dicarboxylic Acid Chlorides (Note), 359C
—; Hirakawa, N.; Iwakura, Y.: Synthetic Polymers Containing Sugar Residues. V. Polyesters Derived from D-Cellobiose and Dicarboxylic Acid Chlorides by Direct Polycondensation (Note), 365C
Kurland, J. J.
Quantitative Aspects of Synergistic Inhibition of Oxygen and *p*-Methoxyphenol in Acrylic Acid Polymerization (Note), 1139C
Kurliankina, V. I.
—; Molotkov, V. A.; Klenin, S. I.; Liubina, S. Ya.: Relationships of Graft Polymerization of Vinyl Monomers onto Cellulose. Reaction Kinetics and Polymer Structure, 3369C
Kuroki, N. See Takagishi, T., 259C, 2323C
Kuroki, W. See Nango, M., 647L
Kushida, H. See Kakuta, A., 3229C
Kutac, A. See Lohr, R. A., 1719C
Kuwahara, M. See Ogata, N., 939C
Kuze, E. See Sumita, O., 877P
Kuzuu, N. Y. See Doi, M., 409P, 775L
Kwei, T. K. See Davis, D. D., 2337P; Naito, K., 1635C; Ting, S. P., 201L
Review of *Epoxy Resin Chemistry*, ACS Symposium Series 114, Ronald S. Bauer, 395L
Kwiatkowski, J. H. See Pittman, C. U., Jr., 3413C
Kyu, T.
—; Suehiro, S.; Nomura, S.; Kawai, H.: Rheo-Optical Studies on the Deformation Mechanism of Semicrystalline Polymers. X. Orientation Retardation Spectrum of Polyethylene, 951P

Lablache-Combier, A. See Decout, J.-L., 2371C, 2391C
Lacabanne, C.
—; Goyaud, P.; Boyer, R. F.: Thermally Stimulated Current (TSC) Study of the T_g and T_{ll} Transitions in Anionic Polystyrenes, 277P
Lagasse, R. R.
Improved Scanning Calorimetry Technique for Monitoring Enthalpy Relaxation of Polymer Glasses, 357L
Lagow, R. J. See Gerhardt, G. E., 157C
Lal, J.
—; Hanlon, T. L.; Chen, H. Y.: Synthesis and Characterization of Polymers of 1,4-Hexadienes, 2921C
Lala, D. See Rabek, J. F., 427L
Lam, J. H. W. See Crivello, J. V., 1021C, 2677C, 2697C
La Mantia, F. P. See Acierno, D., 739P
Lamb, B. S.
—; Kovacic, P.: Polymerization of Aromatic Nuclei. XXIII. Investigation of Oligomer and Pyrrole Red from Pyrrole and Trichloroacetic Acid, 1759C
—; Kovacic, P.: Polymerization of Aromatic Nuclei. XXIV. Investigation of Oligomer and Polymer from Furan and Trichloroacetic Acid, 2423C
Lambing, L. L. See Millich, F., 2155C
Lattes, A. See Despax, B., 593C
Laupretre, F.
—; Monnerie, L.; Fayolle, B.: Conformational Energies of *Para*-Aromatic and Aryl-Aliphatic Polyamides: Relation to Mesogenic Character in Solution, 2243P
Leborgne, A. See Spassky, N., 3089C
Lecolier, S. See Raynal, S., 13L
Lederer, K. H. See Huber, C., 535L
Ledwith, A.
—; Rahnema, M.; Sen Gupta, P. K.: Phenolic Resins for Solid-Phase Peptide Synthesis. III. Copolymerization of Acrylonitrile and *p*-Acetoxystyrene and Comparison of Reactivity with Styrene-Based Resins, 2239C
Lee, D. P. See Eckstein, Y., 2021C

—; Dreyfuss, P.: Triphenylphosphine Termination of Tetrahydrofuran Polymerization in the Presence of Silver Salts (Note), 1627C
Lee, J-Y. See Cho, I., 639L
Lefebvre, J. M. See Haussy, J., 311P
Lemanska, G.
—; Narebska, A.: Quantitative Determination of Mesomorphic Regions in Oriented Polymers from Wide-Angle X-Ray Diffraction, 917P
Lenka, S. See Nayak, P. L., 2247C
Lenz, R. W. See Elayaperumal, P., 2471C; Siadat, B., 3273C
Levot, R. See Ang, C. H., 471L
Levy, M. See Almog, Y., 1C; Korin, A., 109C
Li, S. K. L.
—; Guillet, J. E.: Photochemistry of Ketone Polymers. XIV. Studies of Ethylene Copolymers, 2221C
Lichti, G. See Whang, B. C. Y., 711L
—; Gilbert, R. G.; Napper, D. H.: Molecular Weight Distributions in Emulsion Polymerizations, 1297C
Lillya, C. P. See Chien, J. C. W., 2723C
Lin, I.-S. See Venugopalan, M., 2731C
Lin, J. W-P.
—; Dudek, L. P.: Synthesis and Properties of Poly(2,5-Thienylene) (Note), 2869C
Lin, S.-C. See Sankaran, V., 495C
Linssen, H. N. See van der Meer, R., 1431C; Watts, D. G., 1285C
Liogonky, B. I. See Ragimov, A. V., 713C
Lissi, E. See Encina, M. V., 757L
Liu, H. T. See Vrentas, J. S., 1633P
Liubina, S. Ya. See Kurliankina, V. I., 3369C
Llorente, M. A.
—; Andrady, A. L.; Mark, J. E.: Chemical Analysis of Vinyl-Crosslinked Poly(Dimethylsiloxane) Model Networks and Use of the Resulting Structural Information in the Interpretation of their Elastomeric Properties, 2263P
—; Mark, J. E.: Model Networks of End-Linked Polydimethylsiloxane Chains. VI. Stress-Strain Isotherms for the Swollen Networks (Note), 181P
Lohr, R. A.
—; Cassidy, P. E.; Kutac, A.: Polyimidines. V. Poly[(3,3-Diphenyl-2,6-Phthalimidinediyl)-carbonyl(3,3-Diphenyl-6,2-Phthalimidine)]s, 1719C
Lokhande, H. T. See Chidambareswaran, P. K., 603L
Long, M. A. See Ang, C. H., 471L
Loucheux, C. See Decout, J.-L., 2371C, 2391C
Lovell, R.
—; Windle, A. H.: Molecular Structure of Isotactic Polystyrene Gels, 67L
Lovinger, A. J.
Crystallization and Morphology of Melt-Solidified Poly(vinylidene Fluoride), 793P
Luca, C. See Dragan, S., 455C
—; Dragan, S.; Barboiu, V.; Dima, M.: Chloromethylated Polystyrene Reaction with Tris(2-Hydroxyethyl)amine. I. Crosslinked Polymers Prepared by Chloromethylated Polystyrene with Tris(2-Hydroxyethyl)amine, 449C
—; Barboiu, V.; Petrariu, I.; Dima, M.: Quaternary Ammonium Polyelectrolytes. IV. Addition Reaction between Poly(4-Vinylpyridinium Chloride) and Electrophilic Vinyl Compounds, 2347C
Lucas, K. R. See Futamura, S., 767P
Luk, W. H. See Choy, C. L., 1187P
Lundberg, R. D. See Weiss, R. A., 3427C
—; Makowski, H. S.: Solution Behavior of Ionomers. I. Metal Sulfonate Ionomers in Mixed Solvents, 1821P
Lundh, S.
Concentrated Protein Solutions in the Analytical Ultracentrifuge, 1963P
Lyman, D. J. See Yoshikawa, S., 411L
Lynn, M. M.
—; Stannett, V. T.; Gilbert, R. D.: Synthesis and Biodegradability of Amylose Block Copolymers, 1967C
MacDiarmid, A. G. See Chien, J. C. W., 45L; Druy, M. A., 429P
Machi, S. See Matsuda, O., 1325C
MacKnight, W. J. See Roche, E. J., 1035P, 1497P
MacLaury, M. R.
—; Chan, A. D.; Colley, A. M.; Saracino, A.; Toothaker, A. M.: Synthesis of 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)-ethylene via Ammonia or Methylamine Dehydrochlorination. A Bisphenol for the Preparation of Highly Flame-Resistant Polycarbonates, 2501C
Madec, P.-J.
—; Marechal, E.: Molecular Weight Determination of Silane-Terminated Polydimethylsiloxane by Infrared Spectroscopy (Note), 2421P
Maeda, Y. See Toi, K., 1621P
Maeshima, T. See Fujihara, H., 287L; Morita, S., 1599C
Mahadevan, V. See Ibrahim, A. M., 3265C
Maher, J. W.
—; Haward, R. N.; Hay, J. N.: Study of the Thermal Effects in the Necking of Polymers with the Use of an Infrared Camera, 2169P
Mahler, W. See Bechtold, M. F., 2823C
Mahmood, A. J. See Huque, M. M., 1447C
Mahoney, L. R. See Gerlock, J. L., 541C
Maitrot, M. See Guillaud, G., 523P
Makowski, H. S. See Lundberg, R. D., 1821P
Malawer, E. G.
—; Montana, A. J.: Algorithm for the Determination of a Linear GPC Calibration Curve using a Polydisperse Standard (Note), 2303P
Mancier, D. See Gagnaire, D., 13C
Mandelkern, L. See Dechter, J. J., 1955P; Voigt-Martin, I. G., 2347P
Manello, J. S. See Takekoshi, T., 3069C
Manickam, S. P.
—; Subbaratnam, N. R.; Venkatarao, K.: Peroxo Salts as Initiators of Vinyl Polymerization. IV. Polymerization of Methacrylamide Initiated by Peroxodisulfate Ion and Metal Ion Catalysis, 1679C
Manjunath, B. R.
—; Venkataraman, A.: Fibrillar Aggregation in Cotton Cellulose Subjected to Multiple Swelling Treatments with Alkali, 1407C
Mankowski, Z. See Burillo, G., 327C
Mano, E. B.
—; Quijada, R.; Coutinho, F. M. B.; Berg, M. C.: Nitration–Nitrosation of Methyl Methacrylate in the Presence of Nitric Acid (Note), 1619C
Mansson, P.
Reactions of Polystyryl Anions with Carbon Dioxide and Oxygen. Analysis of Products by Silica Gel Chromatography, 1945C
Mantell, G. J. See Dixon, D. D., 131L
Mao, T. J.
Review of *Characterization of Metal and Polymer Surfaces*, Vol. 1, *Metal Surfaces*, Lieng-Huang Lee, Ed. 151L
Review of *Characterization of Metal and Polymer Surfaces*, Vol. 2, *Polymer Surfaces*, Lieng-Huang Lee, Ed. 152L
Maravigna, P. See Ballistreri, A., 1923C, 3101C
—; Montaudo, G.; Recca, A.; Scamporrino, E.; Aloisi, G. G.; Mazzucato, U.: Polyamides with Controlled Photodegradation Times: Systems with Unusually High Quantum Yields, 5L
Marchal, E. See Decossas, F., 683P
Marechal, E. See Borg-Visse, F., 2481C, 2491C; Cho, W. J., 1995C; Madec, P.-J., 2421P
Marek, M. See Pilar, J., 3193C
Margomenou-Leonidopoulou, G. See Paleos, C. M., 3463C
Mark, J. E. See Falender, J. R., 389P; Llorente, M. A., 181P, 2263P
Marsden, B. J. See Aref-Azar, A., 637P
Marsden, N. V. B. See Haglund, A. C., 271L
Martinez, G. See Millan, J., 505C
Martinotti, F. F. See Faucitano, A., 2175C
Martuscelli, E.
—; Pracella, M.; Zambelli, A.: Properties of Solution-Grown Crystals of Fractions of Isotactic Polypropylene with Different Degrees of Stereoregularity, 619P

Maruyama, K. See Tsukube, H., 3359C
—; Tsukube, H.; Araki, T.: Special Action of "Oligomer Catalyst" for Oxidative Dimerization of Acetylenes (Note), 753C
Marvel, C. S. See Sankaran, V., 495C, 1821C, 1835C; Somers, A., 1511C
Masuo, S. T. See Miller, J. S., 809L
Mathias, L. J.
—; Al-Jumah, K.: Polymers Containing Crown Ethers: Polyureas from Diisocyanates and 1,10-Diaza-18-Crown-6, 2911C
Synthesis and Cyclopolymerization of *N*-Methacryloyldehydroalanine Methyl Ester [Methyl α(Methacrylamido)Acrylate], 665L
Mathis, C.
—; Christmann-Lamande, L.; Francois, B.: Anionic Polymerization with Alkaline Earth Counterion. III. Aging of Oligo- and Polystyryl-Barium and -Strontium in THF, 671C
Matsuda, O.
—; Watanabe, T.; Tabata, Y.; Machi, S.: Radiation-Induced Terpolymerization of Methyl α,β,β-Trifluoroacrylate with Tetrafluoroethylene and α-Olefin, 1325C
Matsumoto, A. See Ohata, T., 467C, 1011C; Urushido, K., 1131C, 1771C
—; Iwanami, K.; Oiwa, M.: Highly Occurring Head-to-Head Addition in the Radical Polymerization of Allyl Acetate, 211L
—; Iwanami, K.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXIII. Preferential 11-Membered Ring Formation in the Cyclopolymerization of Diallyl Phthalate, 307L
—; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXI. Cyclopolymerization of Diallyl Acetals in the Nonoccurrence of Effective Chain Transfer, 421L
Matsumoto, N.
—; Daimon, H.; Kumanotani, J.: Polyesters Containing Ring Units in Main Chains. I. Preparation and Stereochemistry of Monomers and Polyesters, 1665C
Matsumoto, T. See Okubo, M., 481L, 2451C, 3219C
Matsuoka, S. See Wang, T. T., 593L
Matsushige, K.
—; Takemura, T.: Melting Point of Oriented Poly(vinylidene Fluoride) Form-I Crystal under Tensile Stress (Note), 1665P
Matsuura, H. See Eisenberg, A., 479P
Matsuzaki, K. See Higashimura, T., 1489C
Matthews, R. O. See Hallgren, J. E., 1615C
Matyi, R. J.
—; Uhlmann, D. R.; Koutsky, J. A.: Structure of Glassy Polymers. VII. Small-Angle X-Ray Scattering from Epoxy Resins, 1053P
Mazzucato, U. See Maravigna, P., 5L
McBrierty, V. J.
—; Douglass, D. C.; Barham, P. J.: Oriented Polymers from Solution. III. NMR of Polyethylene/Polypropylene Blends, 1561P
McDonnell, M. E.
—; Jamieson, A. M.: Application of the Porous-Sphere Hydrodynamic Model to Dilute Polymer Solutions, 1781P
McFarlane, R. C.
—; Reilly, P. M.; O'Driscoll, K. F.: Comparison of the Precision of Estimation of Copolymerization Reactivity Ratios by Current Methods, 251C
—; Reilly, P. M.; O'Driscoll, K. F.: Model Discrimination in Copolymerization, 81L
McGillivray, G. See Rossouw, N. du T., 3323C
McNeill, I. C.
—; Straiton, T.; Anderson, P.: Thermal Degradation of Poly(vinyl Bromide), Vinyl Bromide–Methyl Methacrylate Copolymers, and Poly(vinyl Bromide)–Poly(methyl Methacrylate) Blends, 2085C
Mehta, I. K. See Misra, B. N., 749C, 1911C
Meinecke, E. A. See Chalifoux, J.-P., 265L
Meissner, M. See Engeln, I., 2227P
Menczel, J.
—; Wunderlich, B.: Phase Transitions in Mesophase Macromolecules. I. Novel Behavior in the Vitrification of Poly(ethylene Terephthalate-*co*-*p*-Oxybenzoate), 1433P
Merrall, R. See Bordoloi, B. K., 383C
Metzger, B. D. See Brown, N., 1979P
Meyer, G. C. See Widmaier, J. M., 2217P
Mezentsev, N. A. See Forgacs, P., 2155P
Mifune, N. See Kondo, K., 553L
Mijangos, C. See Millan, J., 505C
Mijovic, J.
Review of *Chemistry and Application of Phenolic Resins*, A. Knop and W. Scheib, 144L
Review of *Plastic Product Design*, (2nd ed.), Ronald D. Beck, 688L
Mikhailov, A. I. See Barkalov, I. M., 1551C
Mikhaleva, A. I. See Trofimov, B. A., 1547C
Millan, J.
—; Martinez, G.; Mijangos, C.: Influence of the Tacticity on Thermal Degradation of PVC. IV. Degradation in Solution in Comparison with Degradation at Solid State, 505C
Miller, A.
—; Szafko, J.: Determination of Initiation Rate of Copolymerization of Acrylonitrile with *p*-Bromophenyl Acrylate Carried Out in *N,N*-Dimethylformamide, 1177C
Miller, J. S.
—; Masuo, S. T.: Iodination of Poly[Arylethynylcopper(I)] Caveat Emptor, 809L
Miller, R. S. See Chien, J. C. W., 2723C
Millich, F.
—; Lambing, L. L.: Interfacial Synthesis of Polyphosphonate and Polyphosphate Esters. VII. Temperature Effects and Reaction Loci in Polycondensations of Hydroquinone with Phenylphosphonic Dichloride and 4-Methylthiophenyl Phosphorodichloridate, 2155C
Mimura, M. See Nishimura, J., 2061C, 2071C
Min, B. Y. See Chaudhuri, A. K., 2949C
Minagawa, M.
Molecular Defects of Polyacrylonitrile Formed in Aqueous Medium, 2307C
—; Iwamatsu, T.: Relation between the Thermal Behavior of Polyacrylonitrile and Polymerization Factors, 481C
Minakova, T. T. See Trofimov, B. A., 1547C
Minoura, Y. See Ree, K., 719C
Mishra, M. K. See Nayak, P. L., 2247C
Misra, A. See Bajaj, P., 295C; Stein, R. S., 327P
Misra, B. N.
—; Dogra, R.; Mehta, I. K.: Grafting onto Cellulose. V. Effect of Complexing Agents on Fenton's Reagent (Fe^{2+}–H_2O_2)-Initiated Grafting of Poly(ethyl Acrylate) (Note), 749C
—; Dogra, R.; Kaur, I.; Sood, D.: Grafting onto Starch. II. Graft Copolymerization of Vinyl Acetate onto Starch by Radical Initiator (Note), 341C
—; Chandel, P. S.: Grafting onto Wool. IV. Effect of Amines upon Ceric Ion-Initiated Grafting of Poly(methyl Acrylate), 1171C
—; Mehta, I. K.: Grafting onto Wool. VIII. Graft Copolymerization of Methyl Methacrylate (MMA) by Use of Ce^{4+}–Amine System as Redox Initiator, 1911C
Misra, T.
—; Patel, A.; Patnaik, J.: Small-Angle X-Ray Investigation of a Densely Packed Micelle System in Agave Hybrid, 1359C
Mitchel, T. E. See Moore, J. A., 3029C
Mitchell, P. H. See Hester, R. D., 1727C
Mitsuboshi, T. See Azuma, C., 781C
Mitsuhashi, K. See Zaima, T., 1L
Mitsui, H.
—; Shimizu, Y.: Effects of Electron Beam Preirradiation on the γ Radiolysis of Polyethylene, 1115C
Miyaji, H. See Miyamoto, Y., 597P
Miyajima, K. See Kurita, K., 359C
Miyamoto, Y.
—; Miyaji, H.; Asai, K.: Anisotropy of Dielectric Relaxation in Crystal Form II of Poly(vinylidene Fluoride), 597P
Miyasaka, K. See Akaishi, T., 745P
—; Isomoto, T.; Koganeya, H.; Uehara, K.; Ishikawa, K.; Ogata, N.: Nylon-6 α-Phase Crystal: Chain Repeat Distance and Modulus in the Chain Direction at Low Temperature, 1047P

Mizutani, Y. See Kawakami, Y., 3009C
Moliton, A. See Decossas, F., 683P
Molloy, R. See Cooper, D. R., 123C
Molotkov, V. A. See Kurliankina, V. I., 3369C
Momtaz, A. See Spassky, N., 3089C
Monnerie, L. See Jarry, J. P., 1879P; Laupretre, F., 2243P
Montana, A. J. See Malawer, E. G., 2303P
Montaudo, G. See Ballistreri, A., 1147C, 1923C, 3101C; Maravigna, P., 5L
Montenegro, A. M. See de Souza Gomes, A., 3021C
Monzie, P. See Chanzy, H., 1137P
Moore, J. A.
—; Mitchel, T. E.: Polyenaminoesters from α,α'-Bis(carbomethoxy)diacetylbenzenes and Phenylene Diamines, 3029C
Morawetz, H.
Review of *Advances in Polymer Science*, Vol. 32, 154L
Review of *Macromolecules, An Introduction to Polymer Science*, F. A. Bovey and F. H. Winslow, Eds. 153L
Morawiec, E. See Pielichowski, J., 729C
Morgan, P. W. See Pletcher, T. C., 643C
Mori, S. See Otsu, T., 2197C
Morishima, Y. See Overberger, C. G., 1247C, 1267C, 1433C
Morishita, H. See Mukoh, A., 35L
Morita, M.
—; Ando, I.; Nishioka, A.; Sato, K.; Kato, Y.; Suzuki, S.: ^{1}H-NMR Relaxation and Molecular Motion of Molten Polyethylene by Isotopic Dilution Method, 109L
Morita, S. See Kondo, K., 553L
—; Yamashita, N.; Maeshima, T.: Polymer Effect in Graft Polymerizations of Acrolein onto Imidazole-Containing Polymer, 1599C
Moroe, I. See Nishiyama, Y., 3289C
Moteleb, M. M. A. See Shinouda, H. G., 3455C
Motoc, I.
—; Muscutariu, I.; Holban, St.; Dragomir, O.: Monte Carlo-Studium der Ireversiblen Terpolymerisation: Das Modell und Anwendungen, 1565C
—; Vancea, R.: Monte Carlo-Studium der Reversiblen Copolymerisation. I. Theorie, MEMORY-6 Programm, Anwendungen, 1559C
—; Muscutariu, I.: Sequence Distribution in Copolymers: A Chemical Dictionary. II. Application to Copolymerization of α-Methylstyrene and Styrene (Note), 757C
Mukerji, P.
Review of *Polymer-Polymer Miscibility*, Olagoke Olabisi, Lloyd M. Robeson, and Montgomery T. Shaw, 582L
Mukerji, P. K.
Review of *Reaction Injection Molding*, Walter E. Becker, Ed. 395L
Mukhopadhyay, G. See Ghosh, P., 283C
Mukoh, A.
—; Morishita, H.: Polymerization of 9-(p-Vinylphenyl)anthracene, 35L
Mulik, U. P. See Ghatge, N. D., 1905C
Muller, G. See Beaumais, J., 1367C
Munie, G. C.
—; Jonas, J.; Rowland, T. J.: NMR Relaxation Study of Crosslinked *cis*-1,4-Polybutadiene, 1061C
Murakami, I.
—; Fujino, Y.; Ishikawa, R.; Ochiai, H.; Tadokoro, Y.: Temperature Dependence of the Viscosity of Aqueous Poly(vinyl Alcohol)-Borax Solutions (Note), 2149P
Murata, E. See Takahashi, S., 349C, 661C
Murata, O. See Kodaira, T., 737L
Murthy, A. K. S. See Reimschuessel, H. K., 379C
Muscutariu, I. See Motoc, I., 757C, 1565C
Mutar, E. H. See Pyriadi, T. M., 2535C

Nagai, S. See Ishikawa, T., 291P, 1413P
Nagiev, A. Yu. See Ragimov, A. V., 713C
Nah, S. H.
—; Thomas, A. G.: Migration and Blooming of Waxes to the Surface of Rubber Vulcanizates, 511P
Naichun, C. See Chengxun, L., 3403C
Naito, K.
—; Kwei, T. K.: Luminescence of Polymers in an Inert Atmosphere (Note), 1635C
Nakamichi, K. See Niume, K., 2163C
Nakamura, A. See Tsukube, H., 3359C
Nakamura, H. See Ogata, N., 933C, 939C
Nakamura, Y. See Okubo, M., 2451C
Nakano, H.
—; Goto, T.; Yamamoto, Y.: Effect of Partially Quaternized Poly(4-Vinyl Pyridine) on the Cleavage of Threonine Catalyzed by Pyridoxal Phosphate and Copper Ion, 381L
Nakano, Y. See Higashi, F., 851C, 1099C
Nakazawa, N. See Nishimura, J., 2061C, 2071C
Nambu, Y.
—; Endo, T.; Okawara, M.: Synthesis of Polymer Containing Lipoic Acid as a Polymeric Reagent for Acyl Transfer, 2793C
Namiki, K.
—; Hayakawa, R.; Wada, Y.: Molecular Theory of Piezoelectricity of α-Helical Polypeptide, 993P
Nanasawa, M. See Kamogawa, H., 2209C
Nango, M.
—; Kozuka, H.; Kimura, Y.; Kuroki, W.; Ihara, Y.; Klotz, I. M.: Stereoselective Hydrolysis of Amino Acid p-Nitrophenyl Esters by Poly(Ethyleneimine) Derivatives with Optically Active Groups, 647L
Naoi, Y. See Takagishi, T., 2323C
Napolitano, R. See Avitabile, G., 1663P
Napper, D. H. See Lichti, G., 1297C; Whang, B. C. Y., 711L
Narebska, A. See Lemanska, G., 917P
Nath, J. D. See Gupta, M. C., 709C
Nayak, M. C. See Samal, R. K., 2001C
Nayak, P. L. See Panda, G., 3311C; Samal, R. K., 2001C
—; Lenka, S.; Mishra, M. K.: Grafting Vinyl Monomers onto Silk Fibers. IX. Graft Copolymerization of Methyl Methacrylate onto Silk Using Peroxydiphosphate–Thiourea Redox System, 2247C
Nayudamma, Y. See Babu, K. S., 373C
Ndebeka, G. See Raynal, S., 13L
Nelb, G. W.
—; Pedersen, S.; Taylor, C. R.; Ferry, J. D.: Rubber Networks Containing Unattached Macromolecules. IV. Stress Relaxation in End-Linked Polybutadiene with Unattached Styrene-Butadiene Copolymer, 645P
Nelson, G. See Yue, H., 1393P
Newman, B. A. See Scheinbeim, J. I., 2271P
Newmark, R. A.
Sequence Distribution in Polyethylene/Tetramethylene Terephthalate Copolyesters by ^{13}C-NMR, 559C
Nguyen, L. T.
—; Sung, N-H.; Suh, N. P.: Determination of Optimum Glow Discharge Parameters Based on ATR-FTIR Spectra, 541L
Nicol, M. F.
—; Wiget, J. M.; Wu, C. K.: Kinetics of the II-III Phase Transformation of Polytetrafluoroethylene at High Pressure, 1087P
Niino, S. See Hayama, S., 2941C; Takeishi, M., 3081C
Nishikubo, T. See Zaima, T., 1L
—; Iizawa, T.; Watanabe, M.: Syntheses of Alternating Copolymers of Amide-Thioether by the Polyaddition Reaction of Bisoxazolines and Dithiols, 761L
Nishimura, J.
—; Mimura, M.; Nakazawa, N.; Yamashita, S.: C3 Cyclopolymerization. II. Charge-Transfer Cyclopolymerization of 1,3-Bis(p-Vinylphenyl)-propane, 2071C
—; Ishida, Y.; Mimura, M.; Nakazawa, N.; Yamashita, S.: C3 Cyclopolymerization. I. Is the Cyclopolymerization of 1,3-Bis(p-Vinylphenyl)-propane by Means of Radical or Anionic Initiators Possible? 2061C
—; Tanaka, N.; Hayashi, N.; Yamashita, S.: Stepwise Polymerization of 1,1-Diphenylethylene Derivatives by Acid Catalysts, 515C

—; Tanaka, N.; Yamashita, S.: Thermostability of Polymers Containing Indanic Units in the Main Chain, 1203C
Nishinari, K.
—; Fukada, E.: Viscoelastic, Dielectric, and Piezoelectric Behavior of Solid Amylose, 1609P
Nishio, T. See Inagaki, N., 765L
Nishioka, A. See Morita, M., 109L
Nishiyama, Y.
—; Moroe, I.; Kitano, H.; Okubo, T.; Ise, N.: Heterogeneous Catalysis by Polyelectrolyte. I. Polyelectrolyte Influence on the Solvolysis and Deamination, 3289C
Niume, K.
—; Nakamichi, K.; Toda, F.; Uno, K.; Hasegawa, M.; Iwakura, Y.: Heat-Resistant Polymers with Thianthrene Analog Units. II. Aromatic Polyamides, 2163C
Nixon, A.
—; Childs, R. F.: Reaction of Crotonaldehyde with Various Ethyl Aluminum Chlorides in Methylene Chloride. A ^{1}H-NMR Study, 1499C
Noether, H. D.
Review of *Structure of Crystalline Polymers*, Hiroyuki Tadokoro, 149L
Noirhomme, B. See Donckt, E. V., 365L
Nomura, S. See Kyu, T., 951P
Norisuye, T.
—; Yanaki, T.; Fujita, H.: Triple Helix of a *Schizophyllum Commune* Polysaccharide in Aqueous Solution, 547P
Nowlin, T. E.
—; Smith, D. F., Jr.; Cieloszyk, G. S.: Thermal Oxidative Stability of Poly-*p*-Xylylenes, 2103C

O'Brien, K. See Yue, H., 1393P
Obrzut, J. See Pielichowski, J., 3441C
Ochiai, H. See Murakami, I., 2149P
Odian, G. See Ozizmir, E., 1089C, 2281C
—; Derman, A.; Imre, K.: Diffusion-Controlled Reaction. VI. Radiation Graft Polymerization of 4-Vinylpyridine to Polyethylene, 737C
O'Driscoll, K. F. See Dionisio, J. M., 241C, 3199C; McFarlane, R. C., 81L, 251C; Patino-Leal, H., 219L
Computation of Reactivity Ratios from Sequence Distribution Information (Note), 2747C
Ogata, N. See Azuma, C., 781C; Miyasaka, K., 1047P
—; Sanui, K.; Nakamura, H.; Kishi, H.: Polycondensation of Diethyl Mucate with Hexamethylenediamine in the Presence of Poly(vinyl Pyridine), 933C
—; Sanui, K.; Nakamura, H.; Kuwahara, M.: Polycondensation Reaction of Dimethyl Tartrate with Hexamethylenediamine in the Presence of Various Matrices, 939C
Ogawa, Y. See Chau, N., 3499C
Ogiwara, K. See Furukawa, T., 1697P
Ogiwara, Y. See Arai, K., 1643C
Ogura, K. See Tagawa, T., 971P
Ohata, T.
—; Matsumoto, A.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXVI. Enhanced Polymerizability by the Hydroxyl Group in the Polymerization of Diallyl Hydroxydicarboxylates, 467C
—; Fukumori, E.; Matsumoto, A.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXVII. Copolymerization of Diallyl Tartrate with Several Vinyl Monomers, 1011C
Ohno, M. See Kakuta, A., 3229C
Ohori, Y. See Toi, K., 1621P
Ohyama, Y. See Takahashi, S., 349C
Oiwa, M. See Matsumoto, A., 211L, 307L, 421L; Ohata, T., 467C, 1011C; Urushido, K., 1131C, 1771C
Okamoto, M. See Hamanoue, K., 91C
Okamoto, Y.
—; Wang, M. C.: A New Highly Conducting Polymer System: Charge-Transfer Complexes of Arylethynyl Copper Compounds with Iodine, 249L
—; Suzuki, K.; Yuki, H.: Asymmetric Polymerization of Triphenylmethyl Methacrylate by Optically Active Anionic Catalysts, 3043C
Okamura, S. See Hayashi, K., 2785C, 3297C, 3381C; Kato, K., 197L
Okamura, T. See Hayama, S., 2941C
Okamura, Y. See Chen, J. T., 175P
Okawara, M. See Endo, T., 771L, 2121C; Nambu, Y., 2793C
Okubo, M.
—; Yamada, A.; Matsumoto, T.: Estimation of Morphology of Composite Polymer Emulsion Particles by the Soap Titration Method, 3219C
—; Katsuta, Y.; Matsumoto, T.: Rupture of Anomalous Composite Particles Prepared by Seeded Emulsion Polymerization in Aging Period, 481L
—; Nakamura, Y.; Matsumoto, T.: Studies on Suspension and Emulsion. XXXV. Effect of Epoxy Groups at the Surface Layer of Ethyl Acrylate–Glycidyl Methacrylate Copolymer Emulsion Particles on Its Crosslinking Reactivity, 2451C
Okubo, T. See Ishiwatari, T., 1807C, 1815C, 3393C; Nishiyama, Y., 3289C
Olson, A. P. See Salamone, J. C., 2983C
O'Malley, J. J. See VanDusen, J. G., 487L
Onogi, Y.
—; White, J. L.; Fellers, J. F.: Structural Investigations of Polymer Liquid-Crystalline Solutions: Aromatic Polyamides, Hydroxy Propyl Cellulose, and Poly(γ-Benzyl-L-Glutamate), 663P
Ophir, Z.
—; Wilkes G. L.: SAXS Analysis of a Linear Polyester and a Linear Polyether Urethane—Interfacial Thickness Determination, 1469P
O'Reilly, J. M.
Review of *Electro-Optics and Dielectrics of Macromolecules and Colloids*, Barry R. Jennings, Ed. 237L
Orlando, C. M. See Factor, A., 579C, 2909C
O'Rourke, V. M. See Plazek, D. J., 1837P
Osada, Y.
Effects of Polymers and Their Chain Lengths on the Contraction of Poly(methacrylic Acid) Network, 281L
Osaki, K.
—; Kurata, M.: Upper Bound of Stress for Stress Relaxation in Entangled Polymeric Systems (Note), 2417P
Osaki, Y. See Takahashi, Y., 1863P
Osmers, H. R. See Chitrangad, B., 1219P
Otsu, T. See Sato, T., 189L; Yamada, B., 1917C
—; Yamada, B.; Sugiyama, S.; Mori, S.: Effects of Ortho-Substituents on Reactivities, Tacticities, and Ceiling Temperatures of Radical Polymerizations of Phenyl Methacrylates, 2197C
Overberger, C. G.
—; Morishima, Y.: Circular Dichroism of Polyethylenimine Containing Optically Active Thymine Derivatives as Grafted Pendants, 1267C
—; Morishima, Y.: Syntheses of Polyethylenimine Containing Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants, 1247C
—; Morishima, Y.: Synthesis and Optical Properties of Polyethylenimine Containing L-Proline and Optically Active Thymine Derivatives, 1433C
Ozizmir, E.
—; Odian, G.: Effect of Unequal Functional Group Reactivity and Monomer Masses on the Polydispersity Index in Linear Step Polymerization, 2281C
—; Odian, G.: Kinetics of Step Polymerization with Reactants of Unequal Functional Group Reactivity, 1089C

Pacansky, T. J.
—; Schank, R. L.; Gruber, R. J.; Brandt, K. A.; Bernardo, M., Jr.: Synthesis and Thermomechanical Properties of Alternating Copolymers Containing Bisphenol-A, 3119C

Pace, R. J.
—; Datyner, A.: Model of Sorption of Simple Molecules in Polymers, 1103P
—; Datyner, A.: Nature of the Penetrant Jump Length in Diffusion Within Polymers, 1169P
Padden, F. J., Jr. See Keith, H. D., 2307P
Pae, K. D. See Scheinbeim, J. I., 2271P
Paillous, A. See Despax, B., 593C
Paillous, N. See Despax, B., 593C
Painter, P. C. See Wu, M. S., 95P, 111P
—; Kessler, R. E.; Snyder, R. W.: Fourier Transform Infrared Study of the Gel Form of Isotactic Polystyrene, 723P
Paleos, C. M.
—; Voliotis, S.; Margomenou-Leonidopoulou, G.; Dais, P.: Polymerization of Oriented Monomers. V. Radiation-Induced Polymerization of 3*n*-Dodecyl-1-Vinylimidazolium Iodide in Micellar Aggregates, 3463C
Palit, S. R. See Chaudhuri, A., 1279C; Sarkar, A. K., 691C; Vidyarthi, N., 3315C
Palla, M. See Guerra, G., 477L
Palma, G. See Gasparrini, G., 33L
Palys, L. H.
—; Phillips, P. J.: Microkinetics of Crystallization in Poly(ethylene Terephthalate), 829P
Panayotov, I. M.
—; Dimov, D. K.; Tsvetanov, Ch. B.; Skorokhodov, S. S.; Stepanov, V. V.: Solvating Properties of Certain Polymeric Ethers, 3059C
Pancratova, L. A. See Pavlova, S. A., 1P
Panda, G.
—; Pradhan, A. K.; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Silk Fibers. XII. Graft Copolymerization of Methyl Methacrylate onto Silk Using Hydrogen Peroxide–Sodium Thiosulfate Redox System (Note), 3311C
Pappas, S. P.
—; Just, R. L.: Aminolysis of Crosslinked Polysiloxanes: Tautomeric Catalysis by 2-Pyridone, 527C
Parsons, I. W. See Ahmed, M. S., 371C
Pastor, P. C. See Ponticello, I. S., 2293C
Patchornik, A.
—; Kraus, A.: Review of *Polymers as Aids in Organic Chemistry*. N. K. Mathur, C. K. Narang, and R. E. Williams, 823L
Patel, A. See Misra, T., 1359C
Patel, D. L.
—; DuPre, D. B.: Spherulite Morphology in Liquid Crystals of Polybenzylglutamates. Optical Rotatory Power and Effect of Magnetic Field, 1599P
Patel, G. N.
—; Khanna, Y. P.: Abrupt Dissolution of Polydiacetylenes, 2209P
—; Witt, J. D.; Khanna, Y. P.: Thermochromism in Polydiacetylene Solutions, 1383P
Patel, R. D. See Balke, S. T., 453L
Pati, N. C. See Panda, G., 3311C
Patil, N. B. See Chidambareswaran, P. K., 603L
Patino-Leal, H.
—; Reilly, P. M.; O'Driscoll, K. F.: On the Estimation of Reactivity Ratios, 219L
Patnaik, J. See Misra, T., 1359C
Patnaik, L. N.
—; Rout, M. K.; Rout, S. P.; Rout, A.: Substituent Effects in Polymerization Reactions in Terms of Generalized Substituent Constants *F* and *R* and Generalized Weighting Factors *f* and *r*, 47C
Paton, R. M. See Gajsler, L., 635L
Patton, C. J. See Koros, W. J., 1485P
Pavlova, S. A.
—; Timofeeva, G. I.; Ronova, I. A.: Dependence of the Conformational Parameters of Polyimides on the Chemical Structure of the Chain, 1175P
—; Timofeeva, G. I.; Ronova, I. A.; Pancratova, L. A.: Unperturbed Dimensions of Cyclochain Polymers, 1P
Pavlyuchenko, V. N. See Ivanchev, S. S., 2051C
Pearce, E.
Review of *Polymer Alloys II; Polymer Science and Technology, Vol. 11*, D. Klempner and K. C. Frisch, Eds. 581L
Pearce, E. M. See Bordoloi, B. K., 383C; Chaudhuri, A. K., 2949C; Cheng, C. H., 1871C, 1877C, 1883C, 1889C; Ting, S. P., 201L
Pearson, G. H. See Fisher, L. W., 1455P
Pedersen, S. See Nelb, G. W., 645P
Peguy, A. See Chanzy, H., 1137P
Penhale, D. W. H. See Heller, J., 293L, 619L
Pennings, A. J. See Van Hutten, P. F., 927P
Percec, V. See Simionescu, C. I., 147C
Perico, A.
Equivalent Normal Coordinate Systems for the Polymer Diffusion Equation with Hydrodynamic Interaction (Note), 161P
Perlman, M. M. See Bamji, S. S., 1945P
Petcavich, R. J.
—; Coleman, M. M.: Vibrational Spectra and Normal Coordinate Analysis of *Trans*-1,4-Poly(2,3-Dimethylbutadiene) and the Two Polymorphic Forms of *Trans*-1,4-Poly(Isoprene), 2097P
Peterlin, A. See deCandia, F., 2083P
Petermann, J.
—; Gohil, R. M.: On the Size of Core Crystals of Isotactic Polystyrene Grown from Polystyrene Blends, 781L
Petrariu, I. See Dragan, S., 455C, 2333C; Luca, C., 2347C
Pettit, G. R.
Preparation of Elastothiomers with a Phase Transfer Catalyst (Note), 345C
Pfaffenberger, C. R. See Seefried, C. G., Jr., 817P
Phillips, D.
—; Roberts, A. J.; Soutar, I.: A Time-Resolved Fluorescence Spectroscopic Study of Excimer Formation in Polyacenaphthylene and an Alternating Acenaphthylene/Maleic Anhydride Copolymer, 123L
—; Roberts, A. J.; Soutar, I.: Transient Decay Studies of Photophysical Process in Aromatic Polymers. I. Multiexponential Fluorescence Decays in Copolymers of 1-Vinylnaphthalene and Methyl Methacrylate, 2401P
Phillips, P. J. See Edwards, B. C., 1737P; Palys, L. H., 829P
Pielichowski, J.
—; Morawiec, E.: Chemical Modification of Poly(*N*-Vinylcarbazole) by Chloromethylation Reaction, 729C
—; Obrzut, J.: Spectrophotometric Studies of Some CT Complexes of 2,4,7-Trinitrofluorenone with Poly(Vinyl Halogenocarbazole), 3441C
Pietralla, M.
—; Kilian, H.-G.: Birefringence of Stretched Polyethylene and Its Relation to Changes in Structure, 285P
Internal Field of Polymer Crystals: Polarizability Tensor of the Methylene Group from the Birefringence of Paraffin Crystal, 1717P
Piirma, I. See Chen, C-Y., 1979C
Pilar, J.
—; Marek, M.; Toman, L.: The Formation of Radical Cations of Styrene and α-Methylstyrene in the Irradiation of Mixtures of These Monomers with $TiCl_4$ and $SnCl_4$ in a Semicrystalline Heptane Matrix, 3193C
Pinazzi, C. See Rabadeux, J.-C., 335C
Pindurin, V. F. See Forgacs, P., 2155P
Pinheiro, M. De F. F.
—; Rosenberg, H. M.: Thermal Expansion of Epoxy-Resin/Particle Composites—A Size Effect, 217P
Pittman, C. U., Jr. See Chen, C.-Y., 169C
—; Chen, C-Y.; Ueda, M.; Helbert, J. N.; Kwiatkowski, J. H.: Synthesis and Radiation Degradation of Vinyl Polymers with Fluorine: Search for Improved Lithographic Resists, 3413C
Pizzi, A. See Rossouw, N. du T., 3323C
—; Van Der Spuy, P.: Kinetics of the Metal-Catalyzed Condensations of Phenols and Polyflavonoid Tannins with Formaldehyde, 3447C
Plamthottam, S. S. See Ivan, B., 1685C
Platzer, N.
Review of *Coloring of Plastics*, Thomas G. Webber, Ed. 150L

Review of *Toughened Plastics*, C. B. Bucknall, 643L
Plazek, D. J.
—; Raghupathi, N.; O'Rourke, V. M.: New Evidence for Molecular Entanglements, 1837P
Pletcher, T. C.
—; Morgan, P. W.: Extended-Chain Polyamides: Polyoxamides and Polyfumaramides, 643C
Pleurdeau, A. See Rabadeux, J.-C., 335C
Pobedimskii, D. G.
—; Kirpichnikov, P. A.: Metal Complexes with Ligand-Organic Phosphites as Polyolefin Antioxidants. II. Kinetics and Mechanism of Synergism at Oxidation Inhibition by Metal Acetylacetonates and Organic Phosphites, 1587C
—; Kirpichnikov, P. A.: Metal Complexes with Ligands–Organic Phosphites as Polyolefin Antioxidants. I. Kinetics and Mechanism of Polyolefin and Model Hydrocarbon Stabilization by Organic Phosphites, 815C
Pochan, J. M.
—; Gibson, H. W.; Bailey, F. C.: Oxygen Doping of Polyacetylene, 447L
Pomogailo, A. D. See Dyachkovskii, F. S., 2615C
Ponrathnam, S. See Blumstein, A., 299L
Ponticello, I. S.
—; Pastor, P. C.: The Preparation of 1,4-Dicarbonyl, 4-Oxo Nitrile, Furan, and Pyrrole Monomers, 2293C
Porter, R. S. See Jenkins, R., 743L; Kiss, G., 361P; Zachariades, A. E., 575P
Review of *Developments in Polymer Fracture*, E. H. Andrews, Ed. 148L
Review of *Macromolecular Physics, Volume 3, Crystal Melting*. Bernhard Wunderlich, 824L
Prabhu, P.
—; Schindler, A.; Theil, M. H.; Gilbert, R. D.: Evidence for Ethylene-Propylene Block Copolymer Formation, 389L
Pracella, M. See Martuscelli, E., 619P
Pradhan, A. K. See Panda, G., 3311C
Pramanick, D.
—; Chatterjee, A. K.: Mechanistic Studies on Ceric-Thiourea-Initiated Polymerization of Methyl Methacrylate in Acid-Aqueous Media from End Group Analysis, 311C
—; Chatterjee, A. K.: Studies on Ceric–Thiol-Initiated Aqueous Vinyl Polymerization with Particular Reference to End Groups in Poly(methyl Methacrylate), 2585C
Prasad, Y. K. See Bhadani, S. N., 1459C
Prevorsek, D. C.
—; DeBona, B. T.; Kesten, Y.: Synthesis of Poly(ester Carbonate) Copolymers, 75C
Prochazka, O.
—; Kratochvil, P.: Light Scattering in Multicomponent Solutions—A General Equation, 2369P
Prud'homme, R. E. See Archambault, P., 35P; Grenier, D., 1655P
Pukhnarevich, V. B. See Voronkov, M. G., 53C
Pullukat, T. J.
—; Hoff, R. E.; Shida, M.: A Chemical Study of Thermally Activated Chromic Titanate on Silica Ethylene Polymerization Catalysts, 2857C
Pyriadi, T. M.
—; Mutar, E. H.: Synthesis and Free Radical Polymerization of *N*-Substituted Citraconimides, 2535C

Qayyum, M. M. See Campbell, D., 83P
Quijada, R. See Mano, E. B., 1619C
Quirk, R. P. See Eckstein, Y., 2021C
Qureshi, M. Y. See Cameron, G. G., 2143C, 3149C

Raadsen, J. See Ghijsels, A., 397P
Rabadeux, J.-C.
—; Pleurdeau, A.; Pinazzi, C.: Polymeres a Proprietes Pharmaceutiques Potentielles Polycondensation de Structures Biologiques Actives. IV (Note), 335C
Rabek, J. F.
—; Lala, D.: Carotenoids as Effective Stabilizers against Photooxidation of Cis-1,4-Polybutadiene, 427L
Rabolt, J. F. See Vanni, H., 587P
Radchenko, L. G. See Frunze, T. M., 1523P
Radic, D. See Encina, M. V., 757L
Radici, P. See Bianchi, G., 2715C; Colombo, P., 681C
Radosavljevic, S. D. See Rekalic, V. J., 2033C
Raghupathi, N. See Plazek, D. J., 1837P
Ragimov, A. V.
—; Nagiev, A. Yu.; Liogonky, B. I.; Berlin, A. A.: Investigation of Cationic Copolymerization of Styrene with *p*-Benzoquinone, 713C
Rahnema, M. See Ledwith, A., 2239C
Rao, K. P. See Babu, K. S., 373C; Kanniappan, E. P., 59L
Rao, M. P.
Review of *Mechanics of Composite Materials*, R. M. Christensen, 688L
Ratto, J. J.
—; Dynes, P. J.; Hamermesh, C. L.: The Synthesis and Thermal Polymerization of 4,4′-Diethynylphenyl Ether, 1035C
Raynal, S.
—; Lecolier, S.; Ndebeka, G.; Caubere, P.: Complex Bases: Use of Complex Bases in the Polymerization of Vinyl Monomers, 13L
Recca, A. See Maravigna, P., 5L
Ree, K.
—; Kawasaki, H.; Minoura, Y.: Polymerization of Methyl Methacrylate Initiated by Oligoglycine, Water, Cupric Ion, and Carbon Tetrachloride, 719C
Reid, R. F.
—; Soutar, I.: Intramolecular Excimer Formation in Macromolecules. II. Energy Migration and Excimer Formation in Acenaphthylene–Methyl Methacrylate Copolymers, 457P
Reihanian, H. See Yu, T. L., 695L
Reilly, P. M. See McFarlane, R. C., 81L, 251C; Patino-Leal, H., 219L
Reimschuessel, H. K.
—; DeBona, B. T.; Murthy, A. K. S.: Kinetics and Mechanism of the Formation of Glycol Esters: Benzoic Acid–Ethylene Glycol System (Erratum), 379C
Rekalic, V. J.
—; Radosavljevic, S. D.; Tenc-Popovic, M. E.: Splitting of the Disulfide Bonds in Polysulfide Polymers by Hydrazine, 2033C
Reynaers, H. See Groeninckx, G., 1311P, 1325P
Riva, F. See Avitabile, G., 1663P
Roberts, A. J. See Phillips, D., 123L, 2401P
Roberts, C. W. See Dellinger, J. A., 3129C
Roche, E. J.
—; Stein, R. S.; Thomas, E. L.: Electron Microscopy Study of the Structure of Normal and Abnormal Poly(butylene Terephthalate) Spherulites, 1145P
—; Stein, R. S.; MacKnight, W. J.: Small-Angle X-Ray and Neutron Scattering Studies of the Morphology of Ionomers, 1035P
—; Stein, R. S.; Russell, T. P.; MacKnight, W. J.: Small-Angle X-Ray Scattering Study of Ionomer Deformation, 1497P
Rodionov, A. G. See Ivanchev, S. S., 2045C
Ronova, I. A. See Pavlova, S. A., 1P, 1175P
Roovers, J.
—; Toporowski, P. M.: Hydrodynamic Studies on Model Branched Polystyrenes, 1907P
Rosenberg, H. M. See Pinheiro, M. De F. F., 217P
Rosenberg, M. L. See Golub, M. A., 2543C
Rosenberg, N. See Guillaud, G., 523P
Rosevear, J. See Hancock, M., 3211C
Rosser, R. W.
—; Korus, R. A.: Synthesis of Perfluoroalkylether Triazine Elastomers, 135L
Rossouw, N. du T.
—; Pizzi, A.; McGillivray, G.: The Kinetics of Condensation of Phenolic Polyflavonoid Tannins with Aldehydes, 3323C
Rout, A. See Patnaik, L. N., 47C

Rout, M. K. See Patnaik, L. N., 47C
Rout, S. P. See Patnaik, L. N., 47C
Rowland, S. P.
—; Wade, C. P.: Microstructural Order in Cotton Fibers by Relative Availability of O(3)H: Never-Dried Fibers, 2577C
Rowland, T. J. See Munie, G. C., 1061C
Rubner, M. See Cukor, P., 909P
Rudolph, F. B.
Diffusion in a Multicomponent Inhomogeneous Multiphase System with Moving Boundaries. II. Increasing or Decreasing Volume (Swelling or Drying), 2323P
Runt, J. See Harrison, I. R., 2257P
Russell, G. A.
—; Hiltner, P. A.; Gregonis, D. E.; deVisser, A. C.; Andrade, J. D.: Thermal and Dynamic Mechanical Relaxation Behavior of Stereoregular Poly(2-Hydroxyethyl Methacrylate), 1271P
Russell, K. E. See Schnarr, E., 913C
Russell, R. R. See Hobbs, S. Y., 393P
Russell, T. P. See Roche, E. J., 1497P
Russo, R. See deCandia, F., 2083P
Rutherford, H.
—; Soutar, I.: Phosphorescence Studies of Relaxation Effects in Bulk Polymers. II. Emission Depolarization Study of Relaxation Mechanisms in Poly(methyl Methacrylate), 1021P

Sabaa, M. W. See Yassin, A. A., 2513C, 2523C
Sacher, E.
Dielectric Demonstration of Crystalline and Amorphous Peaks in PCTFE, 333L
Saffell, J. R.
—; Windle, A. H.: The Effect of Temperature and Thermal History on the WAXS Pattern of Polycarbonate, 377L
Saigo, K. See Endo, T., 457L, 771L
St. Clair, A. See Greenwood, T. D., 1047C
St. John Manley, R. See Kalb, B., 707P
St. Pierre, L. E. See Gupta, V. P., 1483C
Saito, S. See Arai, M., 2811C
Sakaguchi, M.
—; Kashiwabara, H.: ESR Evidence of Spin Labeling at the Surface of a Polymer, 563L
Salamone, J. C.
—; Tsai, C. C.; Olson, A. P.; Watterson, A. C.: Ampholytic Polystyrene Ionomers from Cationic–Anionic Monomer Pairs, 2983C
Samal, R. K.
—; Nayak, P. L.; Nayak, M. C.; Dhal, A. K.: Kinetics of Polymerization of Acrylonitrile Initiated by the Mn^{3+}–Thioacetamide Redox System, 2001C
Sandberg, O.
—; Backstrom, G.: Thermal Conductivity and Heat Capacity of Liquid and Glassy Poly(vinyl Acetate) under Pressure, 2123P
Sandhu, M. A.
—; Fields, R. D.: Model for Predicting the Composition of Copolyesters: Polymerization of Terephthalic Acid, 2,2′-Oxydiethanol, and 2,2-Dimethyl-1,3-Propanediol, 1189C
Sanechika, K. See Yamamoto, T., 9L
Sanford, T. J.
—; Allendoerfer, R. D.; Kang, E. T.; Ehrlich, P.: High-Resolution NMR Spectra and Phase Equilibria in Poly(Phenylacetylene)-Diluent Mixtures, 2277P
Sangster, D. F. See Whang, B. C. Y., 711L
Sankaran, V.
—; Lin, S.-C.; Marvel, C. S.: New Processable Polyaromatic Amides Curable by Intramolecular Cyclization. XVI, 495C
—; Marvel, C. S.: New Processable Polyaromatic Amides Curable by Diels–Alder Cycloaddition, 1835C
—; Marvel, C. S.: New Processable Polyaromatic Ether–Keto–Sulfones Curable by Diels–Alder Cycloaddition, 1821C
Sannan, T. See Kurita, K., 359C
Sano, K. See Higashi, F., 1841C
Santappa, M. See Devarajan, R., 1127C; Elayaperumal, P., 2471C
Santos, R. See de Souza Gomes, A., 3021C
Sanui, K. See Azuma, C., 781C; Ogata, N., 933C; 939C
Saracino, A. See MacLaury, M. R., 2501C
Sarasua, M. See Encina, M. V., 757L
Sarkar, A. K.
—; Palit, S. R.: Further Studies on the Postpolymerization of Methyl Methacrylate, 691C
Sarma, P. R.
—; Tripathi, K. C.; Gupta, H. M.: Mossbauer Study of the γ-Induced Polymerization of Iron Methacrylate, 2609C
Sarubbi, T. See Chien, J. C. W., 2723C
Sasaki, H. See Kato, K., 197L; Tsunooka, M., 407L
Sato, K. See Morita, M., 109L
Sato, M.
—; Shindo, H.; Kondo, K.; Takemoto, K.: Functional Monomers and Polymers. LIX. Properties and Function of Cu(II) Complexes of the Copolymers Having Pendant Sulfide and Imidazolyl Groups, 101C
—; Yokoyama, M.: Preparation of Phosphorus-Containing Polymers. XXII. Phenoxaphosphine-Containing Poly-1,3,4-Oxadiazoles (Note), 2751C
Sato, T.
—; Tanaka, H.; Otsu, T.: Thermochromisms of Poly(N-Methylacrylamide) and Poly(N-Methyl Methacrylamide) in Some Aromatic Solvents near Room Temperature, 189L
Scamporrino, E. See Ballistreri, A., 1147C, 1923C, 3101C; Maravigna, P., 5L
Schank, R. L. See Pacansky, T. J., 3119C
Schaumburg, O. See Schultz, J. M., 239P
Scheinbeim, J. I.
—; Yoon, C. H.; Pae, K. D.; Newman, B. A.: Poling-Time Dependence of the Field-Induced Phase Transition and Piezoelectric Response of Poly(vinylidene Fluoride) Films, 2271P
Scherer, J. R. See Snyder, R. G., 421P
Scheutjens, J. M. H. M. See Cohen Stuart, M. A., 559P
Schindler, A. See Prabhu, P., 389L
Schnarr, E.
—; Russell, K. E.: Polymerization of Diethylene Glycol Bis(allyl Carbonate) by Means of Di-*sec*-Butyl Peroxydicarbonate, 913C
Schneider, M. See Strobl, G. R., 1343P
Schneider, M. J. See Strobl, G. R., 1361P
Schrijver, J. See Watts, D. G., 1285C
Schue, F. See Alev, S., 1155C, 1163C
Schultz, J. See Shanahan, M. E. R., 19P, 1747P
Schultz, J. M.
—; Fischer, E. W.; Schaumburg, O.; Zachmann, H. A.: Small-Angle X-Ray Scattering Studies of Melting, 239P
Schunn, R. A. See Bechtold, M. F., 2823C
Scott, R. A. M. See Bordoloi, B. K., 383C
Sederel, L. C. See van der Does, L., 53L
Sedlacek, B. See Holoubek, J., 265P
Seefried, C. G., Jr.
—; Koleske, J. V.; Critchfield, F. E.; Pfaffenberger, C. R.: Thermoplastic Urethane Elastomers. VI. Dilute Solution Properties in Various Solvents, 817P
Sekizuka, M. See Higashi, F., 385L
Sen Gupta, P. K. See Ledwith, A., 2239C
Sepulchre, M. See Spassky, N., 3089C
Seshadri, K. S.
—; Antonoplos, P. A.; Heilman, W. J.: ^{13}C-NMR Spectroscopy of Polyamic Acids and Polyimides, 2649C
Seung, S. L. N.
—; Young, R. N.: Polymerization of Styrene Oxide Initiated by Iodine and Preparation of Styrene Oxide-2-Methyl-2-Oxazoline Block Copolymer, 89L
Seymour, R. W.
—; Zeliner, B. E.: Compatibility of Blends of Polyesters with the Polyhydroxyether of Bisphenol-A (Note), 2299P

Shanahan, M. E. R.
—; Schultz, J.: Correlation Between Environmental Stress Cracking and Liquid Sorption for Low-Swelling Liquids, 19P
—; Schultz, J.: Environmental Stress Cracking of Polyethylene: Analysis of the Three Zones of Behavior and Determination of Crack-Front Dimensions, 1747P
Shanks, R. A. See Bates, J. S., 2901C
Sharma, Y. N.
—; Gandhi, V. G.; Bhardwaj, I. S.: Investigations on the Kinetics of Copolymerization of Vinyl Acetate with Acrylonitrile by $Co(acac)_3$–$Al(C_2H_5)_3$ Catalyst System, 59C
Sheromov, M. A. See Forgacs, P., 2155P
Sherriff, M. See Aubrey, D. W., 2597C
Shevchuk, V. I. See Ivanchev, S. S., 2051C
Shibasaki, Y.
Solid-State Polymerization of Long-Chain Vinyl Compounds. III. Mechanism of γ-Ray-Initiated Postpolymerization in Layered Structures of Octadecyl Methacrylate and Acrylate, 1693C
—; Fukuda, K.: Solid-State Polymerization of Long-Chain Vinyl Compounds. IV. Effects of Chain Length on the Polymorphic Behavior and Postpolymerization of *n*-Alkyl Methacrylates, 2437C
Shida, M. See Pullukat, T. J., 2857C
Shimizu, Y. See Mitsui, H., 1115C
Shindo, H. See Sato, M., 101C
Shinouda, H. G.
—; Moteleb, M. M. A.: Hydrolysis of Egyptian Medicated Cotton by HCl–$FeCl_3$ Reagent, 3455C
Shirai, M.
—; Smid, J.: Poly(Crown Ether) Catalyzed Decarboxylation of 6-Nitrobenzisoxazole-3-Carboxylic Acid in Dioxane, 659L
Shirakawa, H. See Akaishi, T., 745P
Shleifman, R. B. See Frunze, T. M., 1523P
Shu, H.-C.
—; Wunderlich, B.: Comments and Corrections on "Crystallization During Polymerization of Diphenylsilylene by a Chemical Transport Reaction", 443P
—; Gaur, U.; Wunderlich, B.: Heat Capacity and Chemical Equilibria of Liquid Selenium, 449P
Shu, P. H. C. See Wang, Y. K., 2287P
—; Burchell, D. J.; Hsu, S. L.: Structure of Polyethylene Solid Solutions From Vibrational Spectroscopy and Thermal Analysis, 1421P
Shustova, O. A. See Brun, E. B., 2461C
Shuttleworth, D. See Clark, D. T., 27C, 407C
Siadat, B.
—; Lenz, R. W.: Preparation of Esters of Styrene Sulfonic Acid and Their Emulsion Copolymerization with Isoprene, 3273C
Sibilia, J. See Yue, H., 1393P
Sidorova, L. P. See Kabanov, V. Ya., 871C
Siegmann, A.
—; Harget, P. J.: Melting and Crystallization of Poly(ethylene Terephthalate) under Pressure, 2181P
Sillescu, H. See Collignon, J., 669L
Silver, F. M.
Aromatic Polyamides. VII. Synthesis of Sulfonated Poly(*para*-Phenyleneterephthalamide): Polymerization of 1,4-Bis(trichloromethyl)benzene with *para*-Phenylenediamine Sulfate in SO_3, 1787C
Simionescu, C. I.
—; Percec, V.: Thermal Cis–Trans Isomerization of *Cis–Transoidal* Polyphenylacetylene, 147C
Simmens, S. C.
—; Hearle, J. W. S.: Observation of Bands in High-Modulus Aramid Fibers by Polarization Microscopy, 871P
Simon, A.
—; Grobler, A.: Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler–Natta Catalysts, 3111C
Simpson, P. G. See Wu, W., 751P
Skorokhodov, S. S. See Panayotov, I. M., 3059C
Smets, G. See Groeninckx, G., 1311P
Smid, J. See Shirai, M., 659L
Smietanska, G. See Szymanski, W., 795L
Smith, D. F., Jr. See Nowlin, T. E., 2103C
Smith, K. J. See Sullivan, J. L., 177P
Smith, K. J., Jr. See Britton, A. T., Jr., 537P
Smith, R. A. See Kennedy, J. P., 1523C, 1539C
Smith, W. V.
Sequence Distribution in Ethylene-Propylene Copolymers. I. Relations Between Multads and Between Multads and the ^{13}C NMR Spectrum, 1573P
Sequence Distribution in Ethylene-Propylene Copolymers. II. The ^{13}C NMR Spectra, Multad Populations, and Kinetic Parameters, 1587P
Snider, S. C. See Hall, H. K., Jr., 477C
Snyder, R. G.
—; Scherer, J. R.: Interpretation of Longitudinal-Acoustical-Mode Spectra of Polymers, 421P
Snyder, R. W. See Painter, P. C., 723P
Solaro, R. See Carlini, C., 2129C
Soma, N. See Fujita, T., 3253C
Somers, A.
—; Marvel, C. S.: New Processable Poly(ether-Keto-Sulfone)s, Poly(arylene Sulfone)s, and Polyesters Curable by Intramolecular Cyclization. XVII, 1511C
Soni, P. L. See Guerrero, S. J., 1533P
Sonoda, I. See Takagishi, T., 2323C
Sonogashira, K. See Takahashi, S., 349C, 661C
Sood, D. See Misra, B. N., 341C
Soong, D. S.
—; Williams, M. C.: Molecular Weight Dependence of $G_N{}^0J_e{}^0$: Predictions with the WS^2H^2 Model, 681L
Sorenson, D. See Edwards, B. C., 1737P
Soutar, I. See Phillips, D., 123L, 2401P; Reid, R. F., 457P; Rutherford, H., 1021P
Spassky, N.
—; Leborgne, A.; Momtaz, A.; Sepulchre, M.: Configurational Rules Governing the Stereochemical Control of Chiral Initiators in Ring-Opening Polymerizations of Heterocyclic Monomers, 3089C
Spevacek, J.
—; Dusek, K.: Manifestation of Microgel-Like Particles of Styrene-Ethylene Dimethacrylate Copolymers in Solution in ^1H and ^{13}C NMR Spectra, 2027P
Squire, D. R. See Hsieh, W. C., 2773C
Sreenivasan, S. See Chidambareswaran, P. K., 603L
Srinavasan, M. See Ibrahim, A. M., 3265C
Stahl, G. A.
Influence of Solvents on the Copolymerization of Acrylic Acid, 811L
Stannett, V. See Hsieh, W. C., 2773C
Stannett, V. T. See Lynn, M. M., 1967C
Stein, R. S. See Cembrola, R. J., 1065P; Koberstein, J. T., 199P; Roche, E. J., 1035P, 1145P, 1497P; Wang, Y. K., 2287P
—; Misra, A.: Morphological Studies on Polybutylene Terephthalate, 327P
Stepanov, V. V. See Panayotov, I. M., 3059C
Stille, J. K.
Review of *Polymer Syntheses, Volumes I and II*, Stanley R. Sandler and Wolf Karo, 145L
Stillo, C. See Bordoloi, B. K., 383C
Stivala, S. S. See Garg, S. K., 405P
Stoffer, J. O. See Thundathil, R., 2629C
—; Bone, T.: Polymerization in Water-in-Oil Microemulsion Systems. I, 2641C
Straiton, T. See McNeill, I. C., 2085C
Stringham, R. S. See Toy, M. S., 229L
Strobl, G. R.
—; Schneider, M.: Direct Evaluation of the Electron Density Correlation Function of Partially Crystalline Polymers, 1343P
—; Schneider, M. J.; Voigt-Martin, I. G.: Model of Partial Crystallization and Melting Derived from Small-Angle X-Ray Scattering and Electron Microscopic Studies on Low-Density Polyethylene, 1361P

Stuetz, D. E.
—; DiEdwardo, A. H.; Zitomer, F.; Barnes, B. P.: Polymer Flammability. I, 967C
—; DiEdwardo, A. H.; Zitomer, F.; Barnes, B. P.: Polymer Flammability. II, 987C
Su, B-H. See Chien, J. C. W., 2723C
Subbaratnam, N. R. See Manickam, S. P., 1679C
Suehiro, S. See Kyu, T., 951P
Sugita, S. See Inaki, Y., 725L
Sugiura, T. See Kawakami, Y., 3009C
Sugiyama, S. See Otsu, T., 2197C
Suh, N. P. See Nguyen, L. T., 541L
Sullivan, J. L. See Britton, A. T., Jr., 537P
—; Smith, K. J.: Thermoelastic Behavior of Poly(Vinyl Alcohol) Networks in Swelling Equilibrium with Dilute Salt Solutions (Note), 177P
Sumita, O.
—; Fukuda, A.; Kuze, E.: Photoconductivity of Poly(vinyl Alcohol) Films Containing Cu^{2+} Complexes, 877P
Summerfield, G. C. See Akcasu, A. Z., 863P; Jahshan, S. N., 1859P, 2413P
Sundberg, D. C. See James, D. R., 903C
Sung, N-H. See Nguyen, L. T., 541L
Sushchinskaya, S. P. See Voronkov, M. G., 53C
Sutton, G. J. See Cooper, D. R., 123C
Suzuki, K. See Okamoto, Y., 3043C
Suzuki, S. See Morita, M., 109L
Swaminathan, K.
—; Tewari, S. P.: Dynamics of Noncrystalline Polyethylene, 1707P
Swanson, C. L. See Awl, R. A., 2663C
Szafko, J. See Miller, A., 1177C
Szesztay, M. See Foldes-Berezsnich, T., 1223C
Szilagyi, A.
—; Izvekov, V.; Vancso-Szmercsanyi, I.: Coordination Polymers. VIII. IR Spectroscopic Studies on the Mechanism of the Reaction between Polyesters and Zinc Oxide, 2803C
Szwarc, M.
Critical Examination of the Dissociation-Association Phenomena in the Hexane Solution of Lithium Polyisoprenyl, 493L
Szymanski, W.
—; Smietanska, G.; Truszkowski, S.: A Model Investigation of the Effect of Plasticizer on Radiation Stability of Poly Vinyl Chloride, 795L

Tabata, Y. See Hamanoue, K., 91C; Matsuda, O., 1325C
Tachibana, M. See Hayashi, K., 2785C, 3297C, 3381C
Tadokoro, H. See Takahashi, Y., 1863P
Tadokoro, Y. See Murakami, I., 2149P
Tagawa, S. See Hamanoue, K., 91C
Tagawa, T.
—; Ogura, K.: Piled-Lamellae Structure in Polyethylene Film and its Deformation, 971P
Taguchi, K.
Polyimides from *N,N'*-Dicarboethoxypyromellitic Diimide via Interfacial Polycondensation, 525L
Taguchi, Y. See Higashi, F., 2875C
Takagishi, T.
—; Naoi, Y.; Sonoda, I.; Kuroki, N.: Interaction of Crosslinked Polyvinylpyrrolidone with a Homologous Series of Methyl Orange Derivatives in Aqueous and Nonaqueous Solutions: Thermodynamics of the Binding Equilibria, 2323C
—; Kuroki, N.: Thermodynamics of Binding Methyl Orange and its Homologs by Polyvinylpyrrolidone: The Effect of Hexamethylenetetramine, 259C
Takahashi, A. See Kawaguchi, M., 943P, 2069P
Takahashi, S.
—; Ohyama, Y.; Murata, E.; Sonogashira, K.; Hagihara, N.: Studies of Poly-yne Polymers Containing Transition Metals in the Main Chain. 5. A Design of Metal Arrangement in Polymer Backbone (Note), 349C
—; Murata, E.; Sonogashira, K.; Hagihara, N.: Studies on Polyyne Polymers Containing Transition Metals in the Main Chain. IV. Polymer Synthesis by Oxidative Coupling of Transition Metal–Bis(acetylide) Complexes, 661C
Takahashi, Y.
—; Osaki, Y.; Tadokoro, H.: Structures of Three Crystal Modifications of Poly(3,3-Dimethyloxacyclobutane), 1863P
Takeda, N. See Tsubokawa, N., 625L
Takeishi, M. See Hayama, S., 2941C
—; Watanabe, T.; Niino, S.; Hayama, S.: Metal Ion-Promoted Hydrolyses of Ligand Esters in the Presence of Polycarboxylates, 3081C
Takekoshi, T.
—; Wirth, J. G.; Heath, D. R.; Kochanowski, J. E.; Manello, J. S.; Webber, M. J.: Polymer Syntheses via Aromatic Nitro Displacement Reaction, 3069C
Takemoto, K. See Inaki, Y., 725L, 2959C; Ishikawa, T., 949C, 1847C; Kita, Y., 427C; Kondo, K., 553L; Sato, M., 101C
Takemura, T. See Matsushige, K., 1665P
Takenaga, M.
—; Yamagata, K.: Cold Crystallization of Polytetrafluoroethylene by γ Irradiation, 1643P
Takeuchi, K. See Toi, K., 189P
Tan, Y. Y. See Koetsier, D. W., 1933C
Tanabe, T. See Hirai, H., 203C
Tanaka, A.
—; Fujisawa, T.; Yosomiya, R.: Studies on the Graft Polymerization of Carbon Fibers. I. The Group Polymerization of Acrylate Monomers and Their Properties, 2267C
Tanaka, H. See Sato, T., 189L
Tanaka, M. See Tsunooka, M., 407L
Tanaka, N. See Nishimura, J., 515C, 1203C
Tanaka, R. See Tsutsui, T., 17L
Tandura, T. A. See Trofimov, B. A., 1547C
Tanioka, A. See Kakuta, A., 3229C
Tatarsky, D.
—; Kohn, D. H.; Cais, M.: Organometallic Polymers. VI. Anchoring of Arenechromium Carbonyl Complexes to Macroreticular Polymers, 1387C
Tate, D. P. See Futamura, S., 767P
Taylor, C. R. See Nelb, G. W., 645P
Tealdi, A. See Balbi, C., 2037P
Tenc-Popovic, M. E. See Rekalic, V. J., 2033C
Teranishi, H. See Hamanoue, K., 91C
Tewari, S. P. See Swaminathan, K., 1707P
Teyssie, Ph. See Huynh-Ba-Gia, 2391P, 3483C
Theil, M. H. See Prabhu, P., 389L
Thistlethwaite, P. J. See Ghiggino, K. P., 673L
Thomas, A. G. See Nah, S. H., 511P
Thomas, E. L. See Roche, E. J., 1145P
Thomas, H. R. See Clark, D. T., 1651C
Thundathil, R.
—; Stoffer, J. O.; Friberg, S. E.: Polymerization in Lyotropic Liquid Crystals. I. Change of Structure during Polymerization, 2629C
Tighe, B. J. See Cooper, D. R., 123C
Timofeeva, G. I. See Pavlova, S. A., 1P, 1175P
Ting, S. P.
—; Pearce, E. M.; Kwei, T. K.: Compatibility Studies of Poly(styrene-co-Vinylphenyl Hexafluorodimethyl Carbinol) with Bisphenol a Polycarbonate, Poly(butyl Methacrylate), and Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 201L
Tirrell, D. See Iwasaki, M., 2755C
Titomanlio, G. See Acierno, D., 739P
Toda, F. See Niume, K., 2163C
Toi, K.
—; Ohori, Y.; Maeda, Y.; Tokuda, T.: Effect of Molecular Weight on the Diffusion Coefficient of Carbon Dioxide in Polystyrene, 1621P
—; Takeuchi, K.; Tokuda, T.: Isotope Effect in the Diffusion of Hydrogen and Deuterium in Polymers, 189P
Tokuda, T. See Toi, K., 189P, 1621P
Tolochko, B. P. See Forgacs, P., 2155P
Toman, L. See Pilar, J., 3193C
Toniolo, C.
—; Bonora, G. M.: Linear Oligopeptides. LXXVI. Effect of Lateral Chains on the Circular Dichroism Spectra of Protonated Peptides (Note), 2883C
Tooney, N. M.
Review of *Biophysical Chemistry–Part I: The Conformation of Biological Macromolecules*, Cantor and Schimmel, 643L

Toothaker, A. M. See MacLaury, M. R., 2501C
Toporowski, P. M. See Roovers, J., 1907P
Torikai, A.
—; Fukumoto, M.: Thermal-Induced Conversion of Maleic and Fumaric Acid Anion Radicals in Poly(methyl Methacrylate), 1213C
Tovborg Jensen, J. P.
—; Kops, J.: Photochemical Degradation of Blends of Polystyrene and Poly(2,6-Dimethyl-1,4-Phenylene Oxide), 2737C
Toy, M. S.
—; Stringham, R. S.: The Polymerization of Octafluoronaphthalene, 229L
Trafara, G.
State of Order in Isotactic Polyhexylethylene, 321C
Tremayne, P. See Hancock, M., 3211C
Tripathi, K. C. See Sarma, P. R., 2609C
Trofimov, B. A.
—; Minakova, T. T.; Tandura, T. A.; Mikhaleva, A. I.; Korostova, S. E.: Polymerization of *N*-Vinylpyrrols, 1547C
Trossarelli, L. See Camino, G., 377C
Truszkowski, S. See Szymanski, W., 795L
Tsai, C. C. See Salamone, J. C., 2983C
Tsang, C.-H. See Druy, M. A., 429P
Tsao, G. E. See Dale, B. E., 3163C
Tsubokawa, N.
Cationic Polymerization of α-Methylstyrene Initiated by Channel Black Surface, 461L
—; Takeda, N.; Kanamaru, A.: The Cationic Polymerization of *N*-Vinyl-2-Pyrrolidone Initiated by Carbon Black Surface, 625L
Tsukada, M.
—; Hirabayashi, K.: Change of Silk Fibroin Structure by Ultraviolet Radiation, 507L
Effect of the Casting Temperature on the Structure of Silk Sericin, 501L
Tsukahara, Y. See Hashimoto, T., 585L
Tsukube, H. See Maruyama, K., 753C
—; Araki, T.; Nakamura, A.; Maruyama, K.: Synthesis and Metal Binding Properties of Novel Sulfur-Containing Functional Oligomer, 3359C
Tsunooka, M.
—; Sasaki, H.; Tanaka, M.: Photochemical Reactions of High Polymers. XVIII. Synthesis and Photocrosslinking of Poly(4-Bromoacetylstyrene), 407L
Tsuru, S. See Yamamoto, F., 1847P
Tsutsui, T. See Eisenberg, A., 479P
—; Tanaka, R.: Immobilization of Cholesteric Structure in Poly(γ-Butyl L-Glutamate)–Butyl Acrylate Liquid Crystalline System, 17L
Tsvankin, D. Ya. See Frunze, T. M., 1523P; Korshak, V. V., 247P
Tsvetanov, Ch. B. See Panayotov, I. M., 3059C
Tsyurupa, M. P.
—; Davankov, V. A.: The Study of Macronet Isoporous Styrene Polymers by Gel Permeation Chromatography, 1399C
Tucker, P. A.
—; Wilson, R. G.: Acoustic Microscopy of Polymers, 97L
Tudos, F. See Foldes-Berezsnich, T., 1223C; Ivan, B., 1685C
Tweedale, P. J. See Clark, D. T., 1651C

Ueda, M. See Pittman, C. U., Jr., 3413C
Uehara, K. See Miyasaka, K., 1047P
Uhlmann, D. R. See Matyi, R. J., 1053P
Uno, K. See Niume, K., 2163C
Ursu, V. See Kenyeres, J. St., 275C
Urushido, K.
—; Matsumoto, A.; Oiwa, M.: Polymerization of Allyl Esters of Unsaturated Acids. VI. Cyclopolymerization of Diallyl Fumarate (Note), 1131C
—; Matsumoto, A.; Oiwa, M.: Polymerization of Allyl Esters of Unsaturated Acids. V. Cyclopolymerization of Methyl Allyl Fumarate, 1771C
Uryu, T. See Higashimura, T., 1489C

Vadimsky, R. G. See Keith, H. D., 2307P
Valaitis, J. K. See Futamura, S., 767P
Vancea, R. See Motoc, I., 1559C
Vancso-Szmercsanyi, I. See Szilagyi, A., 2803C
Vandeloise, R. See Donckt, E. V., 365L
Vanderberg, E. S.
Review of *Polymer Syntheses—Volume III*, Stanley R. Sandler and Wolf Karo, 751L
van der Does, L.
—; van Duijl, J. F.; Sederel, L. C.; Bantjes, A.: Modified Polymers from Cis-1,4-Polyisoprene, 53L
van der Meer, R.
—; Aarts, M. W. A. M.; German, A. L.: Effect of Solvent on the Copolymerization of Ethylene and Vinyl Acetate, 1347C
—; Alberti, J. M.; German, A. L.; Linssen, H. N.: Evaluation of Monomer Reactivity Ratios of More Complex Copolymerization Schemes, with Application to the Penultimate Unit Effect in Methyl Acrylate–Butadiene Copolymerization (Erratum), 1431C
Van Der Spuy, P. See Pizzi, A., 3447C
van Duijl, J. F. See van der Does, L., 53L
VanDusen, J. G.
—; O'Malley, J. J.: Phenol End-Capped Polystyrene. A Polymeric Reagent for the Synthesis of Branched Polymers, 487L
Van Hutten, P. F.
—; Pennings, A. J.: Characterization of Polyethylene Shish-Kebabs by Small-Angle X-Ray Scattering, 927P
Vanni, H.
—; Rabolt, J. F.: Fourier Transform Infrared Investigation of the Effects of Irradiation on the 19 and 30°C Phase Transitions in Polytetrafluoroethylene, 587P
van Werden, K. See Holland-Moritz, K., 1753P
Varnell, D. F. See Coleman, M. M., 1403P
Varshney, S. K. See Bajaj, P., 295C
Vasilyev, V. A. See Korshak, V. V., 247P
Venkataraman, A. See Manjunath, B. R., 1407C
Venkatarao, K. See Manickam, S. P., 1679C
Venugopalan, M. See Grenda, M. S., 1611C
—; Lin, I.-S.; Grenda, M. S.: Pyrolysis Mass Spectrometry and Gas Chromatography of Plasma-Polymerized Benzene and Xylene, 2731C
Vidal, A. See Bousquet, J.-A., 765C
Vidyarthi, N.
—; Palit, S. R.: Dissolution of Polyethylene in a Mixture of Two Nonsolvents, 3315C
Viguier, M. See Alev, S., 1155C, 1163C
Vincendon, M. See Gagnaire, D., 13C
Vinogradova, S. V. See Korshak, V. V., 247P
Vittoria, V. See deCandia, F., 2083P
Vladimirova, L. G. See Ivanchev, S. S., 2051C
Vofsi, D. See Korin, A., 109C
Vogl, O. See Iwasaki, M., 2755C; Yamada, A., 1739C
Voigt-Martin, I. G. See Strobl, G. R., 1361P
—; Fischer, E. W.; Mandelkern, L.: Morphology of Melt-Crystallized Linear Polyethylene Fractions and Its Dependence on Molecular Weight and Crystallization Temperature, 2347P
Use of Electron Microscopy to Obtain Quantitative Information About the Melting Behavior of Branched Polyethylene, 1513P
Voliotis, S. See Paleos, C. M., 3463C
Volkova, T. V. See Frunze, T. M., 1523P
Von Meerwall, E. See Ferguson, R. D., 1285P
Von Schutz, J. U. See Hoptner, W., 469P
Voronkov, M. G.
—; Pukhnarevich, V. B.; Sushchinskaya, S. P.; Annenkova, V. Z.; Annenkova, V. M.; Andreeva, N. J.: Polymerization of Acetylene and its Monosubstitutes in the Presence of Halides and Oxohalides of Molybdenum and Tungsten, 53C
Vrentas, J. S.
—; Liu, H. T.; Duda, J. L.: Comparison of Theory and Experiment for Diffusion in Dilute Polymer Solutions, 1633P
Vygodsky, Ya. S. See Korshak, V. V., 247P

Wada, Y. See Namiki, K., 993P

Waddell, W. H.
—; Younes, U. E.: Radiative Stability of the Heterocyclic Polymer BBB (Note), 891P
Wade, C. P. See Rowland, S. P., 2577C
Wales, M.
Sedimentation Velocity of Polymers in Good Solvents (Note), 907P
Walker, N. See Aref-Azar, A., 637P
Wang, M. C. See Okamoto, Y., 249L
Wang, T. T.
—; Matsuoka, S.: The Free Volume Concept and Its Implications on Dilation in Glassy Polymers Under Shear Stresses, 593L
Wang, Y. K.
—; Shu, P. H. C.; Stein, R. S.; Hsu, S. L.; Kanamoto, T.: Longitudinal Acoustic Mode in Linear Aliphatic Polyesters, 2287P
Ward, I. M. See Capaccio, G., 301P; Gibson, A. G., 1481P; Hope, P. S., 1243P; Wills, A. J., 493P
Ware, B. R. See Cha, C. Y., 1853P
Watanabe, M. See Nishikubo, T., 761L
Watanabe, S. See Ichimura, K., 613L, 891C
Watanabe, T. See Matsuda, O., 1325C; Takeishi, M., 3081C
Watkins, V. H. See Hobbs, S. Y., 393P
Watterson, A. C. See Salamone, J. C., 2983C
Watts, D. G.
—; Linssen, H. N.; Schrijver, J.: A New Method of Estimating Monomer Reactivity Ratios in Copolymerization by Linear Regression Methods, 1285C
Webber, M. J. See Takekoshi, T., 3069C
Wei, G. Z. See Chengxun, L., 3403C
Wei, K. Y.
—; Cuculo, J. A.: Effects of Pressure on the Compressibility and Crystallization of Poly(ethylene Terephthalate), 343P
Weibull, B.
Critical Comments to Two Articles on "Application of Mass Spectrometry to Copolymers of Ethylene and Propylene Oxides" by A. K. Lee and R. D. Sedgwick (Note), 1633C
Weiss, R. A.
Phosphonate Ionomers Based on Phosphonylated Ethylene–Propylene Copolymer (Note), 2887C
—; Lundberg, R. D.; Werner, A.: The Synthesis of Sulfonated Polymers by Free Radical Copolymerization. Poly(Butadiene-co-Sodium Styrene Sulfonate), 3427C
Wendorff, J. H.
Concentration Fluctuations in Poly(vinylidene Fluoride)-Poly(methyl Methacrylate) Mixtures, 439L
Werber, F. X.
Review of *Analysis and Performance of Fiber Composites*, B. D. Agarwal and L. J. Broutman, 689L
Werner, A. See Weiss, R. A., 3427C
Wesson, J. P.
—; Williams, T. C.: Organosilane Polymers. II. Poly(ethylmethyl-co-Dimethylsilylene) and Poly(methylpropyl-co-Dimethylsilylene), 959C
Whang, B. C. Y.
—; Lichti, G.; Gilbert, R. G.; Napper, D. H.; Sangster, D. F.: The Effects of a Chain Transfer Agent on the Kinetics of the Emulsion Polymerization of Styrene, 711L
White, J. L. See Onogi, Y., 663P
Widmaier, J. M.
—; Meyer, G. C.: Structural Evolution of an *ABA* Poly(styrene-*b*-Isoprene) Block Copolymer with Temperature, 2217P
Wiget, J. M. See Nicol, M. F., 1087P
Wiles, D. M. See Chan, K. H., 607L; Garton, A., 85L, 3245C
Wilkes, G. L. See Kong, E. S. W., 369L; Ophir, Z., 1469P
Williams, A. G.
—; Butler, G. B.: Novel Copolymers of β-Dicarbonyl Compounds with Bistriazolinediones via a 1,4-Dipolar Mechanism, 313L
Williams, J. R. See Dreyfuss, P., 2135P
Williams, M. C. See Soong, D. S., 681L
Williams, R. L. See Bloor, D., 779P
Williams, T. C. See Wesson, J. P., 959C
Wills, A. J.
—; Capaccio, G.; Ward, I. M.: Plastic Deformation of Polypropylene: Effect of Molecular Weight on Drawing Behavior and Structural Characteristics of Ultra-High-Modulus Products, 493P
Wilson, R. G. See Tucker, P. A., 97L
Windle, A. H. See Lovell, R., 67L; Saffell, J. R., 377L
Winston, A.
—; Winston, R. B.: Unperturbed Molecular Dimensions of Polyacrylamide in Water, 119L
Winston, R. B. See Winston, A., 119L
Wirth, J. G. See Takekoshi, T., 3069C
Wissler, G. E.
—; Crist, B., Jr.: Glass Transition in Semicrystalline Polycarbonate, 1257P
Witenhafer, D. E. See Davidson, J. A., 51P
Witt, J. D. See Patel, G. N., 1383P
Wnek, G. E. See Chien, J. C. W., 45L
Wojtczak, J. See Augustyniak, W., 1339C
Wolf, B. A.
—; Kramer, H.: Phase Separation of Flowing Polymer Solutions Studied by Viscosity and by Turbidity, 789L
Wolf, H. C. See Hoptner, W., 469P
Wolfe, J. F. See Greenwood, T. D., 1047C
Wong, P. T. T. See Garton, A., 85L
Wu, C. K. See Nicol, M. F., 1087P
Wu, M. S.
—; Painter, P. C.; Coleman, M. M.: Further Studies of the Preferred Chain Conformation of Crystalline Poly(Vinylidene Chloride), 95P
—; Painter, P. C.; Coleman, M. M.: Normal Vibrational Analysis of Poly(Vinylidene Chloride), 111P
Wu, W.
Application of Porod's Law to Fixed Particles with Preferred Orientation (Note), 1659P
—; Simpson, P. G.; Black, W. B.: Morphology and Tensile Property Relations of High-Strength/High-Modulus Polyethylene Fiber, 751P
The Correlation Function of Agglomerated Particles and Its Applications in Electromagnetic Scattering (Note), 1993P
Wunderlich, B. See Menczel, J., 1433P; Shu, H.-C., 443P, 449P

Xinde, F. See Chengxun, L., 2411C, 3403C

Yacobucci, P. D. See Fisher, L. W., 1455P
Yamada, A. See Okubo, M., 3219C
—; Grossman, S.; Vogl, O.: Head-to-Head Polymers. XV. A Facile Synthesis of 2,3-Disubstituted Succinates and Butanediols-1,4, 1739C
Yamada, B. See Otsu, T., 2197C
—; Kamei, H.; Otsu, T.: Effect of Tin Tetrachloride on Thermal Decompositions of α,α'-Azobisisobutyronitrile and Dimethyl α,α'-Azobisisobutyrate, 1917C
Yamagata, K. See Takenaga, M., 1643P
Yamakawa, S. See Yamamoto, F., 1847P, 2257C
Yamakita, H.
—; Hayakawa, K.: Preparation of Polymer-Bonded Metalloporphyrins, 529L
Yamamoto, A. See Yamamoto, T., 9L
Yamamoto, F.
—; Yamakawa, S.; Tsuru, S.: Effects of Energy Dissipation on T-Peel Strength of Plastic Ethylene Copolymer Adhesives (Note), 1847P
—; Yamakawa, S.: Surface Grafting of Polyethylene by Mutual Irradiation in Methyl Acrylate Vapor. IV. Kinetic Analysis by Quartz Helix Microbalances, 2257C
Yamamoto, T.
—; Sanechika, K.; Yamamoto, A.: Preparation of Thermostable and Electric-Conducting Poly(2,5-Thienylene), 9L
Yamamoto, Y. See Nakano, H., 381L
Yamaoka, H. See Kato, K., 197L

Yamashita, N. See Morita, S., 1599C
Yamashita, S. See Nishimura, J., 515C, 1203C, 2061C, 2071C
Yamashita, Y. See Kawakami, Y., 3009C
Yanaki, T. See Norisuye, T., 547P
Yarusso, D. J.
—; Cooper, S. L.; Knapp, G. S.; Georgopoulos, P.: EXAFS Analysis of Cation Environment in Sulfonated Polystyrene Ionomers, 557L
Yassin, A. A.
—; Sabaa, M. W.: Polymeric *p*-Benzoquinone–Tin Derivatives as Thermal Stabilizers for Rigid Poly(vinyl Chloride). I. Preparation of the Stabilizers, 2513C
—; Sabaa, M. W.: Polymeric *p*-Benzoquinone–Tin Derivatives as Thermal Stabilizers for Rigid Poly(vinyl Chloride). II. Evaluation of the Stabilizing Efficiency, 2523C
Yasuda, T. See Kohama, S., 2357C
Yee, K. C. See Chance, R. R., 1651P
Yeh, G. S. Y. See Falender, J. R., 389P
Yen, N. T. See Ang, C. H., 471L
Yokota, K.
—; Hirabayashi, T.: A Novel Synthesis of *α*-*d*-Acrylonitrile (Note), 1609C
Yokota, R. See Kojima, T., 1673P
Yokoyama, M. See Sato, M., 2751C
Yokoyama, T.
—; Hiraoka, K.: On Comments by Milan D. Janic on "Aromatic Ionene Bromides from 4,4′-Methylene Bis(*N*,*N*-Dimethylbenzenamine) and *α*,*ω*-Dibromoalkane" (Note), 2867C
Yokoyama, Y.
—; Hall, H. K., Jr.: Polymerization of 2,7,8-Trioxabicyclo[3.2.1]octane and 2,8,9-Trioxabicyclo[3.3.1]nonane, 3133C
Yoon, C. H. See Scheinbeim, J. I., 2271P
Yoshihara, M. See Fujihara, H., 287L
Yoshikawa, S.
—; Lyman, D. J.: Hydrogel Formation From Copolyether-Urethane-Urea Complex with Lithium Bromide, 411L
Yoshioka, T. See Fujita, T., 549L, 3253C
Yosomiya, R. See Tanaka, A., 2267C
Younes, U. E. See Waddell, W. H., 891P
Young, K. See Chen, F. C., 2313P
Young, L. See Chung, C. I., 1237P
Young, R. N. See Seung, S. L. N., 89L
Yu, H. See Akcasu, A. Z., 863P
Yu, T. L.
—; Reihanian, H.; Jamieson, A. M.: Hydrodynamic Transition Phenomena in Dynamic Light Scattering and Zero-Shear Viscosities of Semidilute Polymer Solutions, 695L
Yue, H.
—; Nelson, G.; O'Brien, K.; Chandrasekaran, S.; Sibilia, J.: Electron Spin Resonance Study of Copolymerization of Hexafluoroisobutylene with Vinylidene Fluoride, 1393P
Yuki, H. See Okamoto, Y., 3043C

Zachariades, A. E.
—; Kanamoto, T.; Porter, R. S.: Solid-State Coextrusion of High-Density Polyethylene. II. Effect of Molecular Weight and Molecular Weight Distribution, 575P
Zachmann, H. A. See Schultz, J. M., 239P
Zaima, T.
—; Nishikubo, T.; Mitsuhashi, K.: Cyclopolymerization of *α*,*α*′-Dimethoxycarbonyl Divinylamine, 1L
Zambelli, A. See Martuscelli, E., 619P
Zana, R.
Partial Molal Volumes of Polymers in Aqueous Solutions from Partial Molal Volume Group Contributions, 121P
Zeliner, B. E. See Seymour, R. W., 2299P
Zettlemoyer, A. C.
Review of *Surface and Colloid Science, Vol. 11*, Robert J. Good and Robert R. Stromberg, Eds. 141L
Zhenya, H. See Zhiquan, S., 3345C
Zhiquan, S.
—; Jun, O.; Fusong, W.; Zhenya, H.; Fusheng, Y.; Baogong, Q.: The Characteristics of Lanthanide Coordination Catalysts and the *cis*-Polydienes Prepared Therewith, 3345C
Zitomer, F. See Stuetz, D. E., 967C, 987C
Zoller, P.
Analysis of the Equation of State of Polymer Melts in Terms of the Ising Fluid Model (Note), 157P
Evaluation of the PVT Relationships of Seven Polymer Melts in Terms of the Equation of State of Flory, Orwoll, and Vrij (Note), 897P
Zulfiqar, M. See Grassie, N., 265C

Subject Index to Volume 18

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 18, 1980. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, in parentheses following the page number.

Absorption spectrum and the electrical conductivity of polyvinylquinazoline - I_2 complexes 365L
Acceptor monomers, 2971C
Acenaphthylene, copolymer with maleic anhydride, alternating excimer formation in, 123L
—, emulsion polymerization, 1979C
Acetal additions to β-substituted vinyl ethers, 1489C
Acetonylmethyl vinyl ketone, 2293C
p-Acetoxystyrene, 2239C
Acetylacetonates, 1587C
Acetylene, oligomerization, 753C(N)
—, polymerization of, mechanism of, 45L
Acetylene polymerization, 53C
Acid catalyzed free radical polymerizations, 161L
Acoustic microscopy of polymers, 97L
Acridine orange, 1367C
Acrolein, 1599C
Acrylamide, 377C(N), 1459C
Acrylate grafts polymerization on carbon fibers, 2267C
Acrylic acid, 2471C
—, copolymerization of, with MMA, influence of solvents on, 811L
—, radiation-induced grafting, on PVC, 33L
Acrylonitrile, 59C, 327C, 1177C, 2001C, 2175C
—, copolymerization of, with 1-vinyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2] octane, 771L
α-*d*-Acrylonitrile, 1609C(N)
Acrylonitrile-cinchona alkaloid copolymers, catalysis of thiol addition to α,β-unsaturated compounds by, 417L
N-*p*-acryloxybenzoyloxysuccinimides, 2411C
N-Acryloxy-5-norbornene-2,3-dicarboximides, 2411C
3-Acryloxy-4-oxo-3,4-dihydro-1,2,3-benzotriazines, 2411C
Activated monomer polymerization mechanisms, 161L
Acyl transfer reactions, 2793C
Adenine, polymethacryloyloxyethyl, and polymethacryloylaminoethyl derivatives of, grafted on poly-L-lysine, 725L
Adhesive bonds, energy dissipation in peeling of, 1847P(N)
Adipic acid, polyamides from, photodegradation of, 8L
Adsorption, See sorption
Adsorption isotherms of polymers, polydispersity effects on, 559P
Agave Hybrid, 1359C
Aggregation in solutions of polybenzimidazole, 1685P
Aging of living α-methylstyryl oligomers, 703L
γ-Alkoxy-β-hydroxypropyl acrylates, synthesis and polymerization of, 3403C
n-Alkyl methacrylates, 2437C
o-Alkylphenyl methacrylates, 2197C
Alkyl vinyl ethers, copolymerization of, with 2-vinyl-1,1-dicarbonitrile, 639L
Alloxan radical anion trapping, 2121C
Allyl acetate, head-to-head addition in polymerization of, 211L
N-Allylcitraconimide, 2535C
Allylic polymers, 913C, 1011C, 1131C(N)
η^3-Allyl nickel trifluoroacetate, 2481C
Alternating acenaphthylene/maleic anhydride copolymer, excimer formation in, 123L
Alternating copolymerization, 203C
Alternating copolymers containing bisphenol-A, 3119C
Alternating copolymers of amide-thioether, syntheses of, by the polyaddition reaction of bisoxazolines and dithiols, 761L
Alternating polymers of styrene and *p*-benzoquinone, 2971C
α-Amino acid NCAs, 629C
α-Aminoacrylic acid derivatives, cyclopolymerization of, 665L
Aminolysis of crosslinked polysiloxanes, 527C
Ampholytic polystyrene ionomers, 2983C
Amylose block copolymers, 1967C
Amylose films, viscoelastic, dielectric and piezoelectric behavior of, 1609P
Amylose hydrolysis, 1643C(N)
Anionic polymerization, 1155C, 1163C
—, with alkaline earth counterion, 671C
—, of styrene, 1945C
Anion radicals, 1213C
Anisotropy in concentrated solutions of cellulose, 1137P
Anisotropy of swelling of strained crosslinked polybutadiene, 165P(N)
Annealed polyethylene, transport of methylene chloride in, 2083P
Annealing and morphology of poly(ethylene terephthalate), 1325P
Antioxidants, 1587C
—, for polyolefins, 815C
Arenechromium, carbonyl complexes, 1387C
Aromatic ionene bromides from 4,4′-methylene bis(N,N-dimethylbenzenamine) and α,ω-dibromoalkane, comments on, 291L
Aromatic nitro displacement, polyether formation, 3069C
Aromatic polyamides, 1787C, 2163C
Arylethynyl Cu compounds with I_2, charge-transfer complexes of, as conducting polymers, 249L
Asymmetric addition of benzyl mercaptan to methyl α-phthalimidoacrylate, 417L
Asymmetric catalysts, 223C
Asymmetric induction in free radical addition reaction to 2-octene in *l*-menthol, 287L
Asymmetric polymerization, 3043C
ATR-FTIR spectra, optimum glow discharge parameters determined by, 541L
Autoacceleration of free radical polymerization, 3199C
Axial dispersion characterization, determination by coupled GPC/HPLC, 453L
Aziridine polymers, 3359C
α,α'-Azobisisobutyronitrile, 1917C

Base-base interaction between polymers having complementary nucleic acid bases, 725L
Bases, complex, in polymerization of, vinyl monomers, 13L
BBB polymer, radiative stability of, 891P(N)
Benzoic acid–ethylene glycol system, 379C(E)
Benzoin ethyl ether, as photosensitizer in grafting onto PP, 471L
Benzophenone containing polymers as graft sites, 1957C

3,3′,4,4′-Benzophenonetetracarboxylic dianhydride, 1905C
p-Benzoquinone, 713C
p-Benzoquinone–tin tetrachloride polymers, 2513C, 2523C
Benzyl mercaptan, asymmetric addition of, to methyl α-phthalimidoacrylate, 417L
Biacetyl, as photosensitizer in grafting onto PP, 471L
Bicyclic ortho esters, polymerization of, 457L
1-Bicyclobutane carbonitrile copolymers, 1071C
Bicyclo ortho ester, monomer containing, preparation, homo- and co-polymerization of, 771L
Binding equilibria, 2323C
Bioactive acrylic esters, 2411C
Biodegradability of amylose block copolymers, 1967C
Bioerodible implant for contraceptive use, 619L
Birefringence, of amorphous poly(ethylene terephthalate), 903P(N)
—, and bond polarizabilities of simple chains, 1717P
—, dynamic, of semicrystalline polyethylene, 951P
—, of stretched polyethylene, 285P
Bis(η^3-allyl nickel trifluoroacetate), 2491C
Bis(3,3-diphenyl-6-phthalidyl) ketone, 1719C
Bis-*N*-hydroxyimides, condensation, 2189C
2,2-Bis(4-hydroxyphenyl)propane, 1615C(N)
N,N′-Bismethylolpyromellitimide, 355C(N)
Bisoxazolines, polyaddition reaction with dithiols, alternating copolymers of amide-thioether synthesized by, 761L
Bisphenol A, 75C
—, polycarbonate, compatability with poly(styrene-co-vinylphenol hexafluorodimethyl carbinol), 201L
—, polymers, 3119C
Bistriazolinediones, copolymerization with β-dicarbonyl compounds, via 1,4-dipolar mechanism, 313L
1,3-bis(*p*-vinylphenyl)propane, 2061C
Blends, crystallization of polyethylene—polystyrene, 637P
—, polyethylene-polypropylene, NMR of, 1561P
—, polymer, segmental interdiffusion in, analysis by SAXS of, 585L
—, poly(β-propiolactone)-poly(vinyl chloride), infrared spectra of, 1403P
—, of polystyrene and poly(vinyl methyl ether), phase transformations in, 2337P
—, small-angle scattering in, 2413P(N)
—, stained with mercuric salt for electron microscopy, 393P(N)
—, thermal effects of incompatibility in, 2257P
Block copolymers, 295C, 2011C
—, of amylose, 1967C
—, iodine initiated preparation of, from styrene oxide and 2-methyl-2-oxazoline, 89L
—, starshaped, 3483C
Block polymers, phase-separated, segmental interdiffusion in, analysis by SAXS of, 585L
Bloomfield equation, 3469C
Book reviews, 141L, 142L, 144L, 145L, 147L, 148L, 149L, 150L, 151L, 152L, 153L, 154L, 155L, 237L, 395L, 513L, 514L, 577L, 578L, 579L, 581L, 582L, 643L, 687L, 688L, 689L, 690L, 751L, 823L, 824L, 826L
Branched polymers, polymeric reagent for synthesis of, 487L
Branching in polyacrylonitrile, 2307C
Branch points in graft copolymers, determination, 2021C
p-Bromophenyl acrylate, 1177C
Bromotrichloromethane, as regulator in the copolymerization of methyl methacrylate and methacrylic acid, 241L
Bulk polymerization of chloroprene, 3297C
Butadiene, 1163C, 1431C(E)
1,3-Butadiene, 2491C
Butyl acrylate–poly(γ-butyl L-glutamate) LC system, cholesteric structure in, 17L
n-Butyl isocyanate, 371C(N)
n-Butyl vinyl ether, copolymerization of, with 2-vinyl-1,1-dicarbonitrile, 639L
Calcium carbonate as a filler, 3211C
Calibration method for GPC, 1727C
Capillaries, determination of shear stress in, 265L
Capillary rheometry, 265L
Carbon black surface, cationic polymerization of *N*-vinyl-2-pyrrolidone catalyzed by, 625L
Carbon dioxide, copolymerization of, with ethylene carbonate, 599L
Carbon fibers, 2267C
Carbon monoxide copolymers, 2221C
Carbon suboxide, 1551C
N-Carboxy-amino acid anhydrides, 629C
2-Carboxymethylethyl vinyl ketone, 2293C
Carotenoids, as stabilizers against photooxidation of cis-1,4-polybutadiene, 427L
Casting conditions and polymorphism in nylon-12, 291P
Casting temperature, effect of, on the structure of silk sericin, 501L
Catalysis by polyelectrolytes, 3289C
Catalysts, polymers containing substituted isoalloxazine residues as, 553L
Catalysts in crosslinking of melamine formaldehyde–acrylic copolymer films, 2015P
Catalytic activity of sulfonic acid groups, 65C
Catalytic oxidation by Cu(II) copolymer complexes, 101C
Cationic–anionic monomer pair, 2983C
Cationic copolymerization of styrene with *p*-benzoquinone, 713C
Cationic isomeric polymerization, of bicyclic ortho esters, 457L
Cationic polyelectrolytes, 455C, 2333C
Cationic polymerization, 1021C
—, of alkenyl ethers, 1489C
—, of α-methylstyrene initiated by channel black surface, 461L
—, of pyrrole, 1759C
—, of substituted 1-vinyl naphthalenes, 1995C
—, of *N*-vinyl-2-pyrrolidone initiated by carbon black surface, 625L
Ceiling temperatures, 2197C
D-Cellobiose, 365C(N)
Cellulose, 13C, 1857C, 3369C
—, complex with ferric sodium tartrate, 3163C
—, cotton fiber microstructure, 2577C
—, fiber formation from stirred solutions of, 707P
—, in liquid ammonia/salt solutions, the solubility of, 3469C
—, native and regenerated, NMR of, 1801P
Cellulose acetate membrane, 3229C
Cellulose fiber hydrolysis, 3455C
Cellulose III, transformation of cellulose IV to, 603L
Cellulose IV, polymorphism of, 1209P
Cellulose IV → cellulose III lattice transformations, new method for achieving, 603L
Cellulose IV_{II}, preparation and properties of single crystals of, 1209P
Cellulose mesophases, 1137P
Cellulose phosphonate, 441C
Ceric ion-initiated graft copolymerization, 1447C
Ceric-ion-initiated grafting, 1911C
Ceric ion-initiated graft polymerization, 1171C
Ceric–thiol-initiated aqueous vinyl polymerization, 2585C
Chain conformation, of comb-branched polystyrene adsorbed on chromium, 943P
—, of poly(phenylacetylene) in diluent mixtures, 2277P
—, of polystyrene, 71P
—, of poly(vinylidene chloride), 95P
Chain conformation and rheological functions, theory, 2055P
Chain conformations, of polyoxadiazoles, 1P
Chain defects in melt crystallized polyethylene, 1159P
Chain dimensions, of nylon-6 α-phase, 1047P
—, of 1,4-poly(2,3-dimethyl butadiene), 173P(N)
—, of polyurethane elastomer in various solvents, 817P
Chain dynamics, comparison of Doi–Edwards theory with experimental results, 27P
—, in concentrated polymer solutions, 1891P
Chain-folding in polyethylenes, 2295P(N)

Chain length distribution and Raman spectra of polymers, 421P
Chain scission in irradiated polytetrafluoroethylene, 1643P
Chain transfer, $BrCCl_3$ as agent for, 241L
Chain transfer agent, effects of, on the kinetics of the emulsion polymerization of styrene, 711L
Channel black surface, cationic polymerization of α-methylstyrene initiated by, 461L
Charge transfer complexes, 365L
—, of arylethynyl Cu with I_2, as conducting polymers, 249L
—, polyvinylquinazoline - I_2 complexes as, 365L
—, of vinyl carbazole polymers, 3441C
Charge transfer complex formation between FMN and indole derivatives, 1815C
Charge transfer cyclopolymerization, 2071C
Charge transfer interaction, photodegradation of poly (α-methylstyrene) through, 197L
Chemical stress relaxation, 383C
Chiral initiators, 3089C
Chiral titanium tetra-alkoxides/tri-isobutyl aluminum catalytic systems, 2129C
4-Chlorohexene-1, radiation stability of, 795L
4-Chlorohexene-2, radiation stability of, 795L
Chloromethylated polystyrene, 449C, 455C, 2333C
Chloromethylation of poly(*N*-vinylcarbazole), 729C
Chloromethylstyrene, graft polymerization of, on porous polyolefin, 529L
Chlorophyll-*a*, 2209C
Chloroprene, 3297C
Cholesteric liquid crystals, characterization of twisting sense in, 569L
Cholesteric structure, in poly(γ-butyl L-glutamate)-butyl acrylate liquid crystalline system, immobilization, 17L
Chromium–titanium catalysts, 2857C
Cinchona alkaloid–acrylonitrile copolymers, 923C
Cinchona alkaloid-AN copolymers, catalysis of thiol addition to α,β-unsaturated compounds by, 417L
Cinchona alkaloid containing polymers, 223C
Cinnamoyloxymethyl modified polymers, 781C
Circular dichroism, 1267C
—, liquid crystal induced, 569L
—, spectra of protonated peptides, 2883C(N)
Cis-1,4-polybutadiene, modification of, via 1,3-dipolar cycloaddition with nitrile oxides, 635L
—, photooxidation of, carotenoids as stabilizers against, 427L
Cis-1,4-polyisoprene, modification of, via 1,3-dipolar cycloaddition with nitrile oxides, 635L
—, modified polymers from, 53L
Cis–trans isomerization, 147C
Cloud temperature, polyethylene, 3315C
^{13}C-NMR, 389L
—, resonance studies, 1123C(N)
—, for sequence distribution, 3307C(N)
—, spectroscopy, 13C, 559C, 1665C
—, spectroscopy of polyamic acids and polyimides, 2649C
$Co(acac)_3$–$Al(C_2H_5)_3$ catalyst system, 59C
Cobalt(III) compound with polyethylenimine, 179L
Collagen, 373C(N)
Collagen-methyl methacrylate graft copolymers, influence of combined initiation effect on the composition of, 59L
Comblike polymers, 2437C
Compatability of poly(styrene-co-vinylphenyl hexafluorodimethyl carbinol) with bisphenol A polycarbonate, 201L
Compatibility in polymer blends, NMR study of, 1561P
Compatibility of polyesters with polyhydroxyether of bisphenol-A, 2299P(N)
Complex bases, in the polymerization of vinyl monomers, 13L
Composite particles, prepared by seeded emulsion polymerization, rupture of, 481L
Composite rate constants, 47C
Composition of copolyesters, 1189C
Concentration fluctuations, in poly(vinylidene fluoride)-poly(methyl methacrylate) mixtures, 439L
Condensation of phenolic, 3323C
Condensing agents, for direct synthesis of polyphenyl esters, 385L
Conducting polymer system, charge-transfer complexes of arylethynyl copper compounds with iodine, 249L
Conductive polymers, 2869C(N)
Conformation, of amphiphilic polymers in interfaces, 2391P
Conformational analysis by magnetic circular dichroism, 2993C
Conformational energies of mesogenic polymers, 2243P
Conformation and chemical structure of polyimides, 1175P
Conformation based on correlated walk model, 175P(N)
Conformation of nucleic acid base containing polymers, 1847C
Coordination polymerization of ethylene, 3111C
Coordination polymers, 2803C
Copolyester sequence distribution, 559C
Copolyether-urethane-urea complexes with LiBr, hydrogels from, 411L
Copolymer composition, determination by coupled GPC/HPLC, 453L
Copolymerization, 251C
—, of acrylic acid, influence of solvents on the, 811L
—, ESR study of, 1393P
—, model discrimination in, 81L
—, radical-initiated, of 2-vinylcyclopropane-1,1-dicarbonitrile with alkyl vinyl ethers, 639L
—, of SO_2, with 1,2-ethanedithiol, 401L
Copolymers, ABA triblock, x-ray study of melting of, 239P
—, alternating of amide-thioether, 761L
—, amphiphilic star-shaped blocks, surface and interfacial properties of, 2391P
—, block, ethylene-propylene, 389L
—, carboxylated ethylene, as adhesives, 1847P(N)
—, cure of melamine formaldehyde acrylic copolymer films, 1997P, 2015P
—, of β-dicarbonyl compounds with bistriazolinediones via a 1,4-dipolar mechanism, 313L
—, ethylene-butene, structure and branching in, 1955P
—, ethylene—carbon monoxide, dielectric properties of, 683P
—, ethylene-methacrylic, x-ray study of deformation of, 1497P
—, ethylene-propylene, NMR of, 1573P, 1587P
—, fluorescence polarization in acenaphthylene–methyl methacrylate, 457P
—, hexafluoroisobutylene–vinylidene fluoride, ESR study of formation of, 1393P
—, poly(aryloxyphosphazene), thermal, morphological and rheological properties of, 767P
—, polyisoprene–poly(*n*-butyl methacrylate) diblock, morphology of, 2143P(N)
—, styrene-butadiene-styrene block, morphological transition in, 1237P
—, styrene-ethylene dimethylacrylate, NMR of, 2027P
—, styrene-isoprene *ABA* block, morphology and phase transitions in, 2217P
—, 1-vinylnaphthalene–methylmethacrylate, fluorescence decay in, 2401P
Copper salts, 827C
—, effect on vinyl polymerization, 827C
Core crystals, of isotactic polystyrene grown from polystyrene blends, on the size of, 781L
Correlation functions of agglomerates, 1993P(N)
Cotton cellulose, 1407C
Cotton fibers, 2577C
Cotton hydrolysis, 3455C
Coupled GPC/HPLC, copolymer composition and axial dispersion characterization by, 453L
CPMA ^{13}C NMR, See cross polarization, magic angle ^{13}C NMR
Cracking and liquid sorption in polyethylene, 19P
Crack propagation in solvent-stressed polyethylene, 1747P

Craze displacements, computing of, a model for, 321L
Craze velocity related to pressure and temperature of vapor phase, 1979P
Creep and creep recovery of high molecular weight polystyrene, 1837P
Crosslinked polybutadiene, 1061C
Crosslinked polymers, chemistry and structure of acrylic resins cured with melamine, 1997P, 2015P
—, NMR of microgel in styrene-ethylene dimethylacrylate copolymers, 2027P
Crosslinking, effect of, on penetrant diffusion, 1169P
—, of ethyl acrylate–glycidyl methacrylate copolymers, 2451C
—, of polybutadiene, 2785C
Cross polarization, magic angle ^{13}C NMR spectroscopy of poly(*p*-phenylene) and lower oligomers, 653L
Crotonaldehyde, 1499C
Crown ether containing polymers, 2911C
Crystallinity, of bulk polyacetylene, 745P
—, evaluation from x-ray scattering, 1343P
—, of high-pressure crystallized polyethylene, 2379P
—, of poly(butylene terephthalate), 327P
—, of polyethylene, 1707P
—, of poly(ethylene terephthalate), 917P
—, in polymaleimides, side-chain effects on, 2197P
Crystallization, of polyalkanimides, 247P
—, of irradiated polytetrafluoroethylene, 1643P
—, kinetics in poly(ethylene terephthalate), 829P
—, kinetics of polydioxolan, 35P
—, of poly(ε-caprolactam), 1523P
—, of polyethylene, 2307P(N)
—, of poly(ethylene terephthalate) under pressure, 343P
—, of *cis*-polyisoprene, 1737P
—, of polypropylene melts with fiber substrates, 83P
—, of poly(vinylidene fluoride) from melt, 793P
—, of stressed polybutadiene, 1663P(N)
—, stress-induced, in oriented amorphous PET, 325L
Crystallization kinetics, Avrami analysis of, 1655P(N)
Crystal modifications of poly(3,3-dimethyloxacyclobutane), 1863P
Crystals, core, of isotactic polystyrene grown from polystyrene blends, 781L
Crystal structure of polyamides containing 1,3-cyclohexane rings, 697P
Crystal texture in poly(vinyl chloride) gels, 1533P
Cu(II)–copolymer complex systems, 101C
Curable polymers by intramolecular cyclization, 1511C
Cured polymers, 495C
Curing by Diels–Alder cycloaddition, 1821C, 1835C
Curing of epoxides, 857C
2-Cyanoethyl vinyl ketone, 2293C
Cyclic oligomer of acrylamide, 377C(N)
Cyclization, 147C
Cycloaddition, 1,3-dipolar, modification of cis-1,4-polydienes via, 635L
1-Cyclobutene carbonitrile copolymers, 1071C
Cyclodimerization of *N*-vinylcarbazole, 91C
Cyclohexane, addition to 2-octene, free radical, asymmetric induction of, 287L
Cyclohexene oxide, 2677C
Cyclopentadiene-blocked acrolein, 2293C
Cyclopolymerization, 467C, 737L
—, of *N*-allylcitraconimide, 2535C
—, of 1,3-bis(*p*-vinylphenyl)-propane, 2061C, 2071C
—, of diallyl acetals in the nonoccurrence of effective chain transfer, 421L
—, of diallyl fumarate, 1131C(N)
—, of diallyl phthalate, preferential 11-member ring formation in, 307L
—, of α,α′-dimethoxycarbonyl divinylamine, 1L
—, of methyl allyl fumarate, 1771C
—, and synthesis of *N*-methacryloyldehydroalanine methyl ester methyl, 665L
Cyclopropane-1,1-dicarbonitriles, 3053C
Cyclopropanes, substituted, polymerizations of, 639L
N-Cyclopropylcitraconimides, 2535C
Cylization of polybutadiene, 2785C

Decarboxylation, of 6-nitrobenzisoxazole-3-carboxylic acid, poly(crown ether) catalyzed, 659L
Deformation, 369L
—, by biaxial drawing (theory), 1811P
—, and chain defects in polyethylene, 1159P
—, and crazing rates in glassy polymers, 1979P
—, effect of, on domain structure in segmented polyurethanes, 369L
—, of glassy poly(methyl methacrylate), 311P
—, infrared camera study of thermal effects in, 2169P
—, of ionomeric copolymer, x-ray study of, 1497P
—, of lamellae in polyethylene, 971P
—, light scattering method for measurement of, 265P
—, of polyethylene, effect of temperature and molecular weight in, 301P
—, of polypropylene, 493P
—, rheo-optical studies on, 951P
Degradation, of high-molecular-weight polyisobutylene in GPC, flow-rate dependence of, 535L
—, photooxidative, of cis-1,4-polybutadiene, 427L
—, thermal, of polyphenylacetylene, 909P(N)
—, ultrasonic, of poly(vinyl pyrrolidone), effect of peroxide linkages on, 757L
Dehydrochlorination, of hydroximoyl chlorides, nitrile oxides formed by, 635L
Dehydrochlorination of polychloroprenes, 1685C
Density changes in irradiated polytetrafluoroethylene, 1643P
Depolarization, fluorescence, of conjugated spin labels, 351L
Depression of the melting temperature for lyotropic liquid crystals, 253L
Deuteron dilution technique, ^1H-NMR relaxation in PE melts studied by, 669L
Dextrans, cross-section correction for x-ray scattering in, 405P(N)
Diacetylene polymerization, proton spin-relaxation study of, 469P
Dialkyl-4-hydroxyphenylsulfonium salts, 1021C
Diallyl acetal, cyclopolymerization of, 421L
Diallyl butyral, cyclopolymerization of, 421L
Diallyl compounds, polymerization of, 421L
—, studies of the polymerization of, 307L
Diallyl formal, cyclopolymerization of, 421L
Diallyl fumarate, 1131C(N)
Diallyl hydroxydicarboxylate polymerization, 467C
Diallyl phthalate, preferential 11-member ring formation in cyclopolymerization of, 307L
Diallyl tartrate, 1011C
1,10-Diaza-18-crown-6, 2911C
α,ω-Dibromoalkane, aromatic ionene bromides from 4,4′-methylene bis(N,N-dimethylbenzenamine) and, 291L
Di-*sec*-butyl peroxydicarbonate, 913C
β-Dicarbonyl compounds, copolymerization with bistriazolinediones, via 1,4-dipolar mechanism, 313L
1,1-Dichloro-2,2-bis(4-hydroxyphenyl)-ethylene, 2501C
2,3-Dichloro-5,6-dicyano-*p*-benzoquinone, 2971C
α,ω-Di(*tert*-chloro)polyisobutylenes, 1523C
Dicyclohexyl-18 crown-6, 1155C, 1163C
Dicyclopentadiene, 383C
Dielectric demonstration of crystalline and amorphous peaks in PCTFE, 333L
Dielectric properties, of ethylene—carbon monoxide copolymers, 683P
—, of poly(γ-methyl-*L*-glutamate), 1697P
Dielectric relaxation, of alcohol in polyethylene, 401P(N)
—, in amylose film, 1609P
—, of polyacrylonitrile, 1125P
—, in of poly(vinylidene fluoride), 597P
—, of stereoregular poly(hydroxyethyl methacrylate), 1271P
Diels–Alder cycloaddition cured polymers, 1821C, 1835C

Diepoxide–diamine copolymerization reactions, 621C
Diethylene glycol bis(allyl carbonate), 913C
Diethyl mucate, 933C
Diethynylphenyl ether, 1035C
Differential scanning calorimetry (DSC), of blends of polyesters with polyhydroxyether of bisphenol-A, 2299P(N)
—, of dissolution polydiacetylenes, 2209P
—, of incompatible blends, 2257P
—, of irradiated polytetrafluoroethylene, 587P
—, of liquid selenium, 449P
—, of α nylon 12 film, 1413P
—, of polycarbonate, 1257P
—, of polydiacetylenes, 1383P
—, of polyethylene—polystyrene blends, 637P
—, of polyethylene solid solutions, 1421P
—, of poly(ethylene terephthalate), 1311P, 1325P
—, of polymaleimides, 2197P
—, of polypropylene, 493P, 619P
—, of stereoregular poly(hydroxyethyl methacrylate), 1271P
Differential thermal analysis (DTA), 481C
—, of poly(aryloxyphosphazene) copolymers, 767P
—, of polydiacetylene and monomer, 2227P
Diffusion, inter-, segmental, analysis by SAXS of, 585L
—, in multicomponent inhomogeneous system, theory, 2323P
—, self-, of diluents in polybutadiene, 1285P
Diffusion coefficient, 1647C(N)
—, concentration dependence of, 1633P
—, of poly(2-vinyl pyridine) and chloride salt, 607P
—, theoretical and experimental values of, 27P
Diffusion of CO_2 in polystyrene, 1621P
Diffusion of hydrogen and deuterium in polymers, 189P
Diffusion of oxygen, 967C
Diffusion of paraffins in rubber, 511P
Diffusion of penetrants in polyethylene, 1169P
Diffusion of polymer at intermediate concentrations, 1219P
Diffusion of polymer with hydrodynamic interaction, 161P(N)
α,ω-Di(hydroxy)polyisobutylene, 3177C
Diisocyanates, 1905C
Diketene acetals, reaction of polyols with, to form poly(ortho esters), 619L
Dilation in glassy polymers, under shear stresses, free volume concept implication on, 593L
Dilatometry, of crystallizing polydioxolan, 35P
—, of poly(ethylene terephthalate) under high pressure, 2181P
—, in study of emulsion polymerization of styrene, 711L
Dimerization of 1,1-diphenylethylene, 515C
Dimethacryloyldimethylethylenediamine, sym-, synthesis and polymerization of, 737L
Dimethacryloyldimethylhexamethylenediamine, sym-, synthesis and polymerization of, 737L
α,α′-Dimethoxycarbonyl divinylamine, cyclopolymerization of, 1L
Dimethyl α,α′-azobisisobutyrate, 1917C
Dimethyl tartrate, 939C
1,3-Dioxane-2-hydroperoxides, 2901C(N)
p-Diphenoquinonedimethane, copolymerization of *N*-oxyl biradical with, 549L
1,1-Diphenylethylene, 515C
Diphenyl-4-thiophenoxyphenylsulfonium salts, 2677C
p-Di(1-phenylvinyl)benzene, 1203C
1,3-Dipolar cycloaddition, modification of cis-1,4-polydienes via, 635L
1,4-Dipolar mechanism, copolymerization of bistriazolinediones and β-dicarbonyl compounds via, 313L
—, copolymerization of β-dicarbonyl compounds with bistriazolinediones via, 313L
Dipole field in simple paraffins, 1717P
Discharge, glow polymerization of methane, $(CH_3)_4Sn$ and $(CH_3)_4Sn$ by, 765L
Dispersion polymerization, 1C
Dissociation-association phenomena in the hexane solution of lithium polyisoprenyl, 493L
2,3-Disubstituted succinates, 1739C
Disulfide bond splitting, 2033C
2,6-Di-tert-butyl phenol moiety, polystyrene containing, 629L
Dithiols, polyaddition reaction with bisoxazolines, alternating copolymers of amide-thioether synthesized by, 761L
Divinylamine, dimethoxycarbonyl-, cyclopolymerization of, 1L
Divinyl ethers, polyacetals from, by reaction of polyols with, 293L
3*n*-Dodecyl-1-vinylimidazolium iodide, 3463C
Domain structure, in segmented polyurethanes, effect of deformation on, 369L
Doolittle, free volume concept of, 593L
Doping, of polyacetylene, by oxygen, 447L
Drawing behavior of linear polyethylene, 301P
Drawing of semicrystalline polymers, effect on thermal conductivity of, 1187P
DSC, 201L, 259L, 501L
—, of phase transitions in poly(ethylene terephthalate-*co*-*p*-oxybenzoate), 1433P
—, See differential scanning calorimetry,
Dye binding, 1367C
Dynamic mechanical behavior of polypropylene, 493P
Dynamic mechanical properties, theoretical and experimental values of, 27P
Dynamic mechanical relaxation of stereoregular poly(hydroxyethyl methacrylate), 1271P
Dynamic viscosity and modulus of solutions of polypeptides, 361P

Elastic fracture of polycondensates, 115L
Elastomers, 3273C
—, perfluoroalkylether triazine, synthesis of, 135L
Elastothiomers, 345C(N)
Election microscopy of cellulose fiber from stirred solutions, 707P
Electrical properties of wood pulp, 1425C
Electric-conducting polymers, poly(2,5-thienylene), 9L
Electrochemical polymerization, 1459C
Electrode-less glow discharge, 541L
Electroinitiated graft copolymerization, 1957C
Electroinitiators of postpolymerization, 691C
Electron beam irradiation of polybutadiene, 2785C
Electron beam preirradiation, 1115C
Electron diffraction of cellulose IV, 1209P
Electronic spectra, of Cu^{2+} complexes of poly(vinyl alcohol), 877P
—, of irradiated heterocyclic BBB polymer, 891P(N)
—, of polymer liquid crystal solutions, 663P
Electron microscopy, of cellulose IV, 1209P
—, of crystallization in poly(ethylene terephthalate), 829P
—, of deformation of polyethylene, 971P
—, of films of diblock polyisoprene–poly(*n*-butyl methacrylate), 2143P(N)
—, of linear polyethylene fractions, 2347P
—, of melting branched polyethylene, 1513P
—, of morphological transition in SBS block, 1237P
—, of poly(butylene terephthalate), 1145P
—, of polyethylene melt, 207P
—, of polyethylene, 1361P
—, of polyethylene—polystyrene blends, 637P
—, of *cis*-polyisoprene, 1737P
—, of polymer blends stained with mercuric trifluoroacetate, 393P(N)
—, of polymerizing ε-caprolactam, 1523P
—, of polypropylene, 619P
—, of poly(vinyl chloride) particles, 51P
—, of poly(vinylidene fluoride), 793P
—, of stressed polyacetylene, 429P
Electron spin resonance (ESR), 629L
—, of copolymerization of hexafluoroisobutylene and vinylidene fluoride, 1393P
—, of Cu^{2+} complexes of poly(vinyl alcohol), 877P
—, evidence of spin labeling at the surface of a polymer, 563L
—, spectroscopy (ESR), 607L, 629L
—, studies, 533C
—, studies of carbon suboxide polymerization, 1551C

—, studies of plasma-polymerized materials, 1611C(N)
—, study of anion radicals, 1213C
Electrophoretic light scattering of water-soluble polyelectrolytes, 1853P(N)
Emulsion copolymerization of isoprene and styrene sulfonic acid esters, 3273C
Emulsion polymerization, 1C, 903C, 1297C, 2451C, 3219C
—, of acenaphthylene, 1979C
—, kinetics in continuous reactor, 1771P
—, of methyl methacrylate, 2811C
—, seeded, composite particles prepared by, 481L
—, of styrene, kinetics of, effect of chain transfer agent on, 711L
Enantioselective ester synthesis, 3009C
End group analysis, 311C, 2585C
End group determination, 1279C
Entanglement plateau, 681L
Enthalpy relaxation, of polymer glasses, scanning calorimetry monitoring of, 557L
Entropy of fusion of linear vinyl polymers, 709C
Enzyme immobilization, 891C
EPDM crosslinking, 765C
Epoxide oligomerization, 2051C
Epoxide prepolymers, 2561C, 2567C
Epoxy–amine curing reactions, 857C
Epoxy-resin/particle composites, thermal expansion of, 217P
EPR spectrum, of polyacetylene, 45L
Ericksen's theory of anisotropic fluids, 127P
Errata, 379C, 380C, 753L, 915P, 1431C, 2909C
ESCA, 27C
—, applied to polymers, 1651C
—, investigation, 407C
ESR, See also electron spin resonance (ESR)
Ester interchange, 75C
Ester synthesis, enantioselective, 3009C
1,2-Ethanedithiol, copolymerization of, with SO_2, 401L
Etherification of poly(oxymethylene)diol, 681C
Ethyl acrylate ionomers, stress relaxation in, 479P
Ethyl aluminum chlorides, 1499C
Ethylene, 1325C, 1347C, 2045C
—, coordination polymerization, 3111C
—, polymerization catalysts, 2857C
Ethylene and propylene oxide copolymers, 1633C(N)
Ethylene-butene copolymer, NMR study of structure of, 1955P
Ethylene carbonate, copolymerization of, with CO_2, 599L
Ethylene-propylene block copolymer formation, evidence for, 389L
Ethylene–propylene ionomers, 2887C(N)
Ethylene–propylene–isopropylidendicyclopentadiene terpolymer, 2175C
Ethyl vinyl ether, 2773C
—, copolymerization of, with 2-vinyl-1,1-dicarbonitrile, 639L
Ethylvinylsulfide, 101C
EXAFS analysis of cation environment in sulfonated polystyrene ionomers, 557L
Excimer formation, in alternating acenapthylene/maleic anhydride copolymer, 123L
—, fluorescence spectroscopic study of, time-resolved, 123L
—, in polyacenaphthylene, 123L
—, in polyamides, 879C
Excimers, of poly(*N*-vinyl carbazole), 673L
Extended X-ray Absorption Fine Structure (EXAFS), 557L
Extrusion, solid-state, of polyethylene, concentric coextrusion technique for, 575P
Extrusion of linear polyethylene, 1243P

Far-infrared spectroscopy, of polyamide fibers and fabrics, 85L
Fenton's reagent as initiator, 749C(N)
Ferric sodium tartrate complexs, 3163C
Fiber formation in stirred cellulose solutions, mechanism of, 707P
Fibers of polyfumaramides, 643C
Fibrillar aggregation, 1407C
Filled polymers, desorption of silane coupling agents from silica in, 1931P
—, melt crystallization of polypropylene with fibers, 83P
—, tear and tensile strength of elastomers, 2135P
—, thermal expansion of epoxy-resin/particle composites, 217P
Fillers in polypropylene, 3211C
Flame-Resistant polycarbonates, 2501C
Flame-resistant polymers, 579C, 2909C(E)
Flame-retardant properties, 441C
Flammability, 967C, 987C
Flavin mononucleotide, 1815C
—, containing polymers, 3393C
Flavonoid tannin condensations, 3447C
Flavor synthesis, 2933C
Flowing polymer solutions, phase separation of, 789L
Fluorescein, fluorescence of, in various environments, 815L
—, as spin label, in fluorescence depolarization, 351L
Fluorescence decay, in copolymers of 1-vinylnaphthalene and methyl methacrylate, 2401P
Fluorescence depolarization data, on conjugated spin labels, 351L
Fluorescence lifetime of free and conjugated fluorescein in various environments, 815L
Fluorescence polarization, in acenaphthylene–methyl methacrylate copolymers, 457P
—, in polyisoprene, 1879P
Fluorescence spectroscopy of polybenzimidazole solutions, 1685P
Fluorescence studies, picosecond, of poly(*N*-vinyl carbazole), 673L
Fluorinated ketone containing polymers, 1871C, 1877C, 1883C, 1889C
Fluorine-containing polycarbonates, 1651C
Fluoroenyl metal complex, 3059C
^{19}F- NMR, 229L
^{19}F-NMR spectroscopy, 157C
Force balance, new method to determine shear stress in capillaries by, 265L
Force balance rheometry, 265L
Formaldehyde polymerization, 2715C
Form-factors of single chains from x-ray and neutron scattering, 1859P(N)
Fracture, elastic, of polycondensates, 115L
Fracture of polyacetylene, 429P
Free radical addition, to 2-octene in *l*-menthol, asymmetric induction in, 287L
Free radical polymerizations, catalyzed by acids, 161L
Free-volume and permeability of glassy polymers, 1621P
Free-volume and self-diffusion in ternary solutions, 1285P
Free volume concept and its implications on dilation in glassy polymers under shear stresses, 593L
Friction coefficient of branched polystyrene in solution, 1907P
Friedel–Crafts-type polymerization, 1511C
FTIR, 85L
FTIR-ATR spectra, optimum glow discharge parameters determined by, 541L
Fumaric acid, 1213C
Functional monomers and polymers, 725L
Functional polymers, 223C, 417L, 2755C
Furan polymers, 2423C

G_N^0, See entanglement plateau
Gel, Sephadex, contributions to affinity of solute for, 271L
Gelation and reactivity, substitution effect, 915P(E)
Gel effect, 241C
Gel permeation chromatography (GPC), 1399C, 3413C
—, algorithm for calibration with polydisperse standard, 2303P(N)

—, of heat-treated polyphenylacetylene, 909P(N)
—, of long-chain branched polyester, 1455P
Gels, polymer, microviscosity of, 339L
—, water-swollen, solute interactions with, 271L
Gel-solute interactions, hydrophobic and polar contributions to,, 271L
Glasses, polymers, enthalpy relaxation of, scanning calorimetry monitoring of, 357L
Glass transition, in blends of polystyrene and poly(vinyl methyl ether), 2337P
—, in polyacrylonitrile, 1125P
—, in poly(ethylene terephthalate-*co*-*p*-oxybenzoate), 1433P
—, of poly(vinyl acetate) under pressure, 2123P
—, in salted poly(caproamide), 739P
—, in semicrystalline polycarbonate, 1257P
Glass transition temperature, 383C, 1071C, 2561C
Glassy polymers, dilation in, under shear stresses, free volume concept implication on, 593L
—, model for sorption of mixed gases in, 981P
—, x-ray scattering in epoxy resins, 1053P
GLC, 599L
Glow discharge parameters, determination of optimum based on ATR-FTIR spectra, 541L
Glow discharge polymerization, optical properties of films prepared by, 765L
D-Glucosamine, 359C(N)
Glycidyl methacrylate, 2451C
G_N^0, See entanglement plateau
$G_N^0J_e^0$, molecular weight dependence of, 681L
GPC, 89L, 549L, 665L
—, coupled, copolymer composition and axial dispersion characterization by, 453L
—, coupled with low-angle laser light-scattering photometer, measurements of unperturbed molecular dimensions using, 743L
—, flow-rate dependent degradation of polyisobutylene in, 535L
—, universal calibration method, 1727C
Graft and crosslinked copolymers by nucleophilic reaction between maleic anhydride copolymers and carbanions, 477L
Graft copolymerization, 341C(N), 373C(N), 1447C
—, on cellulose, 1857C, 3369C
—, by electroinitiation, 1957C
—, of methyl methacrylate onto silk, 3311C(N)
—, of styrene and acrylonitrile, 2175C
Graft copolymers, 1247C, 1267C, 1433C, 1599C
—, in carbon fibers, 2267C
—, of EPDM, 765C
—, of methyl acrylate, 2257C
—, of methyl methacrylate, 2247C
—, of nucleic acid bases on poly-L-lysine, 1847C
—, of polybutadiene, 3149C
—, of polyethylene, 871C
—, of polyisoprene, 2143C
—, of polytetrahydrofuran, 1799C
—, of wool, 1911C
Grafting, radiation-induced, of acrylic acid on PVC, 33L
Grafting onto cellulose, 749C(N)
Grafting onto wool, 1171C
Graft polymerization, 441C
—, of 4-vinylpyridine to polyethylene, 737C
Graphical solution for intrinsic viscosity through a single specific viscosity measurement, 803L

4-Halogeno 1-vinyl naphthalenes, 1995C
Head-to head addition in radical polymerization of allyl acetate, 211L
Head-to-head polymers, 1739C
Hexachlorocyclotriphosphatriazene, as condensing agent, indirect synthesis of polyphenyl esters, 385L
1,4-Hexadiene polymers, 2921C
Hexafluoroacetone–ethylene copolymer, 157C
Hexamethylenediamine, 933C, 939C
Hexamethylenetetramine, 259C
High-density polyethylene, 2857C
HPLC, 599L
Hydrazine, splitting of disulfide bonds, 2033C
Hydrodynamic behavior of flexible coils, 1781P
Hydrodynamics of branched polystyrene in solution, 1907P
Hydrodynamic transition phenomena in dynamic light scattering, of semidilute polymer solutions, 695L
Hydrogel formation, from copolyether-urethane-urea complex with lithium bromide, 411L
Hydrogels, 3403C
Hydrogen cyanide evolution, 1471C
Hydrogen transfer polymerization, 377C(N)
Hydroisomerization of α-olefins, 2129C
Hydrolized polyacrylamide, 275C
Hydrolyses of ligand esters, 3081C
Hydrolysis, of Egyptian medicated cotton, 3455C
—, of ester- and amide-containing indolyl groups, 1807C
—, of polyurethanes, 541C
—, stereoselective, of amino acid *p*-nitrophenyl esters by poly(ethyleneimine) derivatives, 647L
Hydroperoxide initiators, 2901C(N)
Hydroperoxide-nitroxide association in solid PP, 607L
Hydrophobic and polar contributions to solute affinity for a highly crosslinked water-swollen (Sephadex) gel, 271L
Hydroquinone, 2155C
Hydroximoyl chlorides, dehydrochlorination of, 635L
Hydroxybenzoic acid polycondensation, 2879C(N)
Hydroxyethyl cellulose, fluorescence depolarization data on, 351L
Hydroxyl group, effect on polymerization of diallyl compounds, 467C
2′-Hydroxy-2-phenylbenzotriazole, 1105C

Ideal and nonideal emulsion polymerization, 903C
Immobilized trypsin, 2411C
Implants, bioerodable, 619L
Improved curve-fitting *I* (integrated form) method, 1285C
Indanic units, polymers containing, 1203C
Indene, 3021C
Indole charge-transfer complexes, 3393C
Inductively coupled radio-frequency (RF) plasmas, 1233C
Infrared dichroism of stretched poly(vinyl chloride) gels, 1533P
Infrared spectra, of blends of poly(β-propiolactone) and poly(vinyl chloride), 1403P
—, of brominated polyethylene crystals, 2295P(N)
—, of cast films of nylon-12, 291P
—, of comblike polymaleimides, 1919P
—, of crosslinked acrylic copolymer films, 1997P, 2015P
—, of high-pressure crystallized polyethylene, 2379P
—, of irradiated heterocyclic BBB polymer, 891P(N)
—, of irradiated polytetrafluoroethylene, 587P
—, of isotactic polystyrene gel, 723P
—, of polydiacetylenes, 1383P
—, of polyethylene solid solutions, 1421P
—, of poly(*trans*-heptenylene), 1753P
—, of *trans*-1,4-poly(isoprene), 2097P
—, of poly(*trans*-pentenylene), 1753P
—, of poly(vinylidene chloride), 95P
—, of polyvinylsiloxane on glass fibers, 233P
—, of thermally degraded coupling agents, 1931P
Infrared spectroscopic determination of molecular weight, polydimethylsiloxane, 2421P(N)
Infrared spectroscopy, 457L
Infrared thermovision study of heating effect in polymer deformation, 2169P
Inhibition of polymerization, 1139C(N)
Initiation by oligoglycine, water, cupric ion, and carbon tetrachloride, 719C
Initiation in the presence of copper salts, 827C
Initiation rate, 1177C
Initiators, combined, effect on composition of collagen-MMA graft copolymers, 59L
—, complex bases as, for vinyl polymerization, 13L
Initiators of vinyl polymerization, 1679C
Initiator–transfer agents (inifers), 1523C, 1539C, 3177C
Interfacial polycondensation, polyimides prepared via, 525L

Interfacial synthesis of polyphosphonate and polyphosphate esters, 2155C
Intramolecular cyclization of di(phenylethynyl)biphenyl groups, 495C
Intramolecular excimer formation, 879C
Intrinsic viscosity, of aqueous poly(vinyl alcohol)–borax solutions, 2149P(N)
—, of aqueous schizophyllan, 547P
—, of flexible ring polymers, 811P
—, graphical solution for, from single specific viscosity measurement, 803L
—, of long-chain branched polyester, 1455P
—, of polybenzimidazole, 1673P
—, of polyimides of diverse structures, 1175P
—, of polyisocyanates, 1439P
—, of polyoxadiazoles, 1P
—, of thermoplastic urethane elastomer, 817P
Iodination of poly[arylethynylcopper(I)] caveat emptor, 809L
Iodine, initiation of styrene oxidepolymerization by, 89L
—, poly(2,5-thienylene) doped with, electric-conducting polymer from, 9L
Iodine-polyvinylquinazoline complexes as charge transfer complexes, 365L
Ionene, 299L
Ionene bromides, 2867C(N)
—, aromatic, 291L
Ion exchange resins, 65C
Ionic polymers, partial molal volumes of, 121P
Ionomers, 2887C(N), 2983C
—, in mixed solvents, viscosity of, 1821P
—, scattering studies of morphology of, 1035P
—, sulfonated polystyrene, cation environment in, 557L
IR, 639L
—, far-, spectroscopy of polyamide fibers and fabrics, 85L
—, modified, 629L
—, See also infrared,
Iron methacrylate, 2609C
Iron sulfate initiator, 235C
Irradiation of styrene, α-methylstyrene, 3193C
Irreversible copolymerization, 1565C
Isoalloxazine residues, substituted, polymers containing pendant, 553L
Isobutyl vinyl ether, 179C, 235C
Isocyanate polymerization, 371C(N)
Isoprene, 1163C, 3273C, 3381C
Isopropyl vinyl ether, 2773C
Isotactic polyhexylethylene, 321C
Isotactic polypropylene, melt-quenched, paracrystalline character of, 105L
Isotactic polystyrene, grown from polystyrene blends, on the size of core crystals of, 781L
Isotactic polystyrene gels, molecular structure of, 67L
Isotopic dilution method, ^{1}H-NMR relaxation and molecular motion of molten PE by, 109L

J_e^0, See steady state shear compliance
Jute fiber, 1447C

Kinetic features of the cationic oligomerization of epoxides, 2051C
Kinetic parameters of copolymerization of ethylene with propylene, 1587P
Kinetics, 47C, 379C(E), 380C(E)
—, of amination of chloromethylated polystyrene, 2333C
—, of cationic vinyl ether polymerization, 2773C
—, of crystallization, 1655P(N)
—, of crystallization of *cis*-polyisoprene under pressure, 1737P
—, of emulsion polymerization in continuous reactor, 1771P
—, of emulsion polymerization of styrene, effect of chain transfer agent on, 711L
—, of ester hydrolysis, 2941C
—, of free radical polymerization, 701C, 3199C
—, of graft copolymerization, 2175C, 3369C
—, of methacrylamide polymerization, 1679C
—, of octadecyl methacrylate polymerization, 1693C
—, of phenol-formaldehyde type condensations, 3447C
—, of polymerization in a microemulsion, 2641C
—, polymerization, influence of medium on, 299L
—, of polymerization, 241C, 283C
—, of polymerization of acrylic acid, 2471C
—, of polymerization of acrylonitrile, 2001C
—, of the polymerization of 1,3-butadiene, 2491C
—, of polymerization of diethylene glycol bis(allyl carbonate), 913C
—, for the polymerization of ethylene, 2045C
—, of polymerization of methyl allyl furmarate, 1771C
—, of radical polymerization, 1223C
—, of silicic acid polymerization, 2823C
—, of soapless emulsion polymerization, 2811C
—, of SO_2 sorption in Kapton polyimide, 1485P
—, of step polymerization, 1089C

Lanthanide coordination catalysts, 3345C
Laser light scattering photometer, low-angle laser, coupled with GPC, 743L
Lattice transformation, of cellulose IV to cellulose III, 603L
Light scattering, coupled with GPC, 535L
—, displacement measurements with double-exposure speckle photography, 265P
—, dynamic, of semidilute polymer solutions, 695L
—, morphological study of poly(butylene terephthalate), 327P
—, multiple scattering from Debye–Bueche scatterers in thin films, 199P
—, in solution, equation for multicomponent systems, 2369P
—, in solutions: coherent scattering law (theory), 529P
—, from solutions of polybenzimidazole, 1673P
—, in solutions of poly(2-vinyl pyridine), 607P
Light scattering and correlation function of agglomerates, 1993P(N)
Light-scattering photometer, low-angle laser, coupled with GPC, measurements of unperturbed molecular dimensions using, 743L
Light scattering solutions of schizophyllan, 547P
Light scattering studies of structure in glassy poly(methyl methacrylate), 717L
Light stabilizers, 1105C
Lipoic acid containing polymers, 2793C
Liquid-crystal induced circular dichroism, 569L
Liquid-crystalline mixtures, phase studies of, by DSC, 259L
Liquid-crystalline phases in polybenzamide solutions, 2037P
Liquid crystals, of aromatic polyamides, hydroxypropyl cellulose, and poly(γ-benzyl-*L*-glutamate), structure of, 663P
—, in cellulose solutions, 1137P
—, cholesteric, characterization of twisting sense in, 569L
—, lyotropic, depression of melting temperature of, 253L
—, polymerization in, 2629C
Lithium bromide complexes with copolyether-urethane ureas, hydrogels from, 411L
Lithium polyisoprenyl, dissociation-association phenomena in C_6H_{14} solution of, 493L
Lithographic resists, 3413C
Living α-methylstyrene oligomer, aging of, 703L
Lorentz sensors of simple paraffins, 1717P
Luminescence of polymers, 1635C(N)
Luminescence properties, 3129C(N)
Lyotropic liquid crystal, 2629C

Macronet isoporous styrene polymers, 1399C
Macroreticular polymers, 1387C
Magnetic circular dichroism studies, 2993C
Maleic acid, 1213C
Maleic anhydride, copolymerization of, with 1-vinyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2] octane, 771L

—, copolymer with acenaphthylene, alternating, excimer formation in, 123L
Manganic ion redox initiation of acrylonitrile, 2001C
Mass spectrometry, applications to copolymers, 1633C(N)
—, pyrolysis, 2731C
—, use in thermal degradation studies, 1923C
Matrix effect, 327C
Matrix polymerization, 939C
Matrix polymerization on polyelectrolyte backbones, influence of the medium on polymerization kinetics, 299L
Mechanical and rheo-optical retardation spectra of polyethylene, 951P
Mechanical production of heat in drawing, infrared camera study of, 2169P
Mechanical properties of polyacetylene, 429P
Mechanical properties of polypropylene, 493P
Mechanism for phosphite antioxidants, 815C
Mechanoinduced free radicals in cellulose, 1857C
Melting, of poly(diphenylsiloxane), 389P(N)
—, of stressed poly(vinylidene fluoride), 1665P(N)
—, x-ray study of, 239P
Melting and crystallization of poly(ethylene terephthalate) at high pressure, 2181P
Melting behavior, of branched polyethylene, 1513P
—, of hydrostatically extruded polyethylene, 1243P
—, of polyethylene terephthalate, 1311P, 1325P
—, of polymaleimides as affected by sidechains, 2197P
Melting temperature, of lyotropic liquid crystals, depression of, 253L
Melt-quenched isotactic polypropylene, 105L
Melts, compressibility and crystallization of, 343P
—, thermodynamic equation of state for, 897P(N)
Membrane fine structure, 3229C
Membrane osmometry, 3413C
l-Menthol, asymmetric induction of, free radical addition in, 287L
Menthol esters of varying size and polarity, 2933C
Mesomorphic 4-alkoxyphenyl 4′-alkoxybenzoate containing liquid-crystalline polymers, 259L
Mesophase transitions in poly(ethylene terephthalate-*co*-*p*-oxybenzoate), 1433P
Metal binding properties, 3359C
Metal-catalyzed condensations of phenols, 3447C
Metal ion-promoted hydrolyses, 3081C
Metalloporphyrins, polymer bonded, preparation of, 529L
Metal oxides, effect on thermal decomposition of PVC, 3101C
Metal–polyyne polymers, 661C
Methacrylamide, 1679C
α(Methacrylamido)acrylate, synthesis and cyclopolymerization of, 665L
Methacrylic acid, copolymerization with MMA, $BrCCl_3$ as regulator in, 241L
Methacrylonitrile, 169C
N-Methacryloyldehydroalanine methyl ester, cyclopolymerization and synthesis of, 665L
Methacryloyloxyethyl-type polymers containing pendant nucleic acid bases, 725L
Methane, glow discharge polymerization of, 765L
p-Methoxyphenol, 1139C(N)
Methyl acrylate, 1431C(E), 2257C, 2641C, 3307C(N)
Methyl allyl fumarate, 1771C
Methylbenzyl trifluoromethyl ketones, 1877C
Methyl α-chloroacrylate, 169C
4,4′-Methylene bis(*N*,*N*-dimethylbenzenamine), 2867C(N)
4,4′-Methylene bis(N,N-dimethylbenzenamine), aromatic ionene bromides from α,ω-dibromoalkane and, 291L
4,4′-Methylenebis(phenyl isocyanate), 355C(N)
2-Methylene-1,4,6-trioxaspiro[4,4]nonane, synthesis and ring-opening polymerization of, 25L
Methyl indan-1-one-2-carboxylate, 923C
Methyl isopropenyl ketone, 2221C
Methyl methacrylate, 203C, 241C, 283C, 311C, 373C(N), 691C, 719C, 1155C, 1447C, 1559C, 1619C(N), 1911C, 2247C, 2811C, 3149C
—, copolymerization of, with acrylic acid, influence of solvents on, 811L
—, copolymerization of, with 1-vinyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2] octane, 771L
—, copolymerization with methacrylic acid, $BrCCl_3$ as regulator in, 241L
—, graft copolymerization onto silk, 3311C(N)
—, grafted on collagen, effect of combined initiators on, 59L
—, grafting of, onto PP, photosensitized, 471L
2-Methyl-3-methylenecyclobutene-1-carbonitrile, 477C
Methyl orange, 259C
Methyl orange derivatives binding, 2323C
2-Methyl-2-oxazoline, block copolymers with styrene oxide, 89L
Methyl α-phenoxymethylacrylate, 1127C(N)
α-Methylstyrene, 191C, 757C(N), 1559C, 3021C, 3193C
—, cationic polymerization of, channel black surface initiation of, 461L
α-Methylstyrene oligomers, aging of, 703L
N-Methyl-substituted aromatic polyamides, 1047C
Methyl α,β,β-trifluoroacrylate, 1325C
Methyl vinyl ether, copolymerization of, with 2-vinyl-1,1-dicarbonitrile, 639L
Methyl vinyl ketone, 923C, 2221C
2-Methyl-5-vinylpyridine, 871C
Methyl 3-vinylsalicylate, 2755C
Micellar aggregates, polymerization in, 3463C
Micelle system, 1359C
Michael reactions, 923C
Microemulsion polymerization, 2641C
Microscopy, acoustic, of polymers, 97L
Microstructural order in cotton fibers, 2577C
Microviscosity data on polymer solutions and gels, 339L
Mn^{3+}–Isobutyric acid redox system, 2471C
Mobility of polymer segments, 351L
Mobility profile around polymer segments, 339L
Model discrimination in copolymerization, 81L
Modification of cis-1,4-polybutadiene and cis-1,4-polyisoprene via 1,3-dipolar cycloaddition with nitrile oxides, 635L
Modulus in nylon-6 α-phase crystal, 1047P
Molecular dimensions, unperturbed, measurement of, 743L
—, unperturbed, of polyacrylamide in water, 119L
Molecular motion in polydiethylsiloxane, 227P
Molecular weight, from GPC with polydisperse standard, 2303P(N)
—, of styrene-acrylonitrile and styrene-methyl methacrylate copolymers, 753L(E)
—, of styrene-acrylonitrile copolymers from intrinsic viscosity and viscosity interaction parameter, 465L
—, of styrene-methyl methacrylate copolymers from intrinsic viscosity and viscosity interaction parameter, 465L
Molecular weight dependence of $G_N^0J_e^0$: predictions with the WS^2H^2 model, 681L
Molecular weight distribution, 1297C, 2715C
—, effect on adsorption isotherms, 559P
—, of polyethylene, effect on solid-state coextrusion, 575P
Molybdenum initiators, 53C
Monomer containing bicyclo ortho ester, preparation of, 771L
Monomer reactivity ratios, 1285C, 1347C, 1431C(E)
Monte Carlo studies of irreversible terpolymerization, 1565C
Monte Carlo studies of reversible copolymerization, 1559C
Morphology, of crystalline polyalkanimides, 247P
—, in crystallization and melting of polyethylene, 1361P
—, of diblock polyisoprene–poly(*n*-butyl methacrylate), 2143P(N)
—, of ionomers, 1035P
—, of Kevlar aramid fibers, 871P
—, of linear polyester and polyether urethanes, 1469P
—, of melt-crystallized polyethylene fractions, 2347P
—, of melt-crystallized poly(vinylidene fluoride), 793P

—, and melting of poly(ethylene terephthalate), 1311P, 1325P
—, of poly(aryloxyphosphazene) copolymers, 767P
—, of poly(butylene terephthalate), 327P
—, of polyethylene, 207P
—, of polyethylene shish-kebab fibers, 927P
—, of polymer liquid crystals, 663P
—, of polypropylene crystals related to stereoregularity, 619P
—, of poly(vinyl chloride) in suspension polymerization droplets, 51P
—, of styrene-isoprene *ABA* block copolymers, temperature dependence of, 2217P
—, of ultra-drawn polyethylene, 751P
Mossbauer spectroscopic study of the γ-induced polymerization of iron methacrylate, 2609C

Naphthalene containing polyamides, 879C
NCA polymerization, in the solid state, 629C
N,N'-Dicarboethoxypyromellitic diimide, polyimides from, 525L
Neoprene-*g*-polytetrahydrofuran copolymers, 2021C
Neoprene W, 1799C
Networks, deformation of gels of rodlike polymers (theory), 409P
—, extended conformation of chains in polystyrene gels, 71P
—, in melamine formaldehyde–acrylic copolymer films, 1997P, 2015P
—, of polydiacetylenes, 1383P
—, of polyisoprene, fluorescence polarization of, 1879P
—, poly(vinyl alcohol), swollen, thermoelasticity of, 537P
—, stress relaxation in presence of unattached polymer, 645P
—, structure and elastomeric properties of poly(dimethylsiloxane) with vinyl crosslinks, 2263P
—, swelling of 1,2-polybutadiene crosslinked while strained, 165P(N)
—, thermoelastic behavior of poly(vinyl alcohol), 177P(N)
Neutron scattering, in concentrated polymer solutions, 863P
—, in ionomers, 1035P
—, from mixtures of protonated and deuterated polymers, 853P
Ninhydrin radical anion, 2121C
Nitration–nitrosation of methyl methacrylate, 1619C(N)
6-Nitrobenzisoxazole-3-carboxylic acid, decarboxylation of, poly(crown ether) catalyzed, 659L
Nitromercuration of diene polymers, 2723C
N-Nitroso-acylamines as initiators, 2011C
Nitroxide-hydroperoxide association in solid polypropylene, 607L
NMR, ^{13}C-, cross-polarization, magic angle of poly(*p*-phenylene) and oligomers, 653L
—, proton, relaxation and molecular motion of molten polyethylene by isotopic dilution method, 109L
—, See nuclear magnetic resonance,
Nonabsorable flavors, 2933C
Nonionic polymers, partial molal volumes of, 121P
N-Oxide containing polymers, 2391C
Nuclear magnetic resonance (NMR), 549L, 639L, 737L
—, ^{13}C-, 211L, 619L, 635L
—, of ethylene-butene copolymer, 1955P
—, of ethylene-propylene copolymers, 1573P, 1587P
—, ^{19}F-, 211L, 229L
—, ^{1}H-, 635L, 665L
—, ^{1}H- relaxation in polyethylene melts as studied by the deuteron dilution technique, 669L
—, of microgel in styrene-ethylene dimethylacrylate copolymers, 2027P
—, of native and regenerated cellulose, 1801P
—, of polybenzimidazole, 1791P
—, of polydimethylsiloxane, 227P
—, of polyethylene, 1561P
—, of polyethylene-polypropylene blends, 1561P
—, of poly(phenylacetylene)–diluent mixtures, 2277P
—, proton, 89L
—, relaxation study, 1061C
—, spectroscopy, 13C, 457L
Nucleic acid base, 1847C
—, complementary, polymers containing, base-base interaction between, 725L
—, containing polymers, 949C
—, derivatives, 1247C
1-Nylon, 371C(N)
Nylon-6, salted, effect of water sorption on bulk properties of, 739P
Nylon-12, polymorphism and casting conditions of, 291P
—, thermal behavior of α form of, 1413P
Nylon 66, 1471C
Nylon block copolymers, 2011C
Nylon-6 α-phase crystal, chain repeat distance and modulus, 1047P

Octadecyl methacrylate and acrylate, 1693C
Octafluoronaphthalene, polymerization of, 229L
2-Octene, free radical addition to, asymmetric induction in, 287L
Olefin polymerization, 2045C
Oligomerization, of acenaphthylene, 1979C
—, of epoxides, 2051C
—, of furan, 2423C
—, of pyrrole, 1759C
—, of styrene, 611C
Oligopeptides, 2883C(N)
Oligo[1-(*N*-phenylthiocarbamoyl)aziridine], 3359C
Optical absorption spectra of polydiacetylenes, 1383P
Optical activity, induced by dye binding, 1367C
Optically active anionic catalysts, 3043C
Optically active group containing poly(ethyleneimine) derivatives, stereoselective hydrolysis by, 647L
Optically active polymers as enantioselective catalysts, 3009C
Optical microscopy, of anisotropic phases in polyisocyanates, 1439P
—, of cellulose fiber from stirred solutions, 707P
—, of crystallizing polydioxolan, 35P
—, of glass transition in polycarbonate, 1257P
—, of Kevlar aramid with polarized light, 871P
—, of poly(butylene terephthalate), 327P
—, of polymerizing ε-caprolactam, 1523P
—, of polymer liquid crystal solutions, 663P
—, of polystyrene–poly(vinyl methyl ether) blends, 2337P
—, of poly(vinyl chloride) particles, 51P
—, of poly(vinylidene fluoride), 793P
—, of spherulites in liquid crystals, 1599P
—, of transitions in polyisocyanates, 1303P
Optical properties of polymer films prepared by glow discharge polymerization, 765L
Organic phosphite antioxidants, 1587C
Organometallic polymers, 349C(N), 1387C
Organosilane polymers, 959C
Orientation in drawing, mathematical analysis of, 1811P
Ortho ester, bicyclo, monomer containing, preparation, homo- and co-polymerization of, 771L
Ortho esters, bicyclic, polymerization of, 457L
Oxazolidine derivatives of uracil and thymine, 2959C
Oxetane formation in polyvinylbenzophenone, 565C
Oxidation, photo-, of chemically bonded antioxidant containing polystyrene, 629L
Oxidation of poly-*p*-xylylene, 2103C
Oxidative coupling of transition metal–bis(acetylide) complexes, 661C
Oxidative degradation of polymers, 2461C
Oxidative dimerization of acetylenes, 753C(N)
Oxidative reactions of light stabilizers, 1105C
Oxirane block copolymers, 3483C
Oxygen acceptors as stabilizers, 2461C
Oxygen doping of polyacetylene, 447L
Oxygen index of polyamides, 2949C
N-Oxyl biradical, 3253C

—, copolymerization of *p*-diphenoquinodimethane with, 549L
Ozone-resistant rubbers, 2921C

Paracrystalline character, of melt-quenched isotactic polypropylene, 105L
Paracyclophane units by cyclopolymerization, 2061C, 2071C
Particle size of emulsion particles, 3219C
Peel adhesion, 2597C
Peeling of adhesive bonds, 1847P(N)
Penultimate unit, 1431C(E)
Peptide synthesis, from phenolic solid-phase resins, 2239C
Perchloric acid initiated polymerization, 1459C
Perfluoroalkylether triazine elastomers, synthesis of, 135L
Perfluorobenzene, 27C
Perfluorocyclohexa-1,3-diene, 407C
Perfluorocyclohexane, 27C
Perfluoroethers, 157C
Permeability of chains from diffusion coefficients and second virial coefficients (porous-sphere model), 1781P
Permeability of CO_2 in polystyrene, 1621P
Permeation of hydrogen and deuterium in polymer films, 189P
Peroxide linkages, effect of, on ultrasonic degradation of poly(vinyl pyrrolidone), 757L
Peroxodisulfate initiation, 1679C
Pharmaceutical polymers, 335C(N)
Phase equilibria of isotropic and anisotropic solutions of polybenzamides, 2037P
Phase segregation of isotopes of polymers, 853P
Phase-separated block polymers, segmental interdiffusion in, analysis by SAXS of, 585L
Phase separation of flowing polymer solutions studied by viscosity and by turbidity, 789L
Phase studies of polymer/small-molecule liquid-crystalline mixtures by DSC, 259L
Phase transfer catalyst, 345C(N)
Phase transfer-catalyzed nitromercuration of diene polymers, 2723C
Phase transformation of polytetrafluoroethylene at high pressure, 1087P
Phase transformations and viscosity in solutions of rigid backbone polymers, 1439P
Phase transitions in polytetrafluoroethylene, 587P
Phenol end-capped polystyrene, 487L
Phenol-formaldehyde resins, 3447C
Phenolic resins for solid-phase peptide synthesis, 2239C
Phenoxaphosphine-containing poly-1,3,4-oxadiazoles, 2751C(N)
N-Phenylcitraconimide, 2535C
Phenyl methacrylate polymerization, 2197C
Phenylphosphonic dichloride, 2155C
Phosphites as polyolefin antioxidants, 815C
Phosphonylated ethylene–propylene copolymer, 2887C(N)
Phosphorescence depolarization in poly(methyl methacrylate), 1021P
Phosphorylation reaction using diphenylphosphite and pyridine, 2905C(N)
Phosphorylation reaction with triphenylphosphite, 2875C(N)
Photochemical degradation, 2737C
Photochemical reactions of high polymers, 407L
Photochemical reactions of *N*-vinylcarbazole, 91C
Photochemistry of ketone polymers, 2221C
Photoconductivity of poly(hexamethylene adipamide), 523P
Photoconductivity of poly(vinyl alcohol) films containing Cu^{2+} complexes, 877P
Photocrosslinking of elastomer systems, 765C
Photocrosslinking of polymers, 2371C, 2391C
Photocycloaddition of olefins, 565C
Photodegradation, 593C
—, of polyamides, 5L
—, of poly (α-methyl styrene), 197L
Photodimerization, 427C
Photoinduced graft copolymerization, 1857C
Photoinitiated cationic polymerization, 2697C
Photoinitiators, 1021C, 2677C
Photooxidation, 2737C
—, of cis-1,4-polybutadiene, carotenoids as stabilizers against, 427L
—, of poly[butylene terephthalate], 3129C(N)
—, of polyolefin, 3245C
—, of polypropylene, 533C
—, of polystyrene containing a chemically bonded antioxidant, 629L
Photopolymerization, 109C
Photoreactive polymers, 5L
Photorearrangements of hydrocarbon polymers, 2543C
Photoreductions, 2209C
Photosensitive polymers, 891C
—, with anomalously low content of stilbazolium groups, 613L
—, from poly(vinyl alcohol) containing stilbazolium groups, 613L
Photosensitive rubber, 781C
Photosensitized degradation, 1339C
Photosensitized grafting of styrene, 4-vinylpyridine and methyl methacrylate to polypropylene, 471L
Photovoltaic materials, 365L
α-Phthalimidoacrylate, methyl, asymmetric addition of benzyl mercaptan to, 417L
2-Phthalimidomethyl 1,3-butadiene, 2481C, 2491C
Picosecond fluorescence studies of poly(*N*-vinyl carbazole), 673L
Piezoelectric effect, in poly(vinylidene fluoride), 2271P
Piezoelectricity in poly(vinylidene fluoride), 1945P
Piezoelectricity of α-helical polypeptide (theory), 993P
Piezoelectric relaxation in amylose film, 1609P
Piperazine, polyamides with truxillic and adipic acids, photodegradation of, 5L
Plasma, gaseous, modification of PE surfaces by, 541L
Plasma polymerization, 27C, 407C, 1611C(N)
Plasma-polymerized benzene and xylene, 2731C
Plasticizer, effect of, on radiation stability of poly vinyl chloride, 795L
Platinum containing polymers, 349C(N)
Polarizability tensor of CH_2, calculation of, 1717P
Polarized-light microscopy, 569L
Polyacenaphthylene, excimer formation in, 123L
Polyacetals, preparation of, by the reaction of divinyl ethers and polyols, 293L
Polyacetylene, crystallinity of, 745P
—, EPR spectrum of, 45L
—, oxygen doping, 447L
—, tensile properties of, 429P
Polyacrylamide, 275C
—, in water, unperturbed molecular dimensions of, 119L
Polyacrylonitrile, 481C, 2307C
—, glass transition from dielectric relaxation in, 1125P
Poly(acrylonitrile-co-styrene), molecular weight of, 465L, 753L(E)
Poly[(acylimino)ethylenes], 380C(E)
Polyaddition reaction, of bisoxazolines and dithiols, synthesis of alternating copolymers of amide-thioether by, 761L
Poly(*trans*-alkenylene)s, vibrational spectra of, 1753P
Poly(alkylene carbonate), thermal stabilization of, 131L
Poly(alkylene carbonate) formation, mechanism of, 599L
Polyamic acid, 2649C
Polyamide, fibers and fabrics, far-IR spectroscopy of, 85L
Polyamide-esters, 359C(N)
Poly(amide–hydrazide), 1639C(N), 2905C(N)
—, conformational calculations for, 2243P
Polyamide-oxamides, conformational calculations for, 2243P
Polyamides, 851C, 1047C, 1711C, 2875C(N)
—, aromatic, 2949C
—, with cyclohexane rings, crystal structure of, 697P
—, effect of sorbed moisture on bulk properties of, 739P

—, photodegradation of, 5L
—, polarization microscopy of Kevlar aramid fibers, 871P
Poly(amino acid)s, 1841C, 2875C(N)
Polyaromatic amides, 495C, 1835C
Polyaromatic ether–keto–sulfones, 1821C
Polyarylethers, 1577C
Poly[arylethynylcopper(I)], iodination of, 809L
Poly(*p*-benzamide), liquid crystalline phases in solutions of, 2037P
Poly(benzimidazole), 3265C
—, aggregation in solutions of, 1685P
—, dilute solution properties of, 1673P
—, NMR of, 1791P
Polybenzoxazoles, 593C
Poly(benzyl glutamate), spherulite morphology in liquid crystals of, 1599P
Poly(γ-benzyl-L-glutamate), twisting sense in liquid crystals from, 569L
Poly(γ-benzyl-*L*-glutamate), molecular theory of piezoelectric constant in, 993P
Poly(4-bromoacetylstyrene), synthesis and photocrosslinking of, 407L
Polybutadiene, 2785C, 3149C, 3345C
—, crosslinked strained, swelling of, 165P(N)
—, glass filled, mechanical properties of, 2135P
—, networks containing unattached copolymer, 645P
—, nitromercuration, 2723C
—, self-diffusion of diluents in, 1285P
—, stress-crystallized, 1663P(N)
1,2-Polybutadiene, 2543C
Cis-1,4-polybutadiene, 781C, 1061C
Poly(butadiene-co-sodium styrene sulfonate), 3427C
Poly(butylene terephthalate), morphology of, 327P
—, normal and abnormal spherulites in, 1145P
Poly(γ-butyl L-glutamate)–butyl acrylate LC system, cholesteric structure in, 17L
Poly(butyl methacrylate), compatability with poly(styrene-co-vinylphenol hexafluorodimethyl carbinol),, 201L
Poly(ε-caprolactam), kinetic study of formation of, 1523P
Polycarbonate, 335C(N), 579C, 1651C, 2501C, 2909C(E)
—, WAXS patterns of, effect of temperature and thermal history on, 377L
Polycarboxylates, 3081C
Polychloroprenes, 1685C
Polychlorotrifluoroethylene, creep and craze rates, 1979P
—, dielectric demonstration of crystalline and amorphous peaks in, 333L
—, drawn, thermal conductivity of, 1187P
Polycondensates, elastic fracture of, 115L
Polycondensation, 933C, 939C
—, of amino acids, 1841C
—, of carboxylic acids and amines, 1711C
—, interfacial, polyimides prepared via, 525L
Polycondensation reaction, of hydroxybenzoic acids, 2879C(N)
—, using triphenyl phosphite, 851C
Poly(crown ether) catalyzed decarboxylation of 6-nitrobenzisoxazole-3-carboxylic acid in dioxane, 659L
Polydiacetylene, heat capacity of single crystal and monomer of, 2227P
Polydiacetylene isomorphs, electronic spectra, 1651P(N)
Polydiacetylenes, electronic spectra of, 1651P(N)
—, rapid dissolution of, 2209P
—, thermochromism in solutions of, 1383P
Polydienyl lithium, association phenomena in hydrocarbons, 493L
Polydiethylsiloxane, molecular motion in, 227P
Poly(dimethyl butadiene), vibrational spectra of, 2097P
1,4-Poly(2,3-dimethyl butadiene), characteristic ratio of, 173P(N)
Poly(3,3-dimethyloxacyclobutane), crystal structures of, 1863P
Poly(2,6-dimethyl-1,4-phenylene oxide), 2737C
Poly(2,6-dimethyl-1,4-phenylene oxide) compatability with poly(styrene-co-vinylphenyl hexafluorodimethyl carbinol), 201L
Poly(dimethyl siloxane), 295C
—, model networks with vinyl crosslinks, 2263P
—, molecular weight from infrared spectra of, 2421P(N)
—, stress-strain in swollen networks of, 181P(N)
Polydioxolan, crystallization kinetics of, 35P
Polydiphenylgermylene crystals, 443P
Polydiphenylsiloxane, 2663C
—, thermodynamics of melting of, 389P(N)
Polydiphenylsilylene crystals: a correction, 443P
Polydispersity index, 2281C
Polyelectrolyte backbones, matrix polymerization, effect of medium on, 299L
Polyelectrolyte effects, 1815C
Polyelectrolytes, 2867C(N), 2983C, 3289C, 3393C
—, electrophoretic light scattering of, 1853P(N)
Polyenaminoesters, 3029C
Poly(ester carbonate) copolymers, 75C
Polyester polyurethanes, 265C
Polyesters, 1189C, 1511C, 2803C, 2879C(N)
—, containing ring units in main chains, 1665C
—, linear aliphatic, Raman spectra of, 2287P
—, long-chain branched, characterization of, 1455P
Poly(ether-keto-sulfone)s, 1511C
Polyethers, 3069C
Poly(ethyl acrylate), 749C(N)
Polyethylene, 737C, 871C, 1115C, 2257C, 3245C, 3315C
—, crystallinity of, 1707P
—, crystallization in blends with polystyrene, 637P
—, crystal orientation relaxation in, 1065P
—, dielectric relaxation of alcohol in, 401P(N)
—, distribution of chain defects in, 1159P
—, drawing behavior of, 301P
—, drawn, thermal conductivity of, 1187P
—, environmental stress cracking of, 1747P
—, gas sorption in, 1103P
—, high-pressure crystallized, infrared spectra of, 2379P
—, hydrostatic extrusion of, 1243P
—, irradiated, vinyl decay in, 169P(N)
—, lamellar morphology of, 207P
—, melting behavior of, 1513P
—, melts, ^{1}H-NMR relaxation in, studied by deuteron dilution technique, 669L
—, molten, ^{1}H-NMR relaxation and molecular motion of, 109L
—, molten, molecular motion of, 109L
—, morphology and deformation of, 971P
—, morphology related to molecular weight and crystallization temperature of, 2347P
—, rheo-optical studies on deformation mechanism of, 951P
—, small-angle x-ray scattering and electron microscopy of, 1361P
—, small-angle x-ray scattering in, 1343P
—, solid-state coextrusion of, 575P
—, sorption and transport of methylene chloride in, 2083P
—, stress cracking and liquid sorption in, 19P
—, stretched, birefringence of, 285P
—, structure in solid solutions of, 1421P
—, surface brominated single crystals of, 2295P(N)
—, surface modification of, by gaseous plasmas, 541L
—, thermal effects in blends of, 2257P
—, ultra-drawn, morphology and tensile properties of, 751P
—, ultrahigh modulus, thermal conductivity of, 1481P(N)
—, x-ray diffraction in crystallization and deformation of, 2155P
Poly(ethylene carbonate), formation of, 599L
Poly(ethylene-co-maleic anhydride), alternating, reaction of polystyryl anions with, 477L
Poly(ethylene-co-maleic anhydride-g-polystyrene), 477L
Poly(ethylene glycol), 1339C
—, effect of, on contraction of poly(methacrylic acid) networks, 281L
Polyethylene-grafting diallylamine, 2615C
Polyethyleneimine, Co (III) compound with, 179L
Poly(ethyleneimine) derivatives, with optically active groups, stereoselective hydrolysis by, 647L

Poly(ethylene oxide), 1099C, 1123C(N), 3059C
—, fluorescence depolarization data on, 351L
Poly(ethylene terephthalate), amorphous, oriented, stress-induced crystallization in, 325L
—, compressibility and crystallization of, 343P
—, content of mesormorphic regions of, 917P
—, crystallization of, 829P
—, drawn, thermal conductivity of, 1187P
—, gas sorption in, 1103P
—, melting and crystallization under pressure, 2181P
—, morphology and melting of, 1311P, 1325P
Polyethylenimine, 1247C, 1267C, 1433C
Poly(ethylmethyl-co-dimethylsilylene), 959C
Polyflavonoid tannins, 3323C
Polyfumaramides, 643C
1,2-Polyhexadiene, 2543C
Poly(hexamethylene adipamide), photoconductivity of, 523P
Poly (hexamethylene terephthalate), polymorphism in, 183L
Polyhexylethylene, 321C
Polyhydrazides, 1639C(N)
Polyimide, 1375C, 1905C, 2649C
—, alkyl-aromatic, crystallization of, 247P
—, chain flexibility related to chemical structure of, 1175P
—, from *N,N'*-dicarboethoxypyromellitic diimide via interfacial polycondensation, 525L
—, sorption of SO_2 in films of, 1485P
Polyimide–esters, 2189C
Polyimidines, 69C, 1719C
Polyisobutylene, diffusion coefficient in toluene and tetralin, 1219P
—, flow-rate dependent degradation of, in GPC, 535L
Polyisocyanates, transitions in, 1303P
—, viscosity and phase transformations in solutions of, 1439P
Polyisoprene, 2543C, 3345C
—, crystallization of synthetic *cis*-, 1737P
—, fluorescence polarization in networks of, 1879P
—, graft copolymers, 2143C
—, nitromercuration, 2723C
—, orientation in networks of, 1879P
—, radius of gyration from neutron scattering in, 863P
—, vibrational spectra of, 2097P
Polyisoprenyl lithium, association phenomena in C_6H_{14}, 493L
Poly-L-lysine, 949C, 1847C
—, polymethacryloyloxyethyl derivatives of nucleic acids grafted on, 725L
Poly(maleic anhydride-co-ethylene), alternating, reaction of polystyryl anions with, 477L
Poly(maleic anhydride-co-ethylene-g-polystyrene), 477L
Polymaleimides, comblike, x-ray diffraction and IR spectra of, 1919P
Poly(*N*-maleimides), crystallinity and thermal transitions in, 2197P
Polymer, branched, polymeric reagent for synthesis of, 487L
—, conducting, charge-transfer complexes as, 249L
Polymer-bonded metalloporphyrins, preparation of, 529L
Polymer crystals, negative thermal expansion of, 2313P
Polymer gels, microviscosity of, 339L
Polymer glasses, enthalpy relaxation of, scanning calorimetry monitoring of, 357L
Polymeric ethers, 3059C
Polymeric reagent, 2941C, 3289C
—, for acyl transfer, 2793C
Polymerization, of ϵ-caprolactam, kinetics and morphology in, 1523P
—, of coordinated monomers, 203C
—, ring-opening, of 2-methylene-1,4,6-trioxaspiro[4,4]nonane, 25L
1,5-Polymerization of diolefins, 477C
Polymerization rate, chain length dependence, 701C
Polymer melts, equation of state of, 157P(N)
Polymer–polymer interaction, 949C
Polymer reagent, 3009C
Polymer segments, mobility of, 351L
—, mobility profile around, 339L
Polymers having 7- and 7,8-substituted isoalloxazine residues and their catalytic activity, 553L
Polymer solutions, microviscosity of, 339L
—, semidilute, hydrodynamic transition phenomena in dynamic light scattering of, 695L
Polymer supported catalysis, 2663C
Polymer-supported polyethylene-grafting diallylamine, 2615C
Poly(methacrylic acid), 1933C
—, network, contraction of, effects of polymers on, 281L
Polymethacryloylaminoethyl derivatives of nucleic acid bases, grafted on poly-L-lysine, 725L
Polymethacryloyloxyethyl, 725L
Polymethacryloyloxyethyl derivatives of nucleic acid bases, grafted on poly-L-lysine, 725L
Poly (*N*-methylacrylamide), thermochromism in aromatic solvents, 189L
Poly(methyl acrylate), 1171C
Poly(γ-methyl-*L*-glutamate), piezoelectric relaxation in, 1697P
Poly(*N*-methyl methacrylamide), thermochromism in aromatic solvents, 189L
Poly(methyl methacrylate), 1213C, 1279C, 2585C
—, creep and craze rates in, 1979P
—, gas sorption in, 1103P
—, glassy, light scattering studies of structure in, 717L
—, phosphorescence depolarization of, 1021P
—, thermodynamics of deformation of, 311P
Poly(methyl methacrylate-co-styrene), molecular weight of, 465L, 753L(E)
Poly(methyl methacrylate)-poly(vinylidene fluoride) mixtures, concentration fluctuations in, 439L
Poly(methylpropyl-co-dimethylsilylene), 959C
Poly (α-methylstyrene), photodegradation of, 197L
Poly(α-methylstyrene-*b*-isobutylene-*b*-α-methylstyrene), 1539C
Poly(methyl vinyl ether), effect of, on contraction of poly(methacrylic acid) networks, 281L
Polymorphic behavior of alkyl methacrylates, 2437C
Polymorphism in poly(hexamethylene terephthalate), 183L
Polymorphism of nylon-12, 291P
Polyolefin, porous, graft copolymerization of chloromethylstyrene on, 529L
Polyolefin stabilization, 815C
Polyols, polyacetals from, by reaction of divinyl ethers with, 293L
—, reaction of diketene acetals with, to form poly(ortho esters), 619L
Polyorthoester, 3133C
Poly(ortho esters), preparation of, by the reaction of diketene acetals and polyols, 619L
Polyoxadiazoles, chain conformations and hydrodynamic properties of, 1P
Poly-1,3,4-oxadiazoles, 2751C(N)
Polyoxamides, 643C
Polyoxymethylene, drawn, thermal conductivity of, 1187P
Poly(oxymethylene)diol, 681C
Poly(oxytetramethylene)terephthalate, 3129C(N)
Polypentenamer having formyl or hydroxymethyl groups, 781C
Poly(3-pentylidene carboxylate), 123C
Polypeptides, conformation, 2883C(N)
—, helical, viscosity of concentrated solutions of, 361P
Polyphenylacetylene, 147C
—, thermal behavior of, 909P(N)
Poly(*p*-phenylene), and oligomers, CPMA ^{13}C NMR and IR spectra of, 653L
Polyphenyl esters, direct synthesis of, hexachlorocyclotriphosphatriazene as condensing agent in, 385L
Polyphenylsilsesquioxane, 2663C
Polyphosphate, 2155C
Poly(β-propiolactone), infrared spectra of blends of, 1403P
Polypropylene, 533C, 3211C, 3245C
—, crystal morphology affected by stereoregularity of, 619P

—, drawing behavior of, 493P
—, drawn, thermal conductivity of, 1187P
—, grafting of styrene, 4-vinylpyridine and MMA to, 471L
—, isotactic, melt-quenched, paracrystalline character of, 105L
—, melt crystallization in fiber composites of, 83P
—, solid, nitroxide-hydroperoxide association in, 607L
—, x-ray diffraction in crystallization and deformation of, 2155P
Polypyridoquinolones, 3029C
Polysaccharide analogs, 3133C
Polysaccharides, 13C
—, triple helix of *Schizophyllum Commune*, 547P
Polysiloxanes, 527C
Polystyrene, 295C, 1079C, 1279C, 1635C(N), 2737C
—, branched, hydrodynamic behavior in solution, 1907P
—, chemically bonded antioxidant containing, photo-oxidation of, 629L
—, comb-branched, sorption on metal, 943P
—, containing 2,6-di-tert-butyl phenol moiety, 629L
—, creep and craze rates in, 1979P
—, crystallization in blends with polyethylene, 637P
—, diffusion coefficient in toluene and cyclohexanone, 1219P
—, diffusion of CO_2 in, 1621P
—, extended chain conformation in gels of, 71P
—, flowing solutions of, phase separation in, 789L
—, gas sorption in, 1103P
—, gels, isotactic, molecular structure of, 67L
—, glass, enthalpy relaxation of, 357L
—, high molecular weight, viscoelasticity of, 1837P
—, isotactic, gels, molecular structure of, 67L
—, isotactic, grown from polystyrene blends, on the size of core crystals of, 781L
—, isotactic, infrared spectra of gels of, 723P
—, "living", end-capping of, 487L
—, phenol end-capped, 487L
—, polarized Raman study of, 731P
—, poly (ethylene-co-maleic anhydride) grafted on, 477L
—, poly (maleic anhydride-co-ethylene) grafted on, 477L
—, sorption on metal, 2069P
—, sulfonated cation environment in ionomers from, 557L
—, thermally stimulated current in, 277P
Poly(styrene-co-acrylonitrile), molecular weight of, 465L, 753L(E)
Poly(styrene-co-methyl methacrylate), molecular weight of, 465L, 753L(E)
Poly(styrene-co-vinylbenzylchloride), grafting onto, 487L
Poly(styrene-co-vinylphenyl hexafluorodimethyl carbinol), compatability studies involving, 201L
Poly(styrenesulfonic acid) resin catalyzed oligomerization, 611C
Polystyryl anions, reaction of, with alternating ethylene-maleic anhydride copolymer, 477L
Polystyryl-barium and polystyryl-strontium, 671C
Polysulfide polymers, 383C, 2033C
Polysulfites, 1615C(N)
Polysulfonamide esters, aromatic, synthesis of, 3499C
Polysulfones, 3021C
Polyterephthalamide, 1099C
Polytetrafluoroethylene, cold-crystallization by irradiation of, 1643P
—, irradiated, infrared spectra of, 587P
—, kinetics of phase transformation in, 1087P
Polytetrahydrofuran graft copolymers, 2021C
Poly(2,5-thienylene), 2869C(N)
—, electric-conducting polymer from iodine doped, 9L
Polyureas, 2911C
Polyurethane, 265C, 1923C
—, foam, 541C
—, segmented, domain structure in, effect of deformation on, 369L
—, solution properties of thermoplastic elastomer of, 817P
Poly(vinyl acetate), 1147C
—, gas sorption in, 1103P
—, thermal conductivity and heat capacity under pressure, 2123P
Poly(vinyl alcohol), 1147C, 1643C(N)
—, containing stilbazolium groups, photosensitive polymers from, 613L
—, effect of, on contraction of poly(methacrylic acid) networks, 281L
—, photoconductivity of Cu^{2+} complexes of, 877P
—, temperature dependence of viscosity in aqueous borax solutions of, 2149P(N)
Poly(vinyl alcohol) networks, polymer-diluent interactions in, 537P
—, thermoelasticity and swelling of, 177P(N)
Poly(4-vinyl-*N*-alkylpyridinium), 1807C
Polyvinylbenzophenone, 565C
Poly(vinylbenzylchloride-co-styrene), grafting onto, 487L
Poly(vinyl bromide), degradation of copolymers and blends, 2085C
Poly(*N*-vinylcarbazole), 729C
—, picosecond fluorescence studies of, 673L
Poly(vinyl chloride), 505C, 1147C, 1483C, 2513C, 2523C, 3101C
—, crystal texture in gels of, 1533P
—, infrared spectra of blends of, 1403P
—, morphology of suspension polymerized, 51P
—, radiation-induced grafting of acrylic acid on, 33L
—, radiation stability of, effect of plasticizer on, 795L
Poly(vinyl halogenocarbazole), 3441C
Poly(vinylidene chloride), chain conformation in crystals of, 95P
—, vibrational analysis of, 111P
Poly(vinylidene fluoride), anisotropy of dielectric relaxation in, 597P
—, crystallization from melts of, 793P
—, drawn, thermal conductivity of, 1187P
—, melting of tensile-stressed, 1665P(N)
—, piezoelectric effect in, 2271P
—, piezoelectric, pyroelectric, and x-ray diffraction study of, 1945P
Poly(vinylidene fluoride)-poly(methyl methacrylate) mixtures, concentration fluctuations in, 439L
Poly(vinyl methyl ether), 1635C(N)
Poly(vinyl pyridine), 933C
Poly(2-vinyl pyridine), light scattering study of diffusion coefficient, 607P
Poly(4-vinylpyridine), 851C
—, partially quaternized, effect of, on catalytic cleavage of threonine, 381L
Poly(2-vinyl pyridinium) chloride, light scattering study of diffusion coefficient, 607P
Poly(4-vinylpyridinium chloride), 2347C
Polyvinylpyrrolidone, 259C, 1841C, 2323C, 2875C(N)
—, adsorption isotherm on silica, 559P
—, effect of, on contraction of poly(methacrylic acid) networks, 281L
—, peroxide linkages in, effect of, on ultrasonic degradation, 757L
—, ultrasonic degradation of, effect of peroxide linkages on, 757L
Polyvinylquinazoline - I_2 complexes, absorption spectrum of, 365L
—, electrical conductivity, 365L
Poly-*p*-xylylenes, oxidative stability, 2103C
Poly(xylylenyl benzimidazole)s, 3265C
Polyyne polymers, 661C
Pore diameter of cellulose acetate membrane, 3229C
Porod's Law, application to oriented systems, 1659P(N)
Porous-sphere model for polymers in dilute solutions, 1781P
Porphyrin dimer containing polymers, 2209C
Porphyrins, metallo-, polymer bonded, preparation of, 529L
Postpolymerization of methyl methacrylate, 691C
Potentiometric titration of polyacrylamide, 275C
p-Phenylene-bis(4-methoxybenzoate), mixtures with liquid-crystalline poiymers, phase studies of, 259L
Processable polyaromatic amides, 1835C
Processable polyaromatic ether–keto–sulfones, 1821C

L-Proline, 1433C
Propagation mechanism involving π^* and σ^* radical ions, 171L
Propylene, 2045C
Propylene-ethylene block copolymer formation, evidence for, 389L
"Push-pull" systems in cyclopropane polymerization, 3053C
9-(p-Vinylphenyl)anthracene, polymerization of, 35L
Pyridine N-oxide containing polymers, 2371C
2-Pyridone, catalysis of aminolysis, 527C
Pyridoxal phosphate, and Cu^{2+}, catalytic cleavage of threonine by, 381L
Pyrimidine containing polymers, 2959C
Pyroelectric effects in poly(vinylidene fluoride), 1945P
Pyrolysis, in the mass spectrometer, 1923C
—, mass spectrometry, 2731C
Pyromellitic dianhydride, 1375C
Pyromellitic diimide, *N,N'*-dicarboethoxy, polyimides from, 525L
Pyrrole, 1759C

Quasielastic light scattering (QLS), 695L
Quaternary ammonium polyelectrolytes, 2347C
Quaternary ammonium polymers, 449C

Radiation degradation, 169C
Radiation-induced cationic polymerization, 2773C
Radiation induced graft copolymerization, 2257C
Radiation-induced grafting, acrylic acid onto poly(vinyl chloride), 33L
Radiation-induced ionic graft polymerization, 871C
Radiation-induced polymerization, 179C, 191C, 1551C, 3297C, 3381C
—, of 3*n*-dodecyl-1-vinylimidazolium iodide, 3463C
γ-Radiation induced polymerization, of iron methacrylate, 2609C
Radiation-induced terpolymerization, 1325C
Radiation stability, of PVC, effect of plasticizer on, 795L
Radical-induced grafting, of styrene onto polyisoprene, 2143C
Radical ions, π^* & σ^*, propagation mechanism involving, 171L
π^* Radical ions, propagation mechanism involving, 171L
σ^* Radical ions, propagation mechanism involving, 171L
Radical polymerization, of allyl acetate, 211L
—, in the presence of, 827C
Radical termination, 241C
γ Radiolysis of polyethylene, 1115C
Raman spectra, during solid-state thermal polymerization of MBS, 779P
—, interpretation of, 421P
—, of linear aliphatic polyesters, 2287P
—, of oriented atactic polystyrene, 731P
—, of polyethylene solid solutions, 1421P
—, of poly(*trans*-heptenylene), 1753P
—, of *trans*-1,4-poly(isoprene), 2097P
—, of poly(*trans*-pentenylene), 1753P
—, of polytetrafluoroethylene, 1087P
—, of poly(vinylidene chloride), 95P
γ-Ray-initiated polymerization of acrylonitrile, 327C
γ-Ray-initiated postpolymerization of octadecyl methacrylate, 1693C
Reaction kinetics, 3323C
Reactivity of aromatic amine and diepoxide monomers, 621C
Reactivity ratios, 251C, 1011C, 2747C(N)
—, estimation of, 219L
Redox catalysts, substituted isoalloxazine containing polymers as, 553L
Redox initiation of polymerization, 2901C(N)
Redox polymerization, 47C, 311C
Reductive copolymerization, of sulfur dioxide with alkanedithiol, 401L
Refractive index increment of polybenzimidazole in *N,N*-dimethylacetamide, 1673P
Relaxation, of crystal orientation in polyethylene, 1065P
—, ^{1}H-NMR in PE melts, studied by deuteron dilution technique, 669L
—, piezoelectric, in poly(γ-methyl-*L*-glutamate), 1697P
—, in poly(methyl methacrylate), 1021P
—, proton spin-lattice, in polydiacetylene, 469P
—, of stereoregular poly(2-hydroxyethyl methacrylate), 1271P
Residual shear stress, in an SBS block copolymer, 397P(N)
Reversible copolymerizations, 1559C
Rheological properties of epoxide prepolymers, 2567C
Rheology of star polymers in concentrated solutions and melts, 775L
Ring formation, preferential 11-member, in cyclopolymerization of diallyl phthalate, 307L
Ring-opening polymerization, of heterocyclic monomers, 3089C
—, of 2-methylene-1,4,6-trioxaspiro[4,4]nonane, 25L
Rouse segments, 775L
Rubbers, 1685C
—, containing pendant unsaturation, 2921C
—, grafting to polybutadiene, 3149C
—, sulfonate-containing, 3273C
Rubber–tackifier resin blends, 2597C
Rubber vulcanizates, blooming of paraffins to surface of, 511P
Rubbery polymers, dilute solution properties of thermoplastic polyurethane, 817P
—, mechanical properties of glass-bead filled, 2135P

Salicylic acid containing polymers, 2755C
SAXS, See x-ray
—, small-angle x-ray investigation, 1359C
—, small-angle x-ray scattering, 585L
Scanning calorimetry technique, improved for monitoring enthalpy relaxation of polymer glasses, 357L
Scattering, light, structure of glassy PMMA studied by, 717L
—, small-angle, in blends, 2413P(N)
Scattering function of dilute polymer solution, memory effect on, 2077P
Second virial coefficient, 1P, 547P, 607P
—, of polybenzimidazole, 1673P
Sedimentation coefficient, of branched polystyrene, 1907P
—, of human serum transferrin, 1963P
—, limiting relation for, 907P(N)
—, of thermoplastic polyurethane elastomer, 817P
Sedimentation constant, of polyoxadiazoles, 1P
Sedimentation molecular weight, of schizophyllan, 547P
Sedimentation velocity, polymers in good solvents, 907P(N)
Segmental interdiffusion in phase-separated block polymers and polymer blends, analysis of, by small-angle x-ray scattering, 585L
Segmental motion, 1061C
Selenium, chemical equilibria in melts of, 449P
Sequence distribution, 559C, 2747C(N)
—, in copolymers, 757C(N)
—, in ethylene-propylene copolymers, 1573P, 1587P
—, of methyl acrylate–vinylidene chloride, 3307C(N)
Sequence length distribution, 75C
Sequential copolymers, 1523C, 1539C
Sericin, silk, effect of UV radiation on structure of, 507L
—, silk, structure of, effect of casting temperature on, 501L
Shear compliance, steady-state, 681L
Shear stress, in capillaries, new method to determine, by force balance, 265L
—, dilation of glassy polymers under, free volume concept implication on, 593L
Shrinkage measurements of stress-induced crystallization in oriented amorphous PET, 325L
Silane coupling agents on glass fibers, 1931P
Silicate minerals as fillers, 3211C
Silicic acid polymers, 2823C
Silk Fibers, 2247C, 3311C(N)

Silk fibroin structure, change of, by ultraviolet radiation, 507L
Silk sericin, effect of UV radiation on structure of, 507L
—, structure of, effect of casting temperature on, 501L
Siloxane bonds on glass fiber, hydrolysis of, 233P
Silylation of water glass, 2357C
Size-exclusion chromatography, 1577C
Small-angle x-ray scattering, See SAXS
Soapless emulsion polymerization, 2811C
Soap titration method, 3219C
Sodium dodecyl benzene sulfonate, 3219C
Sodium polystyrene sulfonate, 1815C
Sodium silicate, 2823C
Sodium tetraphenyl borate, 1123C(N)
Sodium undecenoate, 2629C
Solid-state polymerization, 1693C
Solubility of gases in glassy and rubbery polymers, 1103P
Solutions, polymer, phase separation of, 789L
Solvation of polyethylene, 3315C
Solvent effect on copolymerization, 1347C
Solvents, influence of, on copolymerization of acrylic acid with MMA, 811L
Solvolysis, catalysis by polyelectrolytes, 3289C
Sorption, of gases and craze velocity in glassy polymers, 1979P
—, of liquids in polyethylene, 19P
—, of methylene chloride in polyethylene, 2083P
—, of mixed gases in glassy polymers, 981P
—, of polystyrene on metal, 2069P
—, of small molecules in polymers, model for, 1103P
—, of SO_2 in Kapton polyimide, 1485P
—, of water in salted nylon-6, 739P
Sorption of, comb-branched polystyrene on metal surface (ellipsometric study), 943P
Specific heat and crystallinity of polyethylene, 1707P
Specific viscosity, single measurement of, graphical solution for intrinsic viscosity from, 803L
Spherulites, growth in melts of poly(vinylidene fluoride), 793P
—, intercrystalline links in, 2307P(N)
—, in liquid crystalline poly(benzyl glutamates), 1599P
—, mechanism of formation of, 2347P
—, normal and abnormal, in poly(butylene terephthalate), 1145P
—, in poly(butylene terephthalate), 327P
Spin labeling, at polymer surface, ESR evidence of, 563L
Spin labels, conjugated, fluorescence depolarization data on, 351L
Stability, radiation, of PVC, effect of plasticizer on, 795L
Stabilization, thermal, of poly(alkylene carbonates), 131L
Stabilization of Polybenzoxazoles, 593C
Stabilizer compounds, 533C, 1105C
Stable free radicals, 3253C
—, studies on copolymerization of stable *N*-oxyl biradical with *p*-diphenoquinodimethane, 549L
Starch, 341C(N)
Star polymers, rheology of, in concentrated solutions and melts, 775L
Starshaped block copolymers, 3483C
Statistical mechanical theories for diffusivity, comparison of, 1633P
Statistical mechanics, coherent scattering law for dilute polymer solutions, 529P
—, equation for light scattering in multicomponent solutions, 2369P
—, memory effect on coherent scattering for dilute polymer solutions, 2077P
—, relaxation of stressed polymer chains, 1005P
—, unperturbed dimensions of cyclochain polymers, 1P
Statistical mechanics: intrinsic viscosity of flexible ring polymers, 811P
Statistical mechanics of chain conformations in concentrated solutions, 2055P
Steady-state shear compliance, 681L
Step growth polymerization, 2281C
Step polymerization, kinetic study, 1089C
Stereochemistry, of the cationic polymerization of alkenyl ethers, 1489C
—, of polyesters containing ring units, 1665C
Stereoelective polymerization, 3089C
Stereoregulation, 203C
Stereoselective hydrogenation catalysts, 2663C
Stereoselective hydrolysis of amino acid *p*-nitrophenyl esters by poly(ethyleneimine) derivatives, 647L
Stereospecific polymerization, 235C
—, of methyl α-phenoxymethylacrylate), 1127C(N)
Stilbazole containing polymers, 891C
Stilbazolium groups, highly photosensitive polymers with anomalously low content of, 613L
—, in poly(vinyl alcohol), photosensitive polymers from, 613L
Stress-induced crystallization, in oriented amorphous PET, 325L
Stress relaxation, 397P(N)
—, after shear or elongational deformation, 1005P
—, of entangled chains, 2417P(N)
—, of ethyl acrylate ionomers, 479P
—, of polymeric liquids after double-step strain, 1891P
—, in rubber networks containing unattached polymer, 645P
Stress-strain relations, in compression of poly(methyl methacrylate), 311P
—, in gels of rodlike polymers (theory), 409P
—, in networks of polydimethylsiloxane, 181P(N)
—, in salted nylon-6, 739P
—, in ultra-drawn polyethylene, 751P
—, in vinyl crosslinked poly(dimethylsiloxane), 2263P
Structure in glassy PMMA, light scattering studies of, 717L
Structure of aromatic polyimide, 1375C
Styrene, 1C, 203C, 611C, 713C, 757C(N), 903C, 1223C, 1883C, 2175C, 2971C, 3021C, 3193C
—, anionic polymerization, 671C
—, chloromethyl, graft polymerization of, on porous polyolefin, 529L
—, copolymer with vinylbenzylchloride, branched polymers from, 487L
—, emulsion polymerization of, kinetics of, effect of chain transfer agent on, 711L
—, grafting of, onto PP, photosensitized, 471L
—, polymers, 1399C
Styrene anions, reactions with carbon dioxide and oxygen, 1945C
Styrene-butadiene-styrene block copolymer, 397P(N)
—, morphology, 1237P
Styrene grafting to polyisoprene, 2143C
Styrene oxide, polymerization of, initiated by iodine, 89L
Styrene oxide-2-methyl-2-oxazoline block copolymer, preparation of, 89L
Styrenesulfonic acid, 1643C(N)
Styrene sulfonic acid esters, 3273C
Sugar containing synthetic polymers, 359C(N), 365C(N)
Sulfonated polymers, the synthesis of, 3427C
Sulfonated poly(*para*-phenyleneterephthalamide), 1787C
Sulfonated polystyrene ionomers, cation environment in, 557L
—, viscosity of solutions of, 1821P
Sulfonic acid ion exchange resins, 65C
Sulfur dioxide, copolymerization of, with 1,2-ethanedithiol, 401L
—, polymerization solvent, 3021C
Surface, polymer, spin labeling at, ESR evidence of, 563L
Surface tension, of solutions of star-shaped amphiphilic block copolymers, 2391P
Suspension polymerization of poly(vinyl chloride), particle structure in, 51P
Swelling and diffusion, in multicomponent inhomogeneous system, theory, 2323P
Swelling of poly(vinyl alcohol) networks in aqueous glycol, 537P
Synchrotron radiation, use in study of phase transitions, 2155P

Synergism at oxidation inhibition, 1587C

Tackifier resin blends with rubber, 2597C
Tacticity, effect on thermal degradation of PVC, 505C
—, studied by magnetic circular dichroism, 2993C
Tannins, 3323C
Tartrate complexes with iron, 3163C
Telechelic polymers, 1523C, 1539C
—, and sequential copolymers, 3177C
Temperature drop turbidity, 1079C
Template polymerization, 1933C
Terephthalic acid, 1189C
Termination in free radical polymerization, 3199C
Tetraethyl silicate, 2823C
Tetrafluoroethylene, 1325C
Tetrahydrofuran graft copolymers, 1799C
Tetrahydrofuran polymerization, 1627C(N)
2,2,6,6-Tetramethylpiperidine derivatives, photo-stabilization of PP by, 607L
Tetramethylsilane, glow discharge polymerization of, 765L
Tetramethyltin, glow discharge polymerization of, 765L
Thermal behavior, DTA and TGA, of polyphenylacetylene, 909P(N)
—, of polyacrylonitrile, 481C
Thermal conductivity, or oriented crystalline polymers, 1187P
—, of ultrahigh modulus polyethylene, 1481P(N)
Thermal decomposition, 1147C
—, of α,α'-azobisisobutyronitrile, 1917C
—, of PVC, 3101C
Thermal degradation, 123C, 265C, 505C, 1483C, 1923C, 2085C
Thermal expansion, of epoxy-resin/particle composites, 217P
—, negative, of polymer crystals, 2313P
Thermally stable polymers, 69C, 355C(N), 1719C, 2163C, 2751C(N), 3069C, 3265C
Thermally stable polypyridoquinolones, 3029C
Thermally stimulated current in anionic polystyrenes, 277P
Thermally stimulated discharge in polycarbonate, 1257P
Thermal oxidative degradation, 1471C
Thermal oxidative stability of poly-*p*-xylylenes, 2103C
Thermal polymerization, of diethynylphenyl ether, 1035C
—, of 1,6-di-*p*-methoxybenzene-sulfonyloxy-2,4-hexadiyne, 779P
Thermal properties of polyacrylonitrile, 2307C
Thermal properties of wholly aromatic polyamides, 2949C
Thermal stability, 1047C
Thermal stabilization, of poly(alkylene carbonate)s, 131L
—, of polymers, 2461C
Thermal stabilizers for rigid poly(vinyl chloride), 2513C, 2523C
Thermochromism, in polydiacetylene solutions, 1383P
—, of poly(N-methylacrylamide) and poly(N-methyl methacrylamide) in aromatic solvents, 189L
Thermodynamic parameters, equation of state of polymer melts, 157P(N)
—, for fusion of poly(diphenylsiloxane), 389P(N)
—, heat capacity of liquid selenium, 449P
—, heat capacity of polydiacetylene, 2227P
—, partial molal volumes of polymers in aqueous solutions, 121P
—, temperature and pressure dependence of thermal conductivity and heat capacity of PVAc, 2123P
Thermodynamic properties, enthalpy of dissolution of polydiacetylenes, 2209P
Thermodynamics, of isotopic polymer mixtures, 853P
—, of polymer melts from Flory, Orwoll, Vrij equation of state, 897P(N)
Thermoelasticity of networks, 537P
Thermogravimetric analysis (TGA), of polyisocyanates, 1303P
Thermomechanical analysis, 1035C
Thermomechanical properties of bisphenol-A polymers, 3119C
Thermoplastics, polycarbonate, 579C
—, polycarbonates, 2909C(E)
Thermostability, 1203C
Thermostable and electric-conducting poly(2,5-thienylene), 9L
Thianthrene containing polyamides, 2163C
Thiophene containing polymers, 2869C(N)
Threonine, catalytic cleavage of, effect of partially quaternized poly(4-vinyl pyridine) on, 381L
Thymine, 1267C, 1433C, 2959C
—, polymethacryloyloxyethyl, and polymethacryloylaminoethyl derivatives of, grafted on poly-L-lysine, 725L
Thymine containing polymers, 427C
Time-resolved fluorescence spectroscopic study of excimer formation, 123L
Tin stabilizers, 1483C
Tin tetrachloride, 1917C
Titanium–chromium catalyst, 2857C
2,4-Toluene diisocyanate, 355C(N)
Topochemistry of the catalytic systems, 2615C
Transacetalization of poly(oxymethylene)diol, 681C
Transition phenomena, hydrodynamic, in dynamic light scattering of semidilute polymer solutions, 695L
Transitions in anionic polystyrenes, 277P
Transport of oxygen, 967C, 987C
Triarylsulfonium salt photoinitiators, 2677C, 2697C
Triazine, perfluoroalkylether-, elastomers, synthesis of, 135L
Triblock copolymers, 1523C, 1539C
Tricarbonylchromium-complexed phenylsiloxane, 2663C
Trimethylsilylation of silicic acid, 2357C
2,4,7-Trinitrofluorenone, 3441C
2,7,8-Trioxabicyclo[3.2.1]octane, 3133C
Triphenylmethyl methacrylate, 3043C
Triphenylphosphine termination of tetrahydrofuran polymerization, 1627C(N)
Triphenyl phosphite, 1099C, 1711C, 1841C
Tris(2-hydroxyethyl)amine, 449C, 455C
Truxillic acid, polyamides from, photodegradation of, 5L
Tungsten initiators, 53C
Turbidity, study of phase separation of flowing polymer solutions by, 789L
Twisting sense, in cholesteric liquid crystals, characterizing of, 569L

Ultracentrifugation of concentrated solutions of proteins and other polymers, 1963P
Ultrasonic degradation of polyvinylpyrrolidone, effect of peroxide linkages on, 757L
Unperturbed molecular dimensions, 743L
—, of polyacrylamide in water, 119L
Uracil, 2959C
—, polymethacryloyloxyethyl, and polymethacryloylaminoethyl derivatives of, grafted on poly-L-lysine, 725L
Urea complexation technique, 389L
Urea-urethane-copolyether complexes with LiBr, hydrogels from, 411L
Urethane, -urea-copolyether complexes with LiBr, hydrogels from, 411L
—, x-ray diffraction study of morphology of, 1469P
UV radiation, effect of, on silk fibroin structure, 507L
UV-visible spectra, of living α-methylstyrene oligomers, 703L

Vacuum UV spectra, 1233C
Vibrational analysis of poly(vinylidene chloride), 111P
Vinyl acetate, 59C, 109C, 341C(N), 1347C
—, copolymerization of, with 1-vinyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2] octane, 771L
Vinylacetylsalicylic acid, 2755C
Vinyl alkyl ethers, copolymerization of, with 2-vinyl-1,1-dicarbonitrile, 639L

4′-Vinylbenzo-15-crown-5, copolymers and homopolymers of, decarboxylation catalyzed by, 659L
4′-Vinylbenzo-18-crown-6, copolymers and homopolymers of, decarboxylation catalyzed by, 659L
Vinylbenzylchloride, copolymers with styrene, branched polymers from, 487L
p-Vinylbenzyltrifluoromethyl ketone, 1889C
Vinyl*n*-butyl ether, 871C
N-Vinylcarbazole, 91C
Vinyl carbazole polymers, charge transfer complexes, 3441C
2-Vinylcyclopropane-1,1-dicarbonitrile, radical-initiated copolymerization of alkyl vinyl others with, 639L
Vinyl decay in irradiated polyethylene, 169P(N)
Vinyl ethers, polymerization, 1489C
1-Vinyl-4-ethyl-2,6,7-trioxabicyclo[2.2.2] octane, preparation of, 771L
Vinyl fluoride, 109C
Vinylidene chloride, 3307C(N)
Vinylimidazole, 101C, 2941C
4(5)-Vinylimidazole, 1599C
Vinyl monomers, bases, complex, in polymerization of, 13L
—, polymerization of, complex bases in, 13L
(*p*-Vinylphenylheptafluoropropyl ketone), 1889C
Vinyl polymers with fluorine, synthesis and radiation degradation of, 3413C
4-Vinyl-*N*-propylpyridinium bromide polymers, 3393C
2-Vinylpyridine, complex bases as initiators for polymerization of, 13L
4-Vinylpyridine, 737C, 799C
—, grafting of, onto PP, photosensitized, 471L
Vinylpyridine-N-oxide, 2371C
N-Vinylpyrrolidone, 1933C
N-vinyl-2-pyrrolidone, 441C
—, cationic polymerization of, catalyzed by carbon black surface, 625L
N-Vinylpyrrols, 1547C
1-Vinyl-4,5,6,7-tetrahydroindol, 1547C
(*p*-Vinyltrifluoroacetophenone), 1871C, 1883C
Viscoelastic behavior of concentrated polymer systems (theory), 1005P
Viscoelastic fluid theory, 127P
Viscoelasticity, of amylose films, 1609P
—, of concentrated polymer solutions, 2417P(N)
—, constitutive equation for concentrated solutions, 2055P
—, experimental tests of predictions of Doi–Edwards theory, 27P
—, of extremely high molecular weight polystyrene, 1837P
—, of rubber–resin blends, 2597C
Viscoelastic properties, of concentrated solutions of polypeptides, 361P
—, of ethyl acrylate ionomers, 479P
—, of long-chain branched polyester, 1455P
—, of poly(aryloxyphosphazene) copolymers, 767P
—, of rubber networks with unattached species, 645P
Viscometric flow of orientable polymer fluids, 127P
Viscosity, of concentrated solutions of helical polypeptides, 361P
—, intrinsic, graphical solution for, from single specific viscosity measurement, 803L
—, intrinsic, molecular weights of copolymers from, 465L, 753L(E)
—, of ionomers in mixed solvents, 1821P
—, low shear, of semidilute polymer solutions, 695L
—, micro-, of polymer solutions and gels, 339L
—, of polybenzimidazole in solution with LiBr, 1685P
—, of solutions, theory, 161P(N)
—, specific, single measurement of, graphical solution for intrinsic viscosity from, 803L
—, study of phase separation of flowing polymer solutions by, 789L
—, zero-shear, correlated with diffusion coefficient, 1219P
Viscosity interaction parameter, molecular weights of copolymers from, 465L, 753L(E)
Visible-UV spectra, of living α-methylstyrene oligomers, 703L

Waste polyurethane foam recovery, 541C
WAXS, See wide angle x-ray scattering
—, See x-ray,
WAXS patterns, of noncrystalline polymers, 377L
—, of polycarbonate, 377L
Wide-angle x-ray diffraction, 105L
WLF, free volume concept of, 593L
Wood pulp, 1425C
Wool, 1911C
—, grafted with poly(methyl acrylate), 1171C
WS^2H^2 model, prediction of molecular weight dependence of $G_N^0J_e^0$ with, 681L

X-ray, See WAXS, SAXS
—, wide angle, 105L
X-ray and neutron scattering, single-chain form factors from, 1859P(N)
X-ray diffraction, 321C, 501L
—, of comblike polymaleimides, 1919P
—, in deformation and phase transition, 2155P
—, of dextrans, cross-section correction for, 405P(N)
—, electron density correlation function of partially crystalline polymers, 1343P
—, of ionomers, 1035P
—, of lamellar polyethylene, 207P
—, of linear polyester urethane, 1469P
—, in melting of polymer and triblock copolymer, 239P
—, of polyacetylene, 745P
—, of polyalkanimides, 247P
—, of poly(3,3-dimethyloxacyclobutane), 1863P
—, of polyethylene shish-kebabs, 927P
—, of polymer liquid crystal solutions, 663P
—, of polymorphic nylon 12, 1413P
—, of polypropylene, 619P
—, of poly(vinyl chloride) gels, 1533P
—, of poly(vinylidene fluoride), 1945P
—, of stress-crystallized polybutadiene, 1663P(N)
—, study of cellulose IV transformation to cellulose III by, 603L
—, temperature-dependent, in polyethylene, 1361P
—, of ultra-drawn polyethylene, 751P
X-ray diffraction method for quantitation of mesomorphic phase, 917P
X-ray diffraction studies, 183L
—, of chain dimensions and modulus of nylon-6, 1047P
X-ray scattering, and birefringence of poly(ethylene terephthalate), 903P(N)
—, from deformed ionomer, 1497P
—, from epoxy resins, 1053P
—, and interfacial area in oriented systems, 1659P(N)
—, of polymer mixtures, concentration fluctuations determined by, 439L
—, in relaxation of polyethylene, 1065P
p-Xylylene, 3253C

Zero-shear viscosities of semidilute polymer solutions, 695L
Ziegler–Natta catalysts, 389L, 799C, 3111C
Ziegler–Natta immobilized catalytic systems, 2615C
Ziegler–Natta polymerization, 2129C
Ziegler supported catalytic systems, 2045C
Zinc catalyst, for poly(alkylene carbonate) formation, 599L
Zinc oxide, 2803C

Journal of Polymer Science

Polymer Chemistry Edition

Volume 18, 1980

Board of Editors: **H. MARK** • **C. G. OVERBERGER**

Advisory Editors: **J. J. HERMANS** • **H. W. MELVILLE** • **G. SMETS**

Editor: **C. G. OVERBERGER**

Associate Editor: **E. M. PEARCE**

Advisory Board:

T. ALFREY, JR.
Midland, MI

W. J. BAILEY
College Park, MD

N. M. BIKALES
Washington, DC

F. A. BOVEY
Murray Hill, NJ

G. B. BUTLER
Gainesville, FL

S. BYWATER
Ottawa, Canada

W. H. DALY
Baton Rouge, LA

J. ECONOMY
San Jose, CA

N. M. EMANUEL
Moscow, USSR

E. M. FETTES
Morris, IL

N. D. FIELD
Paramus, NJ

K. C. FRISCH
Detroit, MI

J. FURUKAWA
Kyoto, Japan

W. E. GIBBS
Leominster, MA

A. R. GILBERT
Schenectady, NY

M. GOODMAN
La Jolla, CA

J. E. GUILLET
Toronto, Canada

H. HALL
Tucson, AZ

B. T. HUANG
Changchun, Jilin, China

V. A. KABANOV
Moscow, USSR

O. KAUDER
Brooklyn, N.Y.

J. P. KENNEDY
Akron, OH

J. LAL
Akron, OH

A. LEDWITH
Liverpool, England

R. W. LENZ
Amherst, MA

M. LITT
Cleveland, OH

E. MANO
Rio de Janeiro, Brazil

C. S. MARVEL
Tucson, AZ

F. R. MAYO
Menlo Park, CA

G. MONTAUDO
Catania, Italy

H. MORAWETZ
Brooklyn, NY

M. MORTON
Akron, OH

J. E. MULVANEY
Tucson, AZ

S. NOZAKURA
Osaka, Japan

K. F. O'DRISCOLL
Ontario, Canada

S. OKAMURA
Kyoto, Japan

R. PARISER
Wilmington, DE

P. PINO
Zurich, Switzerland

C. C. PRICE
Philadelphia, PA

B. RANBY
Stockholm, Sweden

H. RINGSDORF
Mainz, Germany

J. C. SALAMONE
Lowell, MA

C. SCHUERCH
Syracuse, NY

W. H. SHARKEY
Wilmington, DE

C. I. SIMIONESCU
Jassey, Romania

V. T. STANNETT
Raleigh, NC

J. K. STILLE
Fort Collins, CO

M. SZWARC
La Jolla, CA

E. J. VANDENBERG
Wilmington, DE

D. VOFSI
Rehovat, Israel

O. VOGL
Amherst, MA

P. WEISS
Warren, MI

F. H. WINSLOW
Murray Hill, NJ

an Interscience® Publication
published by JOHN WILEY & SONS

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition,* monthly; *Polymer Physics Edition,* monthly; *Polymer Letters Edition,* monthly; *Polymer Symposia,* irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1980 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without permission of the copyright owner is unlawful. Second-class postage paid at New York, New York, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc. (21 Congress Street, Salem, MA 01970). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price: (1981): $640.00 per volume. Postage and handling outside U.S.A.: $55.00. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Polymer Science: Polymer Chemistry Edition

Contents, Volume 18, 1980

Issue 1, January 1980

Effect of Initiator on the Molecular Weight Distribution in Dispersion Polymerization of Styrene
Y. Almog and M. Levy 1

Cellulose Organic Solutions: A Nuclear Magnetic Resonance Investigation
D. Gagnaire, D. Mancier, and M. Vincendon 13

Plasma Polymerization. II. An ESCA Investigation of Polymers Synthesized by Excitation of Inductively Coupled RF Plasma in Perfluorobenzene and Perfluorocyclohexane
D. T. Clark and D. Shuttleworth 27

Substituent Effects in Polymerization Reactions in Terms of Generalized Substituent Constants F and R and Generalized Weighting Factors f and r
L. N. Patnaik, M. K. Rout, W. P. Rout, and A. Rout 47

Polymerization of Acetylene and its Monosubstitutes in the Presence of Halides and Oxohalides of Molybdenum and Tungsten
M. G. Voronkov, V. B. Pukhnarevich, S. P. Sushchinskaya, V. Z. Annenkova, V. M. Annenkova, and N. J. Andreeva 53

Investigations on the Kinetics of Copolymerization of Vinyl Acetate with Acrylonitrile by $CO(acac)_3$–$Al(C_2H_5)_3$ Catalyst System
Y. N. Sharma, V. G. Gandhi, and I. S. Bhardwaj 59

Distribution and Catalytic Activity of Sulfonic Acid Groups in Organic Ion Exchangers
K. Jeřábek 65

Polyimidines. VI. The Comparison of Polyimidines from Bis(3,3-Diphenyl-6-Phthalidyl) Ketone
P. E. Cassidy and S. V. Doctor 69

Synthesis of Poly(ester Carbonate) Copolymers
D. C. Prevorsek, B. T. DeBona, and Y. Kesten 75

Photochemical Reactions of N-Vinylcarbazole in the Binary Solvent of Benzonitrile and Nitrobenzene
K. Hamanoue, H. Teranishi, M. Okamoto, Y. Furukawa, S. Tagawa, and Y. Tabata 91

Functional Monomers and Polymers. LIX. Properties and Function of Cu(II) Complexes of the Copolymers Having Pendant Sulfide and Imidazolyl Groups
M. Sato, H. Shindo, K. Kondo, and K. Takemoto 101

Copolymers of Vinyl Fluoride
A. Korin, M. Levy, and D. Vofsi 109

Poly-α-Ester Degradation Studies. VI. Thermal Degradation of Poly(3-Pentylidene Carboxylate)
D. R. Cooper, R. Molloy, G. J. Sutton, and B. J. Tighe 123

Thermal Cis–Trans Isomerization of *Cis–Transoidal* Polyphenylacetylene
C. I. Simionescu and V. Percec 147

Synthesis of Highly Branched Perfluoroethers by Direct Fluorination, Promising New Materials Based on the Hexafluoroacetone–Ethylene Copolymer
G. E. Gerhardt, E. T. Dumitru, and R. J. Lagow 157

Radiation Degradation of Methyl α-Chloroacrylate–Methacrylonitrile Copolymers
C-Y. Chen, C. U. Pittman, Jr., and J. N. Helbert 169

Radiation-Induced Polymerization at High Dose Rate. I. Isobutyl Vinyl Ether in Bulk
K. Hayashi 179

Radiation-Induced Polymerization at High Dose Rate. II. α-Methylstyrene in Bulk
K. Hayashi and N. Kotani 191

Polymerization of Coordinated Monomers. XVI. Stereoregulation in the Alternating Copolymerization of Methyl Methacrylate with Styrene in the Presence of Metal Halides
H. Hirai, T. Tanabe, and H. Koinuma 203

Functional Polymers. II. Synthesis and Properties of New Polymeric Cinchona Alkaloids
N. Kobayashi and K. Iwai 223

Stereospecific Polymerization of Isobutyl Vinyl Ether Catalyzed by Calcined Iron Sulfate
M. Hino and K. Arata 235

High Conversion Polymerization. VI. Detailed Examination of the Kinetic Model
J. M. Dionisio and K. F. O'Driscoll 241

Comparison of the Precision of Estimation of Copolymerization Reactivity Ratios by Current Methods
R. C. McFarlane, P. M. Reilly, and K. F. O'Driscoll 251

Thermodynamics of Binding Methyl Orange and its Homologs by Polyvinylpyrrolidone: The Effect of Hexamethylenetetramine
T. Takagishi and N. Kuroki 259

Thermal Degradation of a Series of Polyester Polyurethanes
N. Grassie, M. Zulfiqar, and M. I. Guy 265

Polyacrylamide. I. Polymer Content and Hydrolysis Level Determination by Potentiometric Titration
J. St. Kenyeres and V. Ursu 275

Effect of Pyridine on the Kinetics of Polymerization of Methyl Methacrylate Initiated by Benzoyl Peroxide and Azobisisobutyronitrile at 60°C
P. Ghosh and G. Mukhopadhyay 283

Block Copolymers of Polystyrene and Poly(dimethyl Siloxane). I. Synthesis and Characterization
P. Bajaj, S. K. Varshney, and A. Misra 295

Mechanistic Studies on Ceric–Thiourea-Initiated Polymerization of Methyl Methacrylate in Acid-Aqueous Media from End Group Analysis
D. Pramanick and A. K. Chatterjee 311

State of Order in Isotactic Polyhexylethylene
G. Trafara 321

Kinetic Evidence of a "Matrix Effect" in the Bulk Polymerization of Acrylonitrile
G. Burillo, A. Chapiro, and Z. Mankowski 327

NOTES

Polymères à Propriétés Pharmaceutiques Potentielles Polycondensation de Structures Biologiques Actives. IV
J-C. Rabadeux, A. Pleurdeau, and C. Pinazzi 335

Grafting onto Starch. II. Graft Copolymerization of Vinyl Acetate onto Starch by Radical Initiator
B. N. Misra, R. Dogra, I. Kaur, and D. Sood 341

Preparation of Elastothiomers with a Phase Transfer Catalyst
G. R. Pettit 345

Studies of Poly-yne Polymers Containing Transition Metals in the Main Chain. 5. A Design of Metal Arrangement in Polymer Backbone
S. Takahashi, Y. Ohyama, E. Murata, K. Sonogashira, and N. Hagihara 349

Reactivity of *N,N'*-Bismethylolpyromellitimide with Isocyanates
D. K. Dandge and J. Kops 355

Synthetic Polymers Containing Sugar Residues. IV. Synthesis of Polyamide-Esters by Direct Polycondensation of D-Glucosamine and Dicarboxylic Acid Chlorides
K. Kurita, K. Miyajima, T. Sannan, and Y. Iwakura 359

Synthetic Polymers Containing Sugar Residues. V. Polyesters Derived from D-Cellobiose and Decarboxylic Acid Chlorides by Direct Polycondensation
K. Kurita, N. Hirakawa, and Y. Iwakura 365

The Polymerization of *n*-Butyl Isocyanate at Low Catalyst Concentrations
M. S. Ahmed, I. W. Parsons, and R. N. Haward 371

Grafting of Methyl Methacrylate onto Collagen by the Introduction of Hydroperoxide Groups
K. S. Babu, K. P. Rao, K. T. Joseph, and Y. Nayudamma 373

Formation of a Cyclic Oligomer by Hydrogen Transfer Polymerization of Acrylamide
G. Camino, L. Costa, and L. Trossarelli 377

ERRATA

Kinetics and Mechanism of the Formation of Glycol Esters: Benzoic Acid–Ethylene Glycol System
H. K. Reimschuessel, B. T. DeBona, and A. K. S. Murthy 379

Kinetics of the Hydrolysis of Linear Poly[(acylimino)ethylenes]
K. M. Kem 380
Information for Contributors 381

Issue 2, February 1980

Copolymerization of Liquid Sulfur with Certain Olefinic Systems and Structure–Property Studies on the Polymeric Materials
B. K. Bordoloi, E. M. Pearce, L. Blight, B. R. Currell, R. Merrall, R. A. M. Scott, and C. Stillo 383

Plasma Polymerization. III. An ESCA Investigation of Polymers Synthesized by Excitation of Inductively Coupled RF Plasmas in Perfluorocyclohexa-1,3- and 1,4-Dienes, and in Perfluorocyclohexene
D. T. Clark and D. Shuttleworth 407

Functional Monomers and Polymers. LXI. Photochemical Reactions on the Synthetic Polymers Containing Thymine Bases
Y. Kita, Y. Inaki, and K. Takemoto 427

Reaction of Cellulose Phosphonate with *N*-Vinyl-2-Pyrrolidone and Flame-Retardant Properties of the Product
N. Inagaki and K. Katsuura 441

Chloromethylated Polystyrene Reaction with Tris(2-Hydroxyethyl)amine. I. Crosslinked Polymers Prepared by Chloromethylated Polystyrene with Tris(2-Hydroxyethyl)-amine
C. Luca, S. Drăgan, V. Bărboiu, and M. Dima 449

Cationic Polyelectrolytes. I. Soluble Polymers Prepared from Reaction of Chloromethylated Polystyrene with Tris(2-Hydroxyethyl)amine
S. Drăgan, C. Luca, I. Petrariu, and M. Dima 455

Studies of the Polymerization of Diallyl Compounds. XXVI. Enhanced Polymerizability by the Hydroxyl Group in the Polymerization of Diallyl Hydroxydicarboxylates
T. Ohata, A. Matsumoto, and M. Oiwa 467

2-Methyl-3-Methylenecyclobutene-1-Carbonitrile: A Corrected Structure and a New Methylenecyclobutene Monomer
H. K. Hall, Jr. and S. C. Snider 477

Relation between the Thermal Behavior of Polyacrylonitrile and Polymerization Factors
M. Minagawa and T. Iwamatsu 481

New Processable Polyaromatic Amides Curable by Intramolecular Cyclization. XVI
V. Sankaran, S-C. Lin, and C. S. Marvel 495

Influence of the Tacticity on Thermal Degradation of PVC. IV. Degradation in Solution in Comparison with Degradation at Solid State
J. Millan, G. Martinez, and C. Mijangos 505

Stepwise Polymerization of 1,1-Diphenylethylene Derivatives by Acid Catalysts
J. Nishimura, N. Tanaka, N. Hayashi, and S. Yamashita 515

Aminolysis of Crosslinked Polysiloxanes: Tautomeric Catalysis by 2-Pyridone
S. P. Pappas and R. L. Just 527

Reactions of Stabilizer Compounds. IV. ESR Studies of the Formation of Stable Nitroxyl Radicals in the Photooxidation of Polypropylene Containing Hindered Amine Light Stabilizers
D. K. C. Hodgeman 533

Reaction of Polyurethane Foam with Dry Steam: Kinetics and Mechanism of Reactions
J. L. Gerlock, J. Braslaw, L. R. Mahoney, and F. C. Ferris 541

Sequence Distribution in Polyethylene/Tetramethylene Terephthalate Copolyesters by ^{13}C-NMR
R. A. Newmark 559

Photochemical Synthesis of New Polymer Structures. II. Photocycloaddition of Olefins to Polyvinylbenzophenone and Poly(styrene-co-Vinylbenzophenone)
D. A. Holden and J. E. Guillet 565

Polycarbonates from 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)ethylene and Bisphenol A: A Highly Flame-Resistant Family of Engineering Thermoplastics
A. Factor and C. M. Orlando 579

Comparative Study of the Photodegradation of Polybenzoxazoles and Related Model Compounds. Stabilization of Polybenzoxazoles
B. Despax, N. Paillous, A. Lattes, and A. Paillous 593

Cationic Oligomerization of Styrene by Solid Acids. I. Catalysis by Poly(styrenesulfonic Acid) Resin
H. Hasegawa and T. Higashimura 611

An Analysis of the Substitution Effects Involved in Diepoxide–Diamine Copolymerization Reactions
J. Charlesworth 621

Polymerization of *N*-Carboxy-Amino Acid Anhydrides in the Solid State. I. Polymerizability of the Various α-Amino Acid NCAs in the Solid State
H. Kanazawa and T. Kawai 629

Extended-Chain Polyamides: Polyoxamides and Polyfumaramides
T. C. Pletcher and P. W. Morgan 643

Studies on Polyyne Polymers Containing Transition Metals in the Main Chain. IV. Polymer Synthesis by Oxidative Coupling of Transition Metal–Bis(acetylide) Complexes
S. Takahashi, E. Murata, K. Sonogashira, and N. Hagihara 661

Anionic Polymerization with Alkaline Earth Counterion. III. Aging of Oligo- and Polystyryl-Barium and -Strontium in THF
C. Mathis, L. Christmann-Lamande, and B. Francois 671

The Transacetalization Reaction During the Etherification of Poly(oxymethylene)diol[α-Hydro-ω-Hydroxypoly(oxymethylene)] with Orthoesters in the Presence of Lewis Acids
P. Colombo, S. Custro, and P. Radici 681

Further Studies on the Postpolymerization of Methyl Methacrylate
A. K. Sarkar and S. R. Palit 691

Evaluation of Polymerization Rate by Chain Length Dependence on Polymer–Polymer Termination and Primary Radical Termination in Radical Polymerization
K. Ito 701

Statistical Mechanical Estimation of the Entropy of Fusion of Linear Vinyl Polymers
M. C. Gupta and J. D. Nath 709

Investigation of Cationic Copolymerization of Styrene with *p*-Benzoquinone
A. V. Ragimov, A. Yu. Nagiev, B. I. Liogonky, and A. A. Berlin 713

Polymerization of Methyl Methacrylate Initiated by Oligoglycine, Water, Cupric Ion, and Carbon Tetrachloride
K. Ree, H. Kawasaki, and Y. Minoura 719

Chemical Modification of Poly(*N*-Vinylcarbazole) by Chloromethylation Reaction
J. Pielichowski and E. Morawiec 729

Diffusion-Controlled Reaction. VI. Radiation Graft Polymerization of 4-Vinylpyridine to Polyethylene
G. Odian, A. Derman, and K. Imre 737

NOTES

Grafting onto Cellulose. V. Effect of Complexing Agents on Fenton's Reagent (Fe^{2+}–H_2O_2)-Initiated Grafting of Poly(ethyl Acrylate)
B. N. Misra, R. Dogra, and I. K. Mehta 749

Special Action of "Oligomer Catalyst" for Oxidative Dimerization of Acetylenes
K. Maruyama, H. Tsukube, and T. Araki 753

Sequence Distribution in Copolymers: A Chemical Dictionary. II. Application to Copolymerization of α-Methylstyrene and Styrene
I. Motoc and I. Muscutariu 757

Information for Contributors 763

Issue 3, March 1980

Photocrosslinking of Elastomer Systems. II. Ultraviolet Light-Induced Reactions in an EPDM Modified by Grafting of Benzoin Derivatives
J-A. Bousquet, J. B. Donnet, J. Faure, J-P. Fouassier, B. Haidar, and A. Vidal 765

Synthesis and Properties of Polydiene and Polypentenamer Having Formyl or Hydroxymethyl Groups and Their Photosensitive Derivatives
C. Azuma, T. Mitsuboshi, K. Sanui, and N. Ogata 781

Reactivity of 4-Vinylpyridine in the Presence of Ziegler–Natta Catalysts
C. Carlini 799

Metal Complexes with Ligands–Organic Phosphites as Polyolefin Antioxidants. I. Kinetics and Mechanism of Polyolefin and Model Hydrocarbon Stabilization by Organic Phosphites
D. G. Pobedimskii and P. A. Kirpichnikov 815

Vinyl Polymerization in the Presence of Copper Salts
N. C. Billingham, A. J. Chapman, and A. D. Jenkins 827

Wholly Aromatic Polyamides by the Direct Polycondensation Reaction Using Triphenyl Phosphite in the Presence of Poly(4-Vinylpyridine)
F. Higashi, M. Goto, Y. Nakano, and H. Kakinoki 851

Effect of Simultaneous Polyaddition Reaction on the Curing of Epoxides
U. M. Bokare and K. S. Gandhi 857

Effect of Solvents on Radiation-Induced Ionic Graft Polymerization
V. Ya. Kabanov, R. E. Aliev, and L. P. Sidorova 871

Intramolecular Excimer Formation in Polyamides with Widely Separated Naphthyl Groups in the Backbone
J. A. Ibemesi, J. B. Kinsinger, and M. A. El-Bayoumi 879

Immobilization of Enzymes with Use of Photosensitive Polymers Having the Stilbazolium Group
K. Ichimura and S. Watanabe 891

An Experimental Study of Ideal and Nonideal Behavior in Styrene Emulsion Polymerization
D. R. James and D. C. Sundberg 903

Polymerization of Diethylene Glycol Bis(allyl Carbonate) by Means of Di-*sec*-Butyl Peroxydicarbonate
E. Schnarr and K. E. Russell 913

Functional Polymers. III. Asymmetric Michael Reactions Catalyzed by Cinchona Alkaloid–Acrylonitrile Copolymers
N. Kobayashi and K. Iwai 923

Polycondensation of Diethyl Mucate with Hexamethylenediamine in the Presence of Poly(vinyl Pyridine)
N. Ogata, K. Sanui, H. Nakamura, and H. Kishi 933

Polycondensation Reaction of Dimethyl Tartrate with Hexamethylenediamine in the Presence of Various Matrices
N. Ogata, K. Sanui, H. Nakamura, and M. Kuwahara 939

Functional Monomers and Polymers. LXIII. A Study on the Polymer–Polymer Interaction between Nucleic Acid Base-Substituted Poly-L-Lysines
T. Ishikawa, Y. Inaki, and K. Takemoto 949

Organosilane Polymers. II. Poly(ethylmethyl-co-Dimethylsilylene) and Poly(methylpropyl-co-Dimethylsilylene)
J. P. Wesson and T. C. Williams 959

Polymer Flammability. I
D. E. Stuetz, A. H. DiEdwardo, F. Zitomer, and B. P. Barnes 967

Polymer Flammability. II
D. E. Stuetz, A. H. DiEdwardo, F. Zitomer, and B. P. Barnes 987

Studies of the Polymerization of Diallyl Compounds. XXVII. Copolymerization of Diallyl Tartrate with Several Vinyl Monomers
T. Ohata, E. Fukumori, A. Matsumoto, and M. Oiwa 1011

Photoinitiated Cationic Polymerization by Dialkyl-4-Hydroxyphenylsulfonium Salts
J. V. Crivello and J. H. W. Lam 1021

The Synthesis and Thermal Polymerization of 4,4′-Diethynylphenyl Ether
J. J. Ratto, P. J. Dynes, and C. L. Hamermesh 1035

N-Methyl-Substituted Aromatic Polyamides
T. D. Greenwood, R. A. Kahley, J. F. Wolfe, A. St. Clair, and N. J. Johnston 1047

NMR Relaxation Study of Crosslinked *cis*-1,4-Polybutadiene
G. C. Munie, J. Jonas, and T. J. Rowland 1061

Effect of Cyclobutane Carbonitrile Rings on the Glass Transition Ten perature of Vinyl Copolymers
J. W. Collette, D. M. Gale, and M. G. Belletete 1071

Temperature Drop Turbidity. IV. Polystyrene
J. N. Hay and P. A. Fitzgerald 1079

Kinetics of Step Polymerization with Reactants of Unequal Functional Group Reactivity
E. Ozizmir and G. Odian 1089

High-Molecular-Weight Polyterephthalamide by Direct Polycondensation Reaction in the Presence of Poly(ethylene Oxide)
F. Higashi, Y. Nakano, M. Goto, and H. Kakinoki 1099

Reactions of Stabilizer Compounds. III. Oxidative Reactions of Some 2′-Hydroxy-2-Phenylbenzotriazole Light Stabilizers in the AIBN-Initiated Autoxidation of Cumene
D. K. C. Hodgeman and E. P. Gellert 1105

Effects of Electron Beam Preirradiation on the γ Radiolysis of Polyethylene
H. Mitsui and Y. Shimizu 1115

NOTES

Carbon-13 Nuclear Magnetic Resonance Studies of Poly(ethylene Oxide) Interaction with Sodium Tetraphenyl Borate
J. A. Ibemesi and J. B. Kinsinger 1123

A Novel Method of Preparing Some New $\alpha\alpha$-Disubstituted Vinyl Monomers and Their Polymerizability. I. Synthesis of Methyl α-Phenoxymethylacrylate and Its Polymerizability
R. Devarajan, T. Balakrishnan, and M. Santappa 1127

Polymerization of Allyl Esters of Unsaturated Acids. VI. Cyclopolymerization of Diallyl Fumarate
K. Urushido, A. Matsumoto, and M. Oiwa 1131

Quantitative Aspects of Synergistic Inhibition of Oxygen and *p*-Methoxyphenol in Acrylic Acid Polymerization
J. J. Kurland 1139

Issue 4, April 1980

Evolution of Aromatic Compounds in the Thermal Decomposition of Vinyl Polymers
A. Ballistreri, S. Foti, G. Montaudo, and E. Scamporrino 1147

Utilisation du Dicyclohéxyl-18 Couronne-6 en Polymérisation Anionique. II. Polymérisation du Methacrylate de Methyle Amorcee par les Metaux Alcalins
S. Alev, A. Collet, M. Viguier, and F. Schué 1155

Polymérisation Anionique de l'Isoprene et du Butadiene en Presence d'Agents Complexants
S. Alev, A. Collet, M. Viguier, and F. Schué 1163

Grafting onto Wool. IV. Effect of Amines upon Ceric Ion-Initiated Grafting of Poly(methyl Acrylate)
B. N. Misra and P. S. Chandel 1171

Determination of Initiation Rate of Copolymerization of Acrylonitrile with *p*-Bromophenyl Acrylate Carried Out in *N,N*-Dimethylformamide
A. Miller and J. Szafko 1177

Model for Predicting the Composition of Copolyesters: Polymerization of Terephthalic Acid, 2,2′-Oxydiethanol, and 2,2-Dimethyl-1,3-Propanediol
M. S. Sandhu and R. D. Fields 1189

Thermostability of Polymers Containing Indanic Units in the Main Chain
J. Nishimura, N. Tanaka, and S. Yamashita 1203

Thermal-Induced Conversion of Maleic and Fumaric Acid Anion Radicals in Poly(methyl Methacrylate)
A. Torikai and M. Fukumoto 1213

Kinetics of Radical Polymerization. XXX. Polymerization of Styrene in Solution
T. Földes-Berezsnich, M. Szesztay, E. Boros-Gyevi, and F. Tüdos 1223

An Investigation of the Vacuum UV Spectra of Inductively Coupled RF Plasmas Excited in Inert Gases as a Function of Some of the Operating Parameters
D. T. Clark and A. Dilks 1233

Syntheses of Polyethylenimine Containing Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants
C. G. Overberger and Y. Morishima 1247

Circular Dichroism of Polyethylenimine Containing Optically Active Thymine Derivatives as Grafted Pendants
C. G. Overberger and Y. Morishima 1267

Determination of Sulfate and Similar End Groups in Polymers [Poly(methyl Methacrylate) and Polystyrene] by an Improved Dye Interaction Method
A. Chaudhuri and S. R. Palit 1279

A New Method of Estimating Monomer Reactivity Ratios in Copolymerization by Linear Regression Methods
D. G. Watts, H. N. Linssen, and J. Schrijver 1285

Molecular Weight Distributions in Emulsion Polymerizations
G. Lichti, R. G. Gilbert, and D. H. Napper 1297

Radiation-Induced Terpolymerization of Methyl α,β,β-Trifluoroacrylate with Tetrafluoroethylene and α-Olefin
O. Matsuda, T. Watanabe, Y. Tabata, and S. Machi 1325

Photosensitized Degradation of Polyethylene Glycols in Aqueous Solutions. I. Viscosimetric Measurements
W. Augustyniak and J. Wojtczak 1339

Effect of Solvent on the Copolymerization of Ethylene and Vinyl Acetate
R. van der Meer, M. W. A. M. Aarts, and A. L. German 1347

Small-Angle X-Ray Investigation of a Densely Packed Micelle System in Agave Hybrid
T. Misra, A. Patel, and J. Patnaik 1359

Effect of Polyion Conformation on Dye Binding. V. Induced Optical Activity of Acridine Orange Bound to a Synthetic Nonstereoregular Polyelectrolyte
J. Beaumais, J. C. Fenyo, and G. Muller 1367

Structure of Aromatic Polyimides
D. Kumar 1375

Organometallic Polymers. VI. Anchoring of Arenechromium Carbonyl Complexes to Macroreticular Polymers
D. Tatarsky, D. H. Kohn, and M. Cais 1387

The Study of Macronet Isoporous Styrene Polymers by Gel Permeation Chromatography
M. P. Tsyurupa and V. A. Davankov 1399

Fibrillar Aggregation in Cotton Cellulose Subjected to Multiple Swelling Treatments with Alkali
B. R. Manjunath and A. Venkataraman 1407

Some Electrical Properties of Wood Pulp Treated with Sodium Hydroxide
A. A. Hanna, A. A. Ibrahem, and S. O. Heikal 1425

Erratum

Evaluation of Monomer Reactivity Ratios of More Complex Copolymerization Schemes, with Application to the Penultimate Unit Effect in Methyl Acrylate–Butadiene Copolymerization
R. van der Meer, J. M. Alberti, A. L. German, and H. N. Linssen 1431

Issue 5, May 1980

Synthesis and Optical Properties of Polyethylenimine Containing L-Proline and Optically Active Thymine Derivatives
C. G. Overberger and Y. Morishima 1433

Graft Copolymerization onto Jute Fiber: Ceric Ion-Initiated Graft Copolymerization of Methyl Methacrylate
M. M. Huque, Md. Habibuddowla, A. J. Mahmood, and M. Jabbar Mian 1447

Electrochemical and Chemical Polymerization of Acrylamide
S. N. Bhadani, Y. K. Prasad, and S. Kundu 1459

Evolution of HCN by Thermal Oxidative Degradation from Nylon 66 at High Temperatures Including Burning
H. H. G. Jellinek and S. Dunkle 1471

The Effect of Tin Stabilizers on the Thermal Degradation of Poly(vinyl Chloride)
V. P. Gupta and L. E. St. Pierre 1483

Stereochemistry in Cationic Polymerization of Alkenyl Ethers. V. Stereochemistry of Acetal Additions as Model Reactions for the Polymerization of Alkenyl Ethers
T. Higashimura, Y. Hirokawa, K. Matsuzaki, and T. Uryu 1489

Reaction of Crotonaldehyde with Various Ethyl Aluminum Chlorides in Methylene Chloride. A ^{1}H-NMR Study
A. Nixon and R. F. Childs 1499

New Processable Poly(ether-Keto-Sulfone)s, Poly(arylene Sulfone)s, and Polyesters Curable by Intramolecular Cyclization. XVII
A. Somers and C. S. Marvel 1511

New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator–Trans*fer* Agents (Inifers). II. Synthesis and Characterization
α,ω-Di(*tert*-Chloro)polyisobutylenes
J. P. Kennedy and R. A. Smith 1523

New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator–Trans*fer* Agents (Inifers). III. Synthesis and Characterization of Poly(α-Methylstyrene-*b*-Isobutylene-*b*-α-Methylstyrene)
J. P. Kennedy and R. A. Smith 1539

Polymerization of *N*-Vinylpyrrols
B. A. Trofimov, T. T. Minakova, T. A. Tandura, A. I. Mikhaleva, and S. E. Korostova 1547

A Study of the Mechanism of Radiation-Induced Polymerization of Carbon Suboxide
I. M. Barkalov, I. P. Kim, A. I. Mikhailov, and D. P. Kiryukhin 1551

Monte Carlo-Studium der Reversiblen Copolymerisation. I. Theorie, MEMØRY-6 Programm, Anwendungen
I. Motoc and R. Vancea 1559

Monte Carlo-Studium der Ireversiblen Terpolymerisation: Das Modell und Anwendungen
I. Motoc, I. Muscutariu, St. Holban, and O. Dragomir 1565

Application of High-Performance Size-Exclusion Chromatography to the Determination of Low-Molecular-Weight Compounds in Polyarylethers
L. E. Brydia and O. M. Garty 1577

Metal Complexes with Ligand-Organic Phosphites as Polyolefin Antioxidants. II. Kinetics and Mechanism of Synergism at Oxidation Inhibition by Metal Acetylacetonates and Organic Phosphites
D. G. Pobedimskii and P. A. Kirpichnikov 1587

Polymer Effect in Graft Polymerizations of Acrolein onto Imidazole-Containing Polymer
S. Morita, N. Yamashita, and T. Maeshima 1599

NOTES

A Novel Synthesis of α-*d*-Acrylonitrile
K. Yokota and T. Hirabayashi 1609

ESR Signal of Polymer Prepared *In Situ* in Xylene Plasma
M. S. Grenda and M. Venugopalan 1611

The Synthesis and Reactions of Polysulfites Derived from 2,2-Bis(4-Hydroxyphenyl)-propane
J. E. Hallgren and R. O. Matthews 1615

Nitration–Nitrosation of Methyl Methacrylate in the Presence of Nitric Acid
E. B. Mano, R. Quijada, F. M. B. Coutinho, and M. C. Berg 1619

Triphenylphosphine Termination of Tetrahydrofuran Polymerization in the Presence of Silver Salts
D. P. Lee and P. Dreyfuss 1627

Critical Comments to Two Articles on "Application of Mass Spectrometry to Copolymers of Ethylene and Propylene Oxides" by A. K. Lee and R. D. Sedgwick
B. Weibull 1633

Luminescence of Polymers in an Inert Atmosphere
K. Naito and T. K. Kwei 1635

Synthesis of Polyhydrazides and Poly(amide–Hydrazide)s by the Direct Polycondensation Reaction with Triphenyl Phosphite and LiCl
F. Higashi and N. Kokubo 1639

Hydrolysis of Amylose in the Presence of Block Copolymer of Vinyl Alcohol and Styrenesulfonic Acid. II. Investigation on Reaction Products
K. Arai and Y. Ogiwara 1643

A Quick Method for Determining the Diffusion Coefficient for Polymer–Monomer Systems from Desorption Data
K. Imre 1647

Issue 6, June 1980

ESCA Applied to Polymers. XXVI. Investigation of a Series of Aliphatic, Aromatic, and Fluorine-Containing Polycarbonates
D. T. Clark, W. J. Feast, P. J. Tweedale, and H. R. Thomas 1651

Polyesters Containing Ring Units in Main Chains. I. Preparation and Stereochemistry of Monomers and Polyesters
N. Matsumoto, H. Daimon, and J. Kumanotani 1665

Peroxo Salts as Initiators of Vinyl Polymerization. IV. Polymerization of Methacrylamide Initiated by Peroxodisulfate Ion and Metal Ion Catalysis
S. P. Manickam, N. R. Subbaratnam, and K. Venkatarao 1679

Characterization of Polychloroprenes and Cationically Modified Polychloroprenes by Thermal Dehydrochlorination
B. Iván, J. P. Kennedy, S. S. Plamthottam, T. Kelen, and F. Tüdos 1685

Solid-State Polymerization of Long-Chain Vinyl Compounds. III. Mechanism of γ-Ray-Initiated Postpolymerization in Layered Structures of Octadecyl Methacrylate and Acrylate
Y. Shibasaki 1693

Synthesis of Polyamides by a New Direct Polycondensation Reaction Using Triphenyl Phosphite and Lithium Chloride
F. Higashi, M. Goto, and H. Kakinoki 1711

Polyimidines. V. Poly[(3,3-Diphenyl-2,6-Phthalimidinediyl)carbonyl(3,3-Diphenyl-6,2-Phthalimidine)]s
R. A. Lohr, P. E. Cassidy, and A. Kutac 1719

A New Universal GPC Calibration Method
R. D. Hester and P. H. Mitchell 1727

Head-to-Head Polymers. XV. A Facile Synthesis of 2,3-Disubstituted Succinates and Butanediols-1,4
A. Yamada, S. Grossman, and O. Vogl 1739

Polymerization of Aromatic Nuclei. XXIII. Investigation of Oligomer and Pyrrole Red from Pyrrole and Trichloroacetic Acid
B. S. Lamb and P. Kovacic 1759

Polymerization of Allyl Esters of Unsaturated Acids. V. Cyclopolymerization of Methyl Allyl Fumarate
K. Urushido, A. Matsumoto, and M. Oiwa 1771

Aromatic Polyamides. VII. Synthesis of Sulfonated Poly(*para*-Phenyleneterephthalamide): Polymerization of 1,4-Bis(trichloromethyl)benzene with *para*-Phenylenediamine Sulfate in SO_3
F. M. Silver 1787

Grafting of Polytetrahydrofuran from Neoprene W in the Presence of Perchlorate Salts
Y. Eckstein and P. Dreyfuss 1799

Catalytic Effect of Poly(4-Vinyl-*N*-Alkylpyridinium) Salts on the Hydrolysis of Ester- and Amide-Containing Indolyl Groups
T. Ishiwatari, T. Okubo, and N. Ise 1807

Polyelectrolyte Effects on the Charge Transfer Complex Formation between FMN and Indole Derivatives
T. Ishiwatari, T. Okubo, and N. Ise 1815

New Processable Polyaromatic Ether-Keto-Sulfones Curable by Diels–Alder Cycloaddition
V. Sankaran and C. S. Marvel 1821

New Processable Polyaromatic Amides Curable by Diels–Alder Cycloaddition
V. Sankaran and C. S. Marvel 1835

High-Molecular-Weight Poly(amino Acid)s by the Direct Polycondensation Reaction Promoted by Triphenyl Phosphite and LiCl in the Presence of Polyvinylpyrrolidone
F. Higashi, K. Sano, and H. Kakinoki 1841

Functional Monomers and Polymers. LXXI. Conformation and Interaction Studies of Poly-L-Lysine Derivatives with Pendant Nucleic Acid Bases
T. Ishikawa, Y. Inaki, and K. Takemoto 1847

On the Reactivity of Cellulose Free Radicals in Graft Copolymerization Reactions
D. N.-S. Hon 1857

Polymers Containing Fluorinated Ketone Groups. I. DSC and NMR Studies of Poly(*p*-Vinyltrifluoroacetophenone) and Polymers of Similar Structure
C. H. Cheng and E. M. Pearce 1871

Polymers Containing Fluorinated Ketone Groups. II. NMR Studies of the Reaction of Methylbenzyl Trifluoromethyl Ketones with Alcohols in Carbon Tetrachloride
C. H. Cheng and E. M. Pearce 1877

Polymers Containing Fluorinated Ketone Groups. III. Synthesis of Styrene/*p*-Vinyltrifluoroacetophenone Copolymers by Modification of Polystyrene and the Copolymerization of Monomers
C. H. Cheng and E. M. Pearce 1883

Polymers Containing Fluorinated Ketone Groups. IV. Syntheses and Characterization of New Fluorinated Ketone-Containing Polymer-Substituted Polystyrenes
C. H. Cheng and E. M. Pearce 1889

Polyimides from Diisocyanates and Dianhydride
N. D. Ghatge and U. P. Mulik 1905

Grafting onto Wool. VIII. Graft Copolymerization of Methyl Methacrylate (MMA) by Use of Ce^{4+}–Amine System as Redox Initiator
B. N. Misra and I. K. Mehta 1911

Effect of Tin Tetrachloride on Thermal Decompositions of α,α'-Azobisisobutyronitrile and Dimethyl α,α'-Azobisisobutyrate
B. Yamada, H. Kamei, and T. Otsu 1917

Mechanism of Thermal Degradation of Polyurethanes Investigated by Direct Pyrolysis in the Mass Spectrometer
A. Ballistreri, S. Foti, P. Maravigna, G. Montaudo, and E. Scamporrino 1923

Radical Polymerization of *N*-Vinylpyrrolidone in the Presence of Syndiotactic Poly(methacrylic Acid) Templates
D. W. Koetsier, Y. Y. Tan, and G. Challa 1933

Reactions of Polystyryl Anions with Carbon Dioxide and Oxygen. Analysis of Products by Silica Gel Chromatography
P. Mansson 1945

Electroinitiated Graft Copolymerization
B. L. Funt and L-C. Hsu 1957

Synthesis and Biodegradability of Amylose Block Copolymers
M. M. Lynn, V. T. Stannett, and R. D. Gilbert 1967

Emulsion Polymerization of Acenaphthylene. I. A Study of Particle Nucleation in Water Phase and in Aqueous Emulsions
C-Y. Chen and I. Piirma 1979

Reactivity of 4-Halogeno 1-Vinyl Naphthalenes in Cationic Polymerization
W. J. Cho, C. Bunel, and E. Maréchal 1995

Kinetics of Polymerization of Acrylonitrile Initiated by the Mn^{3+}–Thioacetamide Redox System
R. K. Samal, P. L. Nayak, M. C. Nayak, and A. K. Dhal 2001

Macromolecular *N*-Nitroso-Acylamines as Initiators for Polyreactions. I. Synthesis of Block Copolymers from Polycondensates and Olefinic Monomers
H. Craubner 2011

Methods for the Determination of the Number of Polytetrahydrofuran Branches in Neoprene-*g*-Polytetrahydrofuran
Y. Eckstein, D. P. Lee, R. P. Quirk, and P. Dreyfuss 2021

Issue 7, July 1980

Splitting of the Disulfide Bonds in Polysulfide Polymers by Hydrazine
V. J. Rekalić, M. E. Tenc-Popović, and S. D. Radosavljević 2033

Promotion by Supports of the Reactivity of Propagating Species of Ziegler Supported Catalytic Systems for the Polymerization and Copolymerization of Olefins
S. S. Ivanchev, A. A. Baulin, and A. G. Rodionov 2045

Kinetic Features of Cationic Oligomerization of Epoxides
S. S. Ivanchev, V. N. Pavlyuchenko, S. Ya. Khaikin, L. G. Vladimirova, G. A. Balaev, and V. I. Shevchuk 2051

C3 Cyclopolymerization. I. Is the Cyclopolymerization of 1,3-Bis(*p*-Vinylphenyl)-propane by Means of Radical or Anionic Initiators Possible?
J. Nishimura, Y. Ishida, M. Mimura, N. Nakazawa, and S. Yamashita 2061

C3 Cyclopolymerization. II. Charge-Transfer Cyclopolymerization of 1,3-Bis(*p*-Vinylphenyl)propane
J. Nishimura, M. Minura, N. Nakazawa, and S. Yamashita 2071

Thermal Degradation of Poly(vinyl Bromide), Vinyl Bromide–Methyl Methacrylate Copolymers, and Poly(vinyl Bromide)–Poly(methyl Methacrylate) Blends
I. C. McNeill, T. Straiton, and P. Anderson 2085

Thermal Oxidative Stability of Poly-*p*-Xylylenes
T. E. Nowlin, D. Foss Smith, Jr., and G. S. Cieloszyk 2103

Trapping Alloxan or Ninhydrin Radical Anions with Polymer Cations
T. Endo and M. Okawara 2121

Model Reactions for Stereochemistry of Ziegler–Natta Polymerization: Asymmetric Hydroisomerization of α-Olefins by Chiral Titanium Tetra-Alkoxides/Tri-Isobutyl Aluminum Catalytic Systems
C. Carlini, E. Chiellini, and R. Solaro 2129

Free Radical Grafting of Monomers to Polydienes. III. Kinetics and Mechanism of Styrene Grafting to Polyisoprene
G. G. Cameron and M. Y. Qureshi 2143

Interfacial Synthesis of Polyphosphonate and Polyphosphate Esters. VII. Temperature Effects and Reaction Loci in Polycondensations of Hydroquinone with Phenylphosphonic Dichloride and 4-Methylthiophenyl Phosphorodichloridate
F. Millich and L. L. Lambing 2155

Heat-Resistant Polymers with Thianthrene Analog Units. II. Aromatic Polyamides
K. Niume, K. Nakamichi, F. Toda, K. Uno, M. Hasegawa, and Y. Iwakura 2163

Model Simulation Studies of Complex Free Radical Reactions: The Graft Copolymerization of Styrene and Acrylonitrile onto Ethylene–Propylene–Isopropylidendicyclopentadiene Terpolymer
A. Faucitano, H. Atarot, F. Faucitano Martinotti, V. Comincioli, S. Cesca, and S. Arrighetti 2175

Polyimides Derived from Bis-*N*-Hydroxyimides. II. Synthesis and Properties of Polyimide–Esters
H. Imajo, K. Kurita, and Y. Iwakura 2189

Effects of Ortho-Substituents on Reactivities, Tacticities, and Ceiling Temperatures of Radical Polymerizations of Phenyl Methacrylates
T. Otsu, B. Yamada, S. Sugiyama, and S. Mori 2197

Syntheses of Vinyl Polymers with Pendant Porphyrin Dimers and Their Catalytic Effects on Photoreductions
H. Kamogawa, H. Inoue, and M. Nanasawa 2209

Photochemistry of Ketone Polymers. XIV. Studies of Ethylene Copolymers
S. K. L. Li and J. E. Guillet 2221

Phenolic Resins for Solid-Phase Peptide Synthesis. III. Copolymerization of Acrylonitrile and *p*-Acetoxystyrene and Comparison of Reactivity with Styrene-Based Resins
A. Ledwith, M. Rahnema, and P. K. Sen Gupta 2239

Grafting Vinyl Monomers onto Silk Fibers. IX. Graft Copolymerization of Methyl Methacrylate onto Silk Using Peroxydiphosphate–Thiourea Redox System
P. L. Nayak, S. Lenka, and M. K. Mishra 2247

Surface Grafting of Polyethylene by Mutual Irradiation in Methyl Acrylate Vapor. IV. Kinetic Analysis by Quartz Helix Microbalances
F. Yamamoto and S. Yamakawa 2257

Studies on the Graft Polymerization of Carbon Fibers. I. The Graft Polymerization of Acrylate Monomers and Their Properties
A. Tanaka, T. Fujisawa, and R. Yosomiya 2267

Effect of Unequal Functional Group Reactivity and Monomer Masses on the Polydispersity Index in Linear Step Polymerization
E. Özizmir and G. Odian 2281

The Preparation of 1,4-Dicarbonyl, 4-Oxo Nitrile, Furan, and Pyrrole Monomers
I. S. Ponticello and P. C. Pastor 2293

Molecular Defects of Polyacrylonitrile Formed in Aqueous Medium
M. Minagawa 2307

Interaction of Crosslinked Polyvinylpyrrolidone with a Homologous Series of Methyl Orange Derivatives in Aqueous and Nonaqueous Solutions: Thermodynamics of the Binding Equilibria
T. Takagishi, Y. Naoi, I. Sonoda, and N. Kuroki 2323

Cationic Polyelectrolytes. II. Animation of Chloromethylated Polystyrene with Hydroxyalkylic Secondary Amines
S. Drăgan, I. Petrariu, and M. Dima 2333

Quaternary Ammonium Polyelectrolytes. IV. Addition Reaction between Poly(4-Vinylpyridinium Chloride) and Electrophilic Vinyl Compounds
C. Luca, V. Bărboiu, I. Petrariu, and M. Dima 2347

Silylation of Water Glass. I. Solvent Extraction and Trimethylsilylation of Silicic Acid
S. Kohama, H. Inoue, and T. Yasuda 2357

Photochemistry of Polymeric Systems. I. Photocrosslinking of Polymers and Copolymers Containing Pyridine N-Oxide Groups
J.-L. Decout, A. Lablache-Combier, and C. Loucheux 2371

Photochemistry of Polymeric Systems. II. Photocrosslinking of Polymers and Copolymers Containing Various Aromatic N-Oxide Groups
J.-L. Decout, A. Lablache-Combier, and C. Loucheux 2391

Issue 8, August 1980

Studies of Some New Bioactive Acrylic Esters
L. Chengxun, F. Xinde, W. Chongqing, and L. Dechang 2411

Polymerization of Aromatic Nuclei. XXIV. Investigation of Oligomer and Polymer from Furan and Trichloroacetic Acid
B. S. Lamb and P. Kovacic 2423

Solid-State Polymerization of Long-Chain Vinyl Compounds. IV. Effects of Chain Length on the Polymorphic Behavior and Postpolymerization of *n*-Alkyl Methacrylates
Y. Shibasaki and K. Fukuda 2437

Studies on Suspension and Emulsion. XXXV. Effect of Epoxy Groups at the Surface Layer of Ethyl Acrylate–Glycidyl Methacrylate Copolymer Emulsion Particles on Its Crosslinking Reactivity
M. Okubo, Y. Nakamura, and T. Matsumoto 2451

Stabilization at High Temperatures
E. B. Brun, O. A. Shustova, S. I. Kuchanov, and G. P. Gladyshev 2461

Kinetics of Polymerization of Acrylic Acid Initiated by Mn^{3+}–Isobutyric Acid Redox System. II
P. Elayaperumal, T. Balakrishnan, M. Santappa, and R. W. Lenz 2471

Polymerization and Copolymerization of 2-Phthalimidomethyl 1,3-Butadiene. I. Preliminary Studies of Free Radical Polymerization and Polymerizations Initiated by Various Transition Metal Allyl Complexes
F. Borg-Visse, F. Dawans, and E. Maréchal 2481

Polymerization and Copolymerization of 2-Phthalimidomethyl 1,3-Butadiene. II. Kinetic Study of the Polymerization of 1,3-Butadiene and of the Copolymerization of 1,3-Butadiene with 2-Phthalimidomethyl 1,3-Butadiene Initiated by Bis(η^3-Allyl Nickel Trifluoroacetate)
F. Borg-Visse, F. Dawans, and E. Maréchal 2491

Synthesis of 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)ethylene via Ammonia or Methylamine Dehydrochlorination. A Bisphenol for the Preparation of Highly Flame-Resistant Polycarbonates
M. R. MacLaury, A. D. Chan, A. M. Colley, A. Saracino, and A. M. Toothaker ... 2501

Polymeric *p*-Benzoquinone–Tin Derivatives as Thermal Stabilizers for Rigid Poly(vinyl Chloride). I. Preparation of the Stabilizers
A. A. Yassin and M. W. Sabaa 2513

Polymeric *p*-Benzoquinone–Tin Derivatives as Thermal Stabilizers for Rigid Poly(vinyl Chloride). II. Evaluation of the Stabilizing Efficiency
A. A. Yassin and M. W. Sabaa 2523

Synthesis and Free Radical Polymerization of *N*-Substituted Citraconimides
T. M. Pyriadi and E. H. Mutar 2535

Photorearrangements of Hydrocarbon Polymers with Pendant Double Bonds
M. A. Golub and M. L. Rosenberg 2543

Glass Transitions of Epoxide Prepolymers
J. V. Aleman 2561

Flow Properties of Epoxide Prepolymers
J. V. Aleman 2567

Microstructural Order in Cotton Fibers by Relative Availability of O(3)H: Never-Dried Fibers
S. P. Rowland and C. P. Wade 2577

Studies on Ceric–Thiol-Initiated Aqueous Vinyl Polymerization with Particular Reference to End Groups in Poly(methyl Methacrylate)
D. Pramanick and A. K. Chatterjee 2585

Peel Adhesion and Viscoelasticity of Rubber–Resin Blends
D. W. Aubrey and M. Sherriff 2597

Mössbauer Study of the γ-Induced Polymerization of Iron Methacrylate
P. R. Sarma, K. C. Tripathi, and H. M. Gupta 2609

The Topochemistry of the Catalytic Systems on the Surface of Polymer Supports
F. S. Dyachkovskii, A. D. Pomogailo, and N. M. Bravaya 2615

Polymerization in Lyotropic Liquid Crystals. I. Change of Structure during Polymerization
R. Thundathil, J. O. Stoffer, and S. E. Friberg 2629

Polymerization in Water-in-Oil Microemulsion Systems. I
J. O. Stoffer and T. Bone 2641

^{13}C-NMR Spectroscopy of Polyamic Acids and Polyimides
K. S. Seshadri, P. A. Antonoplos, and W. J. Heilman 2649

Tricarbonylchromium-Complexed Phenylsiloxane Polymers as Stereoselective Hydrogenation Catalysts: Preparation and Properties
R. A. Awl, E. N. Frankel, J. P. Friedrich, and C. L. Swanson 2663

Complex Triarylsulfonium Salt Photoinitiators. I. The Identification, Characterization, and Syntheses of a New Class of Triarylsulfonium Salt Photoinitiators
J. V. Crivello and J. H. W. Lam 2677

Complex Triarylsulfonium Salt Photoinitiators. II. The Preparation of Several New Complex Triarylsulfonium Salts and the Influence of Their Structure in Photoinitiated Cationic Polymerization
J. V. Crivello and J. H. W. Lam 2697

Transfer Reaction and Molecular Weight Distribution in the Anionic Polymerization of Formaldehyde
G. Bianchi, P. Colombo, S. Custro, and P. Radici 2715

Phase Transfer-Catalyzed Nitromercuration of Diene Polymers
J. C. W. Chien, T. Kohara, C. P. Lillya, T. Sarubbi, B-H. Su, and R. S. Miller 2723

Pyrolysis Mass Spectrometry and Gas Chromatography of Plasma-Polymerized Benzene and Xylene
M. Venugopalan, I.-S. Lin, and M. S. Grenda 2731

Photochemical Degradation of Blends of Polystyrene and Poly(2,6-Dimethyl-1,4-Phenylene Oxide)
J. P. Tovborg Jensen and J. Kops 2737

Notes

Computation of Reactivity Ratios from Sequence Distribution Information
K. F. O'Driscoll 2747

Preparation of Phosphorus-Containing Polymers. XXII. Phenoxaphosphine-Containing Poly-1,3,4-Oxadiazoles
M. Sato and M. Yokoyama 2751

Information for Contributors 2755

Issue 9, September 1980

Functional Polymers. VI. Preparation and Polymerization of Methyl 3-Vinylsalicylate, Methyl 3-Vinylacetylsilicylate, 3-Vinylsalicylic Acid, and 3-Vinylacetylsalicylic Acid
M. Iwasaki, D. Tirrell, and O. Vogl 2755

The Effect of Solvents on the Radiation-Induced Polymerization of Ethyl and Isopropyl Vinyl Ethers
W. C. Hsieh, H. Kubota, D. R. Squire, and V. Stannett 2773

Cyclization and Crosslinking of Polybutadiene in Solution by Electron Beam Irradiation
K. Hayashi, M. Tachibana, and S. Okamura 2785

Synthesis of Polymer Containing Lipoic Acid as a Polymeric Reagent for Acyl Transfer
Y. Nambu, T. Endo, and M. Okawara 2793

Coordination Polymers. VIII. IR Spectroscopic Studies on the Mechanism of the Reaction between Polyesters and Zinc Oxide
A. Szilágyi, V. Izvekov, and I. Vancsó-Szmercsányi 2803

On the Rate of Soapless Emulsion Polymerization of Methyl Methacrylate
M. Arai, K. Arai, and S. Saito 2811

Polymerization and Polymers of Silicic Acid
M. F. Bechtold, W. Mahler, and R. A. Schunn 2823

A Chemical Study of Thermally Activated Chromic Titanate on Silica Ethylene Polymerization Catalysts
T. J. Pullukat, R. E. Hoff, and M. Shida 2857

NOTES

On Comments by Milan D. Janić on "Aromatic Ionene Bromides from 4,4′-Methylene Bis (*N*,*N*-Dimethylbenzenamine) and α,ω-Dibromoalkane"
T. Yokoyama and K. Hiraoka 2867

Synthesis and Properties of Poly (2,5-Thienylene)
J. W.-P. Lin and L. P. Dudek 2869

Aromatic Polyamides by Phosphorylation Reaction with Triphenylphosphite and LiCl in the Presence of Polymer Matrix
F. Higashi and Y. Taguchi 2875

Synthesis of Wholly Aromatic Polyesters by the Direct Polycondensation Reaction of Hydroxybenzoic Acids with Trivalent Phosphorous Compounds
F. Higashi, N. Kokubo, and M. Goto 2879

Linear Oligopeptides. LXXVI. Effect of Lateral Chains on the Circular Dichroism Spectra of Protonated Peptides
C. Toniolo and G. M. Bonora 2883

Phosphonate Ionomers Based on Phosphonylated Ethylene–Propylene Copolymer
R. A. Weiss 2887

Redox Initiation of Polymerization Using 1,3-Dioxane-2-Hydroperoxides
J. S. Bates and R. A. Shanks 2901

Synthesis of High-Molecular-Weight Poly (amide–Hydrazide)s by the Phosphoroylation Reaction Using Diphenylphosphite and Pyridine
F. Higashi and M. Ishikawa 2905

ERRATUM

Polycarbonates from 1,1-Dichloro-2,2-Bis(4-Hydroxyphenyl)ethylene and Bisphenol A: A Highly Flame-Resistant Family of Engineering Thermoplastics
A. Factor and C. M. Orlando 2909

Issue 10, October 1980

Polymers Containing Crown Ethers: Polyureas from Diisocyanates and 1,10-Diaza-18-Crown-6
L. J. Mathias and K. Al-Jumah 2911

Synthesis and Characterization of Polymers of 1,4-Hexadienes
J. Lal, T. L. Hanlon, and H. Y. Chen 2921

A Molecular Approach to Flavor Synthesis. I. Menthol Esters of Varying Size and Polarity
H. Jabloner, B. I. Dunbar, and A. J. Hopfinger 2933

Kinetic Studies of Rigid Copolymers Containing 3,3′-Substituted Biphenyls and Vinylimidazole
S. Hayama, M. Takeishi, S. Niino, and T. Okamura 2941

Thermal Properties of Wholly Aromatic Polyamides
A. K. Chaudhuri, B. Y. Min, and E. M. Pearce 2949

Polymerization of Cyclic Derivatives of Uracil and Thymine
Y. Inaki, H. Futagawa, and K. Takemoto 2959

Alternating Copolymerization of 2,3-Dichloro-5,6-Dicyano-*p*-Benzoquinone with Styrene and Polymerization Behavior with Vinyloxy Compounds
S. Iwatsuki and T. Itoh 2971

Ampholytic Polystyrene Ionomers from Cationic–Anionic Monomer Pairs
J. C. Salamone, C. C. Tsai, A. P. Olson, and A. C. Watterson 2983

Magnetic Circular Dichroism Studies of Aromatic Polymers
H. Kaye and J. S. Hwang 2993

Enantioselective Ester Synthesis in the Presence of Optically Active Polymers
Y. Kawakami, T. Sugiura, Y. Mizutani, and Y. Yamashita 3009

Polymerization of Aromatic Olefins in the System Liquid Sulfur Dioxide–Percompounds: The Nature of the Initiation
A. de Souza Gomes, O. do Coutto Filho, A. M. Montenegro, L. Akcelrud, and R. Santos 3021

Polyenaminoesters from α,α′-Bis(carbomethyoxy)diacetylbenzenes and Phenylene Diamines
J. A. Moore and T. D. Mitchell 3029

Asymmetric Polymerization of Triphenylmethyl Methacrylate by Optically Active Anionic Catalysts
Y. Okamoto, K. Suzuki, and H. Yuki 3043

Polymerization of Substituted Cyclopropanes. III. Anionic Polymerizations of 2-Substituted Cyclopropane-1,1-Dicarbonitriles
I. Cho and J-B. Kim 3053

Solvating Properties of Certain Polymeric Ethers
I. M. Panayotov, D. K. Dimov, Ch. B. Tsvetanov, V. V. Stepanov, and S. S. Skorokhodov 3059

Polymer Syntheses via Aromatic Nitro Displacement Reaction
T. Takekoshi, J. G. Wirth, D. R. Heath, J. E. Kochanowski, J. S. Manello, and M. J. Webber 3069

Metal Ion-Promoted Hydrolyses of Ligand Esters in the Presence of Polycarboxylates
M. Takeishi, T. Watanabe, S. Niino, and S. Hayama 3081

Configurational Rules Governing the Stereochemical Control of Chiral Initiators in Ring-Opening Polymerizations of Heterocyclic Monomers
N. Spassky, A. Leborgne, A. Momtaz, and M. Sepulchre 3089

Effect of Metal Oxides on the Evolution of Aromatic Hydrocarbons in the Thermal Decomposition of PVC
A. Ballistreri, S. Foti, P. Maravigna, G. Montaudo, and E. Scamporrino 3101

Some Contributions to the Characterization of Active Sites in Mg-Supported Ziegler–Natta Catalysts
A. Simon and A. Gröbler 3111

Synthesis and Thermomechanical Properties of Alternating Copolymers Containing Bisphenol-A
T. J. Pacansky, R. L. Schank, R. J. Gruber, K. A. Brandt, and M. Bernardo, Jr. 3119

NOTE

Luminescence Properties and Photooxidation of Poly[butylene Terephthalate-co-Poly(oxytetramethylene)terephthalate]
J. A. Dellinger and C. W. Roberts 3129

Issue 11, November 1980

Polymerization of 2,7,8-Trioxabicyclo[3.2.1]octane and 2,8,9-Trioxabicyclo[3.3.1]nonane
Y. Yokoyama and H. K. Hall, Jr. 3133

Free Radical Grafting of Monomers to Polydienes. IV. Kinetics and Mechanism of Methyl Methacrylate Grafting to Polybutadiene
G. G. Cameron and M. Y. Qureshi 3149

A Microcalorimetric Study of Complex Formation between Alkaline Sodium Tartrate and Iron(III)
B. E. Dale and G. T. Tsao 3163

New Telechelic Polymers and Sequential Copolymers by Polyfunctional *Ini*tiator-Trans*fer* Agents (Inifers). VII. Synthesis and Characterization of α,ω-Di(hydroxy)polyisobutylene
B. Iván, J. P. Kennedy, and V. S. C. Chang 3177

The Formation of Radical Cations of Styrene and α-Methylstyrene in the Irradiation of Mixtures of These Monomers with $TiCl_4$ and $SnCl_4$ in a Semicrystalline Heptane Matrix
J. Pilař, M. Marek, and L. Toman 3193

High-Conversion Polymerization. VII. A Definition of the Explosive Region and the Influence of Free Volume on It
J. M. Dionisio and K. F. O'Driscoll 3199

Fillers in Polypropylene. II
M. Hancock, P. Tremayne, and J. Rosevear 3211

Estimation of Morphology of Composite Polymer Emulsion Particles by the Soap Titration Method
M. Okubo, A. Yamada, and T. Matsumoto 3219

Freeze-Dried Cellulose Acetate Membrane Fine-Structure Observation
A. Kakuta, M. Kuramoto, M. Ohno, H. Kushida, A. Tanioka, and K. Ishikawa 3229

Photoreactions of Radicals During Polyolefin Photooxidation
A. Garton, D. J. Carlsson, and D. M. Wiles 3245

Studies on Stable Free Radicals. XVI. Copolymerization of a Stable *N*–Oxyl Biradical with ρ-Xylylene
T. Fujita, T. Yoshioka, and N. Soma 3253

Synthesis of Novel Poly(xylylenyl Benzimidazole)s
A. M. Ibrahim, V. Mahadevan, and M. Srinavasan 3265

Preparation of Esters of Styrene Sulfonic Acid and Their Emulsion Copolymerization with Isoprene
B. Siadat and R. W. Lenz 3273

Heterogeneous Catalysis by Polyelectrolyte. I. Polyelectrolyte Influence on the Solvolysis and Deamination
Y. Nishiyama, I. Moroe, H. Kitano, T. Okubo, and N. Ise 3289

Radiation-Induced Polymerization at High Dose Rate. IV. Chloroprene in Bulk
K. Hayashi, M. Tachibana, and S. Okamura 3297

NOTES

Sequence Distribution of Methyl Acrylate-Vinylidene Chloride Copolymers by ^{13}C-NMR
S. Kaplan 3307

Grafting Vinyl Monomers onto Silk Fibers. XII. Graft Copolymerization of Methyl Methacrylate onto Silk Using Hydrogen Peroxide–Sodium Thiosulfate Redox System
G. Panda, A. K. Pradhan, N. C. Pati, and P. L. Nayak 3311

Dissolution of Polyethylene in a Mixture of Two Nonsolvents
N. Vidyarthi and S. Palit 3315

Issue 12, December 1980

The Kinetics of Condensation of Phenolic Polyflavonoid Tannins with Aldehydes
D. du T. Rossouw, A. Pizzi, and G. McGilliveay 3323

The Characteristics of Lanthanide Coordination Catalysts and the *cis*-Polydienes Prepared Therewith
S. Zhiquan, O. Jun, W. Fusong, H. Zhenya, Y. Fusheng, and Q. Baogong 3345

Synthesis and Metal Binding Properties of Novel Sulfer-Containing Functional Oligomer
H. Tsukube, T. Araki, A. Nakamura, and K. Maruyama 3359

Relationships of Graft Polymerization of Vinyl Monomers onto Cellulose. Reaction Kinetics and Polymer Structure
V. I. Kurliankina, V. A. Molotkov, S. I. Klenin, and S. Y. Liubina 3369

Radiation-Induced Polymerization at High Dose Rate. III. Isoprene in Bulk
K. Hayashi, M. Tachibana, and S. Okamura 3381

Complex Formation of Poly(4-Vinyl-*N*-Alkylpyridinium) Salts or Polymer Containing Flavin Mononucleotide with Indole Derivatives
T. Ishiwatari, T. Okubo, and N. Ise 3393

Synthesis and Polymerization of γ-Alkoxy-β-Hydroxypropyl Acrylates
C. Lu, N. Chen, Z. W. Gu, and X. Feng 3403

Synthesis and Radiation Degradation of Vinyl Polymers with Flourine: Search for Improved Lithographic Resists
C. U. Pittman, C. Chen, M. Ueda, J. N. Helbert, and J. H.Kwiatkowski 3413

The Synthesis of Sulfonated Polymers by Free Radical Copolymerization. Poly(butadiene-co-Sodium Styrene Sulfonate)
R. A. Weiss, R. D. Lunderg, and A. Werner 3427

Spectrophotometric Studies of Some CT Complexes of 2,4,7-Trinitrofluorenone with Poly(vinyl Halogenocarbazole)
J. Pielichowski and J. Obrzut 3441

Kinetics of the Metal-Catalyzed Condensations of Phenols and Polyflavonoid Tannins with Formaldehyde
A. Pizzi and P. van der Spuy 3447

Hydrolysis of Egyptian Medicated Cotton by HCL-$FeCl_3$ Reagent
H. G. Shinouda and M. M. Abdel Moteleb 3455

Polymerization of Oriented Monomers. V. Radiation-Induced Polymerization of 3*n*-Dodecyl-1-Vinylimidazolium Iodide in Micellar Aggregates
C. M. Paleos, S. Voliotis, G. Margomenou-Leonidopoulou, and P. Dais 3463

The Solubility of Cellulose in Liquid Ammonia/Salt Solutions
S. M. Hudson and J. A. Cuculo 3469

Starshaped Block Copolymers. I. Synthesis of New $A(B)_2$ Starshaped Block Copolymers Based on Vinyl or Diene Hydrocarbons (A) and Oxirane (B)
H-B. Gia, R. Jérôme, and Ph. Teyssié 3483

NOTES

Synthesis of Aromatic Polysulfonamide Esters
N. Chau, Y. Ogawa, and Y. Iwakura 3499

Author Index to Volume 18 3507

Subject Index to Volume 18 3531

Information for Contributors 3505

Volume Title Page i

Volume Contents iii